

# SPIRIT LEVELS

CATALOG 2024



# OUR STORY



# ABOUT US

For over 30 years, we have dedicated ourselves to the development and production of the best layout and measuring tools in the market. Our spirit levels, laser levels and layout and marking tools are produced with the customer in mind and are manufactured to the highest possible quality and standards.

Through our state-of-the-art facilities in Israel, China and the United States, we have built a global network of partners that cater to the needs of professionals around the world.

## INNOVATION & DESIGN

Kapro's R&D team has revolutionized the layout & measuring tool design, introducing a variety of ground-breaking inventions to the market:

The Plumb Site® Dual-view™ - the only level feature in the market providing a frontal view of the plumb vial, eliminating parallax error as well as neck and back strain due to vertical plumb jobs.

The OPTIVISION® Red Vial - a new standard in vial visibility, achieved by creating a clear color outline around the spirit level's bubble. The clearest, most visible vial on the market today.

Laser positioning legs – with anti-slip grips and multiple angle options, our patented strong folding legs simplify angle mounting and height adjustment of lasers.

Prolaser® levels – offer a complete line of powerful lasers, that when combined with variable combination sets, offer the customer a staggering array of choices.

Specialty levels – unique levels that cater the specific needs of professionals in various trades such as drywall installation, plumbing and electrical work.

## QUALITY

Kapro is dedicated to excellence in every aspect: production, distribution, sales and marketing.

We solely use the highest quality materials and components, from the strongest yet lightest aluminum spirit levels to the most advanced, reliable modules in laser levels.

Kapro is the only level manufacturer in the world to carry the prestigious VPA mark of quality, all our manufacturing facilities are compliant with ISO Standards 9001, 14001 and SA8000. All Kapro's lasers and electronic products carry FDA and CE certification, and comply with RoHS, WEEE and REACH regulations.

In addition, Kapro adheres to strict calibration and testing standards for all products, ensuring the highest level of accuracy in the market.

## SERVICE & VALUE

The Kapro team strives to supply value to our customers through excellent products and the highest level of service. Our dedicated customer service team is constantly listening and responding to customers, ensuring their needs are met in a professional and timely manner.

# CONTENT

ABOUT US	3
VPA CERTIFICATION	5
OPTIVISION® VIAL	6
BOX LEVELS	10
DIGITAL LEVELS	15
SPECIALTY LEVELS	16
CAST LEVELS	20
I-BEAM LEVELS	23
TOOLBOX LEVELS	24
POCKET LEVELS	28
POST & PIPE LEVELS	30
LINE & SURFACE LEVELS	31
SCREEDS	32
LEVEL BAGS	33
LEVEL SETS	36

# WHAT IS THE VPA CERTIFICATION?



VPA Prüf - und Zertifizierungs GmbH is the world's leading organization in testing, evaluating and certifying the quality assurance and adherence of tools to German standards and regulations.

The German VPA certified seal of approval attests to the safety and the quality assurance of products that withheld comprehensive testing procedures and continuous supervision.

## THE VPA TESTS COVER:

- Level accuracy according to VPA standards
- Chemical testing of PAHs for plastics and compliance with German standards
- Level strength and reliability through breakage tests
- Level safety according to German standard parameters
- Full-scope inspections according to all applicable standards and guidelines
- Regular supervision processes

## THE TESTS ARE BASED ON THE FOLLOWING REGULATIONS:

- EC directives
- EN, ISO, IEC standards
- Legal regulations
- National technical standards
- Rules of technology and safety engineering
- Tested Safety (GS) mark

Kapro offers VPA certified products that testify to the highest quality assurance and standards with which we operate and manufacture.

## LEVEL ICONS GLOSSARY



**Plumb Site®**  
Dual-View™ Vial  
Unique front vertical vial view




**2% Gradient Lines**  
Better precision up to 2%



**UV Resistant**  
Strong resistance ultra violet (UV) light or sunlight



**Magnetic**  
Powerful magnetic surface for accurate hands-free leveling



**Reversibility**  
Up to 0.5 mm/m (0.0005 in/in) in all positions



**Shockproof Vials**  
Resistant to shock damage for superior longevity



**Accuracy**  
Best accuracy of  $\pm 0.5$  mm/m ( $\pm 0.0005$  in/in)



**Shockproof End Caps**  
Resistant to shock damage

# OPTIVISION® VIAL

## SEE THE DIFFERENCE

The Optivision® vial technology was designed to enhance measuring accuracy with unparalleled visibility. These vials feature highly visible red bubble edges, allowing for precise placement between the reading lines and ensuring optimal vision even in bright or low light conditions. But it doesn't stop at the color alone. The tilted angle of the vial provides a direct line of sight to the bubble, eliminating distortions and guaranteeing accurate readings. The high contrast ratio between the bubble and vial liquid further contributes to faster measurements and superior precision.



# OPTIVISION®

VISION

# OPTI VISION®

Bridge

Increased Toughness

Highly Visible Red Bubble Edge

Extra Visibility

Tilted Vial

Direct View of Bubble

Gradient (%)

Up to 2% Sloping Graduation



Extra strong  
Rare-Earth magnets

Finely milled base

V-Groove



Angle transfer with gradient markings

Rubber impact  
resistant end caps

Unique Wall-Grip



Asymmetric extra-durable profile



Ergo Grip™ handle



Plumb Site® Dual-View™ vial  
with RedEffect™

## 905 CONDOR™



### FEATURES

- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in)
- 2 solid acrylic shockproof vials, including:
  - 1 Plumb Site® Dual-View™ vial with RedEffect™
  - 1 OPTIVISION® Red tilted horizontal vial with gradient lines up to 2%
- Finely milled base (up to 120 cm / 48")
- Bridge at horizontal vial for increased body strength
- Continuous marking surface
- Wall-Grip
- Ergo Grip™ rubber handle
- Shock-absorbing rubber end caps

### OPTIONAL:

- Magnetic model: 905M
- 12 piece display

## 905DG OPTIVISION® DIGITAL LEVEL



### FEATURES

- Digital accuracy: 0.05° at level & plumb 0.2° at other angles
- 2 or 3 solid acrylic shockproof vials, including:
  - 1 OPTIVISION® Red tilted horizontal vial with gradient lines of up to 2%
  - 1 or 2 vertical vials with RedEffect™
- Hold function
- Mode function: degree/percentage/pitch (cm/m & in/ft)
- Recalibration function and "False Zero"
- 45° backlit, tilted LCD display
- 180° readout – readable when inverted
- Buzzer at 0°, 45° and 90°
- Powerful magnets
- Finely milled base up to 120 cm (48")
- Wall-Grip
- Large silicone buttons
- Shock-absorbing rubber end caps
- Battery indicator

## 705 EAGLE™



### FEATURES

- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in)
- 2 or 3 solid acrylic shockproof vials, including:
  - 1 OPTIVISION® Red tilted horizontal vial with gradient lines up to 2%
  - 1 or 2 vertical vial with RedEffect™
- Bridge at horizontal vial for increased body strength
- Continuous marking surface
- Finely milled base (up to 120 cm / 48")
- Wall-Grip
- Bi-material shock-absorbing rubber end caps


### OPTIONAL:

- 705P Plumb Site® Dual-View™ vial with RedEffect™
- Magnetic model: 705M
- 12 piece display

### QUALITY ASSURANCE



### SIZE & WEIGHT





### AVAILABLE LENGTHS

in 24 32 36 40 48 60 72 78  
cm 60 80 90 100 120 150 180 200

### QUALITY ASSURANCE



### SIZE & WEIGHT





### AVAILABLE LENGTHS

in 24 48 72  
cm 60 120 180

### QUALITY ASSURANCE



### SIZE & WEIGHT



### AVAILABLE LENGTHS

in 24 32 36 40 48 60 72 78  
cm 60 80 90 100 120 150 180 200



## 930 SMARTCAST™



### FEATURES

- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in)
- 2 solid acrylic shockproof vials, including:
  - 1 OPTIVISION® Red tilted horizontal vial with gradient lines up to 2%
  - 1 vertical vial with RedEffect™
- Finely milled base
- Bridge at horizontal vial for increased body strength
- Heavy-duty aluminum body
- Hanging hole
- Shock-absorbing rubber strike caps & end caps

### QUALITY ASSURANCE



### SIZE & WEIGHT



### AVAILABLE LENGTHS

in	16	24	32
cm	40	60	80

## 935 OPTIVISION® TOOLBOX LEVEL




### FEATURES

- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in)
- 3 solid acrylic shockproof vials, including:
  - 1 OPTIVISION® Red tilted horizontal vial with gradient lines up to 2%
  - 1 vertical vial with RedEffect™
  - 1 angle vial with gradient markings
- V-Groove base for pipe and conduit leveling
- Bridge at horizontal vial for increased body strength
- Finely milled base
- Heavy-duty cast aluminum tapered body
- Rare-Earth magnets
- Advanced impact-resistant rubber end caps

### QUALITY ASSURANCE



### SIZE & WEIGHT



### AVAILABLE LENGTHS

in	10
cm	25

### OPTIONAL:

- A third fixed vial at 45°

## 946 SMARTY™



### FEATURES

- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in)
- Solid acrylic OPTIVISION® Red tilted horizontal vial with gradient lines up to 2%
- Durable cast aluminum tapered body
- Large base with rare-earth magnets
- Shock-absorbing rubber side grips
- Belt clip
- Finely milled base

### QUALITY ASSURANCE



### SIZE & WEIGHT



### AVAILABLE LENGTHS

in	4
cm	10

### OPTIONAL:

- 6 piece display

## 995 VULCAN™



### FEATURES

- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in)
- 3 solid acrylic shockproof vials, including:
  - 1 Plumb Site® Dual-View™ vial
  - 1 magnified horizontal vial with gradient lines up to 2%
  - 1 vertical vial
- 2 milled surfaces (up to 120 cm / 48")
- V-Groove base for pipe and conduit leveling
- Reinforced profile
- Ergonomic handle
- Wall-Grip
- Shock-absorbing rubber end caps

### OPTIONAL:

- Magnetic model: 995M
- 12 piece display

## 990 ZEUS™



### FEATURES

- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in)
- 3 solid acrylic shockproof, epoxy-locked vials, including:
  - 2 Plumb Site® Dual-View™ vials
  - 1 magnified horizontal vial including gradient lines up to 2%
- 2 milled surfaces (up to 120 cm / 48")
- Ergonomic air-cushioned handles
- Ergo Grip™ non-slip feature
- Bridge at horizontal vial for increased body strength
- Continuous marking surface
- Air-cushioned shock-absorbing end caps
- Wall-Grip

### OPTIONAL:

- Magnetic model: 990M
- 12 piece display

## 900 MANMAX™



### FEATURES

- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in)
- 3 solid acrylic shockproof vials, including:
  - 1 Plumb Site® Dual-View™ vial
  - 1 horizontal vial with gradient lines up to 2%
  - 1 45° vial
- 2 milled surfaces (up to 120 cm / 48")
- Ergo Grip™ non-slip handle

### OPTIONAL:

- Magnetic model: 900M
- 12 piece display

### QUALITY ASSURANCE



### SIZE & WEIGHT



### AVAILABLE LENGTHS

in	24	32	36	40	48	60	72	78	96
cm	60	80	90	100	120	150	180	200	250

### QUALITY ASSURANCE



### SIZE & WEIGHT



### AVAILABLE LENGTHS

in	24	32	36	40	48	60	72	78	96
cm	60	80	90	100	120	150	180	200	250

### QUALITY ASSURANCE



### SIZE & WEIGHT



### AVAILABLE LENGTHS

in	24	32	36	40	48	60	72	78
cm	60	80	90	100	120	150	180	200

## THE PLUMB SITE® DUAL VIEW™ VIAL

The Plumb Site® Dual View™ vial offers both a front view of the vertical vial as well as the traditional side view via its unique reflection system. This allows a complete field of vision for a true plumb reading without parallax error, neck, or back strain, and helps getting the job done faster and easier.



## 985XL APOLLO™



### FEATURES

- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in)
- 3 solid acrylic shockproof vials, including:
  - 1 Plumb Site® Dual-View™ vial
  - 1 magnified horizontal vial with gradient lines up to 2%
  - 1 vertical vial
- 2 milled surfaces (up to 120 cm / 48")
- Ergo Grip™ non-slip handle
- Shock-absorbing rubber end caps

### OPTIONAL:

- Magnetic model: 985XL-M
- 12 piece display

## 987XL SATURN™



### FEATURES

- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in)
- 2 or 3 solid acrylic shockproof epoxy fixed vials, including:
  - 1 magnified horizontal vial with gradient lines up to 2%
  - 1 or 2 vertical vials
- Finely milled base (up to 120 cm / 48")
- Rubber handle
- Wall-Grip
- Shock-absorbing rubber end caps

### OPTIONAL:

- Magnetic model: 987XL-M
- 12 piece display

## 977 NEPTUNE™



### FEATURES

- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in)
- 2 or 3 solid acrylic shockproof vials, including:
  - 1 horizontal vial with gradient lines up to 2%
  - 1 or 2 vertical vials
- Finely milled base (up to 120 cm / 48")
- Wall-Grip
- Shock-absorbing rubber end caps


### OPTIONAL:

- Magnetic model: 977M
- 12 piece display

### QUALITY ASSURANCE



### SIZE & WEIGHT



### AVAILABLE LENGTHS

in 16 20 24 32 36 40 48 60 72 78 96  
cm 40 50 60 80 90 100 120 150 180 200 250

### QUALITY ASSURANCE



### SIZE & WEIGHT



### AVAILABLE LENGTHS

in 16 24 32 40 48 60 72 78  
cm 40 60 80 100 120 150 180 200

### QUALITY ASSURANCE



### SIZE & WEIGHT



### AVAILABLE LENGTHS

in 16 24 32 40 48 60 72 78  
cm 40 60 80 100 120 150 180 200

# 789 GENESIS™



## FEATURES

- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in)
- 2 or 3 solid acrylic shockproof vials, including:
  - 1 Plumb Site® Dual-View™ vial
  - 1 horizontal vial with gradient lines up to 2%
- Finely milled base (up to 120 cm / 48")
- Shock-absorbing rubber end caps
- Wall-Grip

## OPTIONAL:

- Magnetic Plumb Site® model: 789PM
- Without Plumb Site® model: 789, 789M
- 12 piece display
- 24 piece display

# 787 HELIUS™



## FEATURES

- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in)
- 2 or 3 solid acrylic shockproof vials, including:
  - 1 horizontal vial with gradient lines up to 2%
  - 1 or 2 vertical vials
- Finely milled base (up to 120 cm / 48")
- Wall-Grip
- Shock-absorbing rubber end caps

## OPTIONAL:

- Magnetic model: 787M
- 12 piece display

# 779 SPIRIT™



## FEATURES

- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in)
- 2 or 3 solid acrylic shockproof vials, including:
  - 1 horizontal vial with gradient lines up to 2%
  - 1 or 2 vertical vials
- Finely milled base (up to 120 cm / 48")
- Wall-Grip
- Shock-absorbing rubber end caps

## OPTIONAL:

- Magnetic model: 779M
- 30 piece dispenser display

## QUALITY ASSURANCE



## SIZE & WEIGHT



## AVAILABLE LENGTHS

in 24 32 36 40 48 60 72 78  
cm 60 80 90 100 120 150 180 200

## QUALITY ASSURANCE



## SIZE & WEIGHT



## AVAILABLE LENGTHS

in 16 24 32 40 48 60 72 78  
cm 40 60 80 100 120 150 180 200

## QUALITY ASSURANCE



## SIZE & WEIGHT



## AVAILABLE LENGTHS

in 8 12 16 20 24 32 40 48 60 72 78  
cm 20 30 40 50 60 80 100 120 150 180 200

► BOX LEVELS

# 752

## MERCURY™



### FEATURES

- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in)
- 2 or 3 solid acrylic shockproof vials, including:
  - 1 horizontal vial with gradient lines up to 2%
  - 1 or 2 vertical vials
- Hanging hole
- Shock-absorbing rubber end caps

### OPTIONAL:


- Magnetic model: 752M



### QUALITY ASSURANCE



### SIZE & WEIGHT



### AVAILABLE LENGTHS

in 8 12 16 20 24 32 40 48 60 72 78  
 cm 20 30 40 50 60 80 100 120 150 180 200

# 750

## ORION™




### FEATURES

- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in)
- 2 or 3 solid acrylic shockproof vials, including:
  - 1 horizontal vial with gradient lines up to 2%
  - 1 or 2 vertical vials
- Shock-absorbing rubber end caps
- Hanging hole

### QUALITY ASSURANCE



### SIZE & WEIGHT



### AVAILABLE LENGTHS

in 8 12 16 20 24 32 40 48 60 72 78  
 cm 20 30 40 50 60 80 100 120 150 180 200

# 393

## DIGI PRO

### FEATURES

- Digital accuracy:
  - <math><0.1^\circ</math> at level & plumb
  - <math><0.2^\circ</math> at other angles
- Backlit LCD display
- Automatic digit inversion
- "False Zero" measurements
- Magnetic base



### QUALITY ASSURANCE

IP54

### AVAILABLE LENGTHS

in 6.3  
cm 16

# 992

## DIGITAL BEVEL

### FEATURES

- Digital accuracy: <math><0.1^\circ</math>
- 1 horizontal vial
- Clear digital display
- 180° readout – readable
- Adjustable blade locks at any angle
- Easy recalibration
- Reference angle "False Zero"
- Anodized aluminum profile



### SIZE & WEIGHT



### AVAILABLE LENGTHS

in 10  
cm 25

# 985D

## DIGIMAN



### FEATURES

- Digital accuracy:
  - <math><0.1^\circ</math> at level & plumb
  - <math><0.2^\circ</math> at other angles
- 2 solid acrylic shockproof vials, including:
  - 1 Plumb Site® Dual-View™ vial
  - 1 horizontal vial
- 45° backlit, tilted LCD display
- 180° readout – readable when level is inverted
- Hold function for transferring measurements
- Mode function (degree/percentage/pitch)
- Memory recall: 9 measurements
- Buzzer at 0°, 45° and 90°
- Recalibration function & "False Zero"
- 2 milled surfaces
- Ergo Grip™ handles
- Shock-absorbing end caps
- Rare-Earth magnets in 60 cm / 120 cm (24" / 48") models

### OPTIONAL:

- Water resistant bag

### QUALITY ASSURANCE

LIFETIME WARRANTY VIAL

### SIZE & WEIGHT



### AVAILABLE LENGTHS

in 10 24 48  
cm 25 60 120

## 985T TITAN™




### FEATURES

- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in)
- 2 or 3 solid acrylic shockproof vials, including:
  - 1 magnified horizontal vial with gradient lines up to 2%
  - 1 or 2 vertical vials
- Finely milled base
- Top edge high impact polymeric overlay for absorbing hammer and mallet blows
- Shock-absorbing rubber end caps

### QUALITY ASSURANCE



### SIZE & WEIGHT



### AVAILABLE LENGTHS

in 24 40 48  
cm 60 100 120

## 770 EXODUS™



### FEATURES

- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in)
- 3 solid acrylic shockproof vials, including:
  - 1 horizontal vial with gradient lines up to 2%
  - 1 vertical vial
  - 1 45° vial
- Precise straight-edge ruler
- Finely milled base (up to 120 cm / 48")
- Wall-Grip
- Shock-absorbing rubber end caps

### OPTIONAL:

- Magnetic model: 770M
- 12 piece display

### QUALITY ASSURANCE



### SIZE & WEIGHT



### AVAILABLE LENGTHS

in 24 32 40 48  
cm 60 80 100 120

## 773 DRYWALL LEVEL™



### FEATURES

- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in)
- 2 solid acrylic shockproof vials, including:
  - 1 Plumb Site® Dual-View™ vial
  - 1 horizontal vial with gradient lines up to 2%
- Finely milled base
- Magnetic stud slots and markers for standard layout
- Rare-Earth magnets
- Shock-absorbing end caps

### OPTIONAL:

- Model 773: Standard stud layout  
400 mm (16") / 600 mm (24") / 40 mm (1.6")
- Model 773B: Standard stud layout  
400 mm (16") / 600 mm (24") / 50 mm (2")
- Model 773G: Standard stud layout  
417 mm (16.7") / 625 mm (25") / 50mm (2")

### QUALITY ASSURANCE



### SIZE & WEIGHT



### AVAILABLE LENGTHS

in 36  
cm 90





## 783 ELECTRICIAN'S LEVEL™



### FEATURES

- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in)
- 2 solid acrylic shockproof vials, including:
  - 1 horizontal vial with gradient lines up to 2%
  - 1 vertical vial
- 4 markers at 71 mm (3.1") intervals
- 1 marker at 91 mm (3.6") (on 130 cm model)
- 3 height markers: 30 cm (12"), 105 cm (41") and 115 cm (45")
- Shock-absorbing end caps



## 103 INCLINOMETER™



### FEATURES

- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in)
  - 1 horizontal solid acrylic shockproof vial
  - Scale in degrees and percentage
- OPTIONAL:**
- Magnetic model: 103M

## 104 DRAINAGE LEVEL™




### FEATURES

- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in)
- 1 horizontal solid acrylic shockproof vial
- Sets measuring slopes up to 10%
- Shock-absorbing rubber end caps

### QUALITY ASSURANCE



### SIZE & WEIGHT



### AVAILABLE LENGTHS

In 18 51  
cm 48 130

### QUALITY ASSURANCE



### SIZE & WEIGHT




### AVAILABLE LENGTHS

In 8 12 16 20 24 32 40 48  
cm 20 30 40 50 60 80 100 120

### QUALITY ASSURANCE



### SIZE & WEIGHT



### AVAILABLE LENGTHS

In 40  
cm 100

# 105 TOPGRADE™



## FEATURES


- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in) on all vials
- Accurate slope measurements up to 2%
- 4-6 solid acrylic shockproof vials (depending on level length), including:
  - 3-5 horizontal vials with gradient level of 0%, 1%, 2%
  - 1 vertical vial
- Accurate slope measurements up to 2%
- Shock-absorbing rubber end caps
- Finely milled base

**OPTIONAL:**  
- Magnetic model: 105M

## QUALITY ASSURANCE



## SIZE & WEIGHT



## AVAILABLE LENGTHS

in 24 40 48  
cm 60 100 120

# 108T TAP LEVEL



## FEATURES

- 1 horizontal solid acrylic vial with gradient lines up to 2%
- 50 mm (2") marker for tap placement
- Wall-Grip
- Shock-absorbing end caps

## QUALITY ASSURANCE



## SIZE & WEIGHT



## AVAILABLE LENGTHS

in 12  
cm 30

# 108 INSTALLATION LEVEL



## FEATURES

- Accuracy 0.5 mm/m (0.0005 in/in)
- 2 solid acrylic shockproof vials, including:
  - 1 vertical vial with Plumb Site® Dual-View™ vial
  - 1 horizontal vial with gradient lines up to 2%
- 5 markers designed into the level's profile at standard installation points:
  - 280 mm (11") for sink attachment to wall
  - 150 mm (60") for faucet placement
  - 75 mm (3") for water pipes below the sink

- Shock-absorbing rubber end caps
- Wall-Grip
- Reinforced aluminum profile

**OPTIONAL:**  
- Magnetic model: 108M

## QUALITY ASSURANCE



## SIZE & WEIGHT



## AVAILABLE LENGTHS

in 27.5  
cm 70

## 950 SWIVEL PLUMB SITE™



### FEATURES

- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in)
- 3 solid acrylic shockproof vials, including:
  - 1 Swivel Plumb Site® vial
  - 1 magnified horizontal vial
  - 1 vertical vial
- Finely milled base
- Ultra-durable high pressure cast aluminum profile
- Oversized shock-proof rubber end caps with anti-slip feature

**OPTIONAL:**  
- Magnetic model: 950M

## 920 SHARK®



### FEATURES

- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in)
- 2 solid acrylic shockproof vials, including:
  - 1 Plumb Site® Dual-View™ vial
  - 1 horizontal vial with gradient lines up to 2%
- Finely milled base
- Rubber handle
- Wall-Grip
- Heavy-duty cast aluminum tapered (trapezoid) body
- Shock-absorbing rubber anvils

**OPTIONAL:**  
- Magnetic model: 920M

### QUALITY ASSURANCE



### SIZE & WEIGHT



### AVAILABLE LENGTHS

in 18  
cm 45

### QUALITY ASSURANCE



### SIZE



### AVAILABLE LENGTHS

in 16 20 24 32 40  
cm 40 50 60 80 100



## 820 SUPERCAST™



### FEATURES

- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in)
- 3 solid acrylic shockproof vials, including:
  - 1 adjustable horizontal vial with gradient lines up to 2%
  - 2 vertical vials
- 2 milled surfaces
- Heavy-duty cast aluminum body

## 730 TOPCAST™



### FEATURES

- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in)
- 2 solid acrylic shockproof vials, including:
  - 1 horizontal vial with gradient lines up to 2%
  - 1 vertical vial
- Finely milled base
- 2 heavy-duty cast aluminum anvil strike pads
- Drill bit diameter gauge

## 731 EIFFEL™



### FEATURES

- Accuracy: <math><0.5\text{ mm/m}</math> (0.0005 in/in)
- 2 solid acrylic shockproof vials, including:
  - 1 horizontal vial with gradient lines up to 2%
  - 1 vertical vial
- Finely milled base
- Heavy-duty cast aluminum body
- Shock-absorbing rubber anvils

### QUALITY ASSURANCE



### SIZE



### AVAILABLE LENGTHS

in 24 32  
cm 60 80

### QUALITY ASSURANCE



### SIZE



### AVAILABLE LENGTHS

in 16 24 32  
cm 40 60 80

### QUALITY ASSURANCE



### SIZE



### AVAILABLE LENGTHS

in 24 32  
cm 60 80

► I-BEAM LEVELS

# 175

## MAXPRO™



### FEATURES


- Accuracy: 0.5 mm/m (0.0005 in/in)
- 3 cylindrical vials, including:
  - 1 horizontal vial with top-down view window
  - 1 vertical vial
  - 1 45° vial
- V-Groove base for pipe and conduit leveling
- Heavy duty aluminum profile
- ABS handle
- Shock-absorbing rubber end caps

### OPTIONAL:

- Model 185: I-Beam with two milled surfaces



### SIZE & WEIGHT



### AVAILABLE LENGTHS

in	24	32	36	40	48	60	72	78
cm	60	80	90	100	120	150	180	200

# 176


## MAXPRO™ MAGNETIC



### FEATURES

- Accuracy: 0.5 mm/m (0.0005 in/in)
- 3 cylindrical vials, including:
  - 1 horizontal vial with top-down view window
  - 1 vertical vial
  - 1 45° vial
- Magnetic strip
- Heavy duty aluminum profile
- ABS handle
- Shock-absorbing rubber end caps

### SIZE & WEIGHT



### AVAILABLE LENGTHS

in	24	32	36	40	48
cm	60	80	90	100	120

# 170

## SAMSON™




### FEATURES

- Accuracy: <math><1\text{mm/m}</math> (0.001 in/in)
- 3 cylindrical vials, including:
  - 1 Plumb Site® Dual-View™ vial
  - 1 horizontal vial
  - 1 vertical vial
- 2 milled surfaces (up to 120 cm / 48")
- Heavy-duty aluminum profile
- Ergonomic rubber handle
- Shock-absorbing rubber end caps

**OPTIONAL:**  
Magnetic model: 170M

### SIZE & WEIGHT



### AVAILABLE LENGTHS

in 16 20 24 32 36 40 48 72 78  
cm 40 50 60 80 90 100 120 180 200

# 150

## I-BEAM LEVEL



### FEATURES

- 3 cylindrical vials, including:
  - 1 Plumb Site® Dual-View™ vial
  - 1 horizontal vial
  - 1 vertical vial
- V-Groove base for pipe and conduit leveling
- Sturdy aluminum profile
- Angle finder vial

**OPTIONAL:**  
- Magnetic model: 159  
- Model: 150-81

### SIZE & WEIGHT



### AVAILABLE LENGTHS

in 16 20 24 32 36 40 48 60 72 78  
cm 40 50 60 80 90 100 120 150 180 200

# 130


## VALUE I-BEAM LEVEL



### FEATURES

- 3 cylindrical vials, including:
  - 1 horizontal vial
  - 1 vertical vial
  - 1 45° vial
- V-Groove base for pipe and conduit leveling
- Comfortable hand grip
- ABS end caps

### SIZE & WEIGHT



### AVAILABLE LENGTHS

in 12 16 20 24 32 36 40 48  
cm 30 40 50 60 80 90 100 120

## 923 CAST TORPEDO LEVEL



### FEATURES

- Accuracy: <math><0.5 \text{ mm/m}</math> (0.0005 in/in)
- 3 solid acrylic shockproof vials, including:
  - Plumb Site® Dual-View™ vial
  - 1 epoxy locked horizontal vial
  - 1 45° vial
- Finely milled base
- Rare-Earth magnets
- Heavy-duty cast aluminum body
- V-Groove base for pipe and conduit leveling

## 724 CAST TOOLBOX LEVEL



### FEATURES

- Accuracy: <math><0.5 \text{ mm/m}</math> (0.0005 in/in)
  - 2 solid acrylic shockproof vials, including:
    - 1 horizontal vial
    - 1 vertical vial
  - Finely milled base
  - Cast aluminum body
- OPTIONAL:**
- Magnetic model: 724M
  - With Pouch model: 724B
  - 12 piece display

## 925 TOPCLASS™





### FEATURES

- 4 cylindrical vials, including:
  - 1 horizontal vial
  - 1 vertical Plumb Site® Dual-View™ vial
  - 1 45° vial
  - 1 30° vial
- Ruler
- Electrical plug markers 71 mm (3.1")
- Unique 45° bevel offset edge
- V-Groove base for pipe and conduit leveling
- Finely milled base
- Rare-Earth magnets
- Hanging strap

### QUALITY ASSURANCE



### SIZE & WEIGHT



### AVAILABLE LENGTHS


in 10

cm 25

### QUALITY ASSURANCE



### SIZE & WEIGHT




### AVAILABLE LENGTHS

in 10

cm 25

### SIZE & WEIGHT



### AVAILABLE LENGTHS

in 9

cm 23




## 926 PIPEMASTER™



### FEATURES

- 4 cylindrical epoxy vials, including:
  - 1 horizontal vial
  - 1 vertical vial
  - 1 45° vial
  - 1 30° vial
- Thumb screw
- Unique 30° and 45° bevel offset edge
- Precision machined solid anodized aluminum billet
- V-Groove base for pipe and conduit leveling
- Finely milled base
- Rare-Earth magnets
- Hanging strap

### SIZE & WEIGHT



### AVAILABLE LENGTHS

in 6.5  
cm 16

## 771M TWIN™



### FEATURES

- Accuracy: 0.5 mm/m (0.0005 in/in)
- 3 solid acrylic shockproof vials, including:
  - 1 vertical vial
  - 1 magnified horizontal vial
  - 1 45° vial
- Magnetic V-Groove base
- Hanging hole


### OPTIONAL:

- Non-Magnetic Model: 771

### QUALITY ASSURANCE



### SIZE & WEIGHT



### AVAILABLE LENGTHS

in 6 8  
cm 15 20

## 779T LEIOS™



### FEATURES

- Accuracy: <0.5 mm/m (0.0005 in/in)
- 3 solid shockproof acrylic vials, including:
  - 1 magnified horizontal vial with gradient lines up to 2%
  - 1 vertical vial
  - 1 45° vial
- Shock-absorbing rubber end caps
- Wall-Grip
- Strong magnets on milled base
- Finely milled base
- Rare-Earth magnets


### OPTIONAL:

- 10 piece display

### QUALITY ASSURANCE



### SIZE & WEIGHT



### AVAILABLE LENGTHS

in 9  
cm 23

## 231V BI-MATERIAL TORPEDO




### FEATURES

- 3 cylindrical vials, including:
  - 1 horizontal vial
  - 1 vertical vial
  - 1 45° vial
- Magnetic V-Groove base for pipe and conduit levelling

### OPTIONAL:

- Flat magnetic base model: 231

### SIZE & WEIGHT



### AVAILABLE LENGTHS

- in 9
- cm 23

## 929 TOOLBOX LEVEL



### FEATURES

- 3 cylindrical vials, including:
  - 1 horizontal vial
  - 1 vertical Plumb Site® Dual-View™ vial
  - 1 45° vial
- Leveling ledge for borders
- Magnetic V-Groove base for pipe and conduit leveling
- Sturdy aluminum frame and base

### OPTIONAL:

- 15 piece display

### QUALITY ASSURANCE



### AVAILABLE LENGTHS

- in 10
- cm 25

## 229 TOPCLASS™




### FEATURES

- 3 cylindrical vials, including:
  - 1 horizontal vial
  - 1 vertical vial
  - 1 45° vial
- Magnetic V-Groove base for pipe and conduit levelling

### OPTIONAL:

- 20 piece display

### SIZE & WEIGHT



### AVAILABLE LENGTHS

- in 9
- cm 23

# 227 TORPEDO STAR PLUS™




## FEATURES

- 3 cylindrical vials, including:
  - 1 horizontal vial
  - 1 vertical vial
  - 1 45° vial
- Magnetic V-Groove base for pipe and conduit levelling
- Shock-absorbing rubber end caps

## OPTIONAL:

- 20 piece display

## QUALITY ASSURANCE



## AVAILABLE LENGTHS

- in 9
- cm 23



► POCKET LEVELS

## 771M TWIN™

### FEATURES

- Accuracy: 0.5 mm/m (0.0005 in/in)
- 2 solid acrylic shockproof vials, including:
  - 1 vertical vial
  - 1 magnified horizontal vial with gradient lines up to 2%
- Finely milled base
- Magnetic V-Groove base for pipe and conduit levelling
- Hanging hole



### OPTIONAL:

- 10 piece display
- Carabiner
- Non-Magnetic Model: 771

## 846 CYCLOPS™

### FEATURES

- Accuracy: <0.5 mm/m (0.0005 in/in)
- 1 solid acrylic shockproof Plumb Site® Dual-View™ vial
- 2 milled surfaces with V-Groove for pipe and conduit leveling
- Durable cast aluminum body



### OPTIONAL:

- 10 piece display

## 246 HANDY LEVEL

### FEATURES

- Accuracy: <0.5 mm/m (0.0005 in/in)
- 1 solid acrylic shockproof vial
- Lightweight aluminum profile
- Shock-absorbing end caps

### OPTIONAL:

- Magnetic model: 246M
- 10 piece display
- Clip strip



## 245 MINI LEVEL

### FEATURES


- 2 cylindrical vials, including:
  - 1 horizontal vial
  - 1 angle finder top-scrall adjuster vial
- Strong molded plastic casing
- Hanger hole



### QUALITY ASSURANCE



### SIZE & WEIGHT




### AVAILABLE LENGTHS

in 4  
cm 10

### QUALITY ASSURANCE



### SIZE & WEIGHT




### AVAILABLE LENGTHS

in 3.1  
cm 8

### QUALITY ASSURANCE



### SIZE & WEIGHT



### AVAILABLE LENGTHS

in 4  
cm 10

### SIZE & WEIGHT



### AVAILABLE LENGTHS

in 4  
cm 10



**KAPPRO**  
TOOLS WITH VISION

## 350 PIPE LEVEL 5 PIECE SET

### FEATURES

- 2 cylindrical vials, including:
  - 1 horizontal vial
  - 1 vertical vial
- 5 sizes for standard metal and plastic pipes (see table)

### SIZES

Nominal size	IPS Steel Stainless Steel PVC Plastic	CTS Copper	PP Plastic
1/2"	1/2" / 15 mm	3/4" / 20 mm	25 mm
3/4"	3/4" / 20 mm	1" / 25 mm	32 mm
1"	1" / 25 mm	1 1/4" - 1 1/2" 32-40 mm	40 mm
1 1/4" - 1 1/2"	1 1/4" - 1 1/2" 32-40 mm		50 mm
2"	2" - 50 mm		63 mm



**OPTIONAL:**  
- Available in Clip strip

## 340 POSTRITE®

### FEATURES

- 3 cylindrical vials, including:
  - 2 horizontal vials
  - 1 vertical vial
- Folds closed & opens flat
- Click-lock every 15°
- Adjustable elastic strap for non-magnetic surfaces
- 4 powerful magnets for metal surfaces
- Suitable for all posts, pipes and signs



**OPTIONAL:**  
- 6 piece display

## 341 MINI POST LEVEL

### FEATURES

- 3 cylindrical vials, including:
  - 2 horizontal vials
  - 1 vertical vial
- Pre-cast holes for easy mounting with nails
- Adjustable elastic strap for non-magnetic surfaces
- 4 Powerful magnets for metal surfaces
- Suitable for all posts, pipes and signs



**OPTIONAL:**  
- 12 piece display



## 440 LINE LEVEL

### FEATURES

- 1 cylindrical vial
- Extremely lightweight for line sag prevention
- V-Groove base for pipe and conduit leveling
- Handy pocket clip



### OPTIONAL:

- Set with 20 m (65") cord

## 441 LINE LEVEL

### FEATURES

- 1 cylindrical vial
- Extremely lightweight for line sag prevention
- Aluminum base



## 240 BULL'S EYE LEVEL

### FEATURES

- Multipurpose level
- Pre-cast holes for easy attachment
- Sensitivity: 30 arc/min



## 242 MAGNETIC CROSS LEVEL

### FEATURES

- Multipurpose level
- Pre-cast holes for easy attachment
- 2 cylindrical vials
- Magnetic



## 152 RECTANGULAR



— SIZE —



— AVAILABLE LENGTHS —

in	40	60	72	78	96	118	138	157
cm	100	150	180	200	250	300	350	400

## 153 WITH HANDLES & VIALS



153-31:

- 2 solid acrylic vials, including:
  - 1 horizontal vial
  - 1 vertical vial

153-32:

- 2 vials:
  - 1 horizontal vial
  - 1 vertical vial
- 2 easy to hold handles

— SIZE —



— AVAILABLE LENGTHS —

in	40	48	60	72	78	96	118	138	157
cm	100	120	150	180	200	250	300	350	400

## 154 TRAPEZOIDAL



— SIZE —




— AVAILABLE LENGTHS —

in	40	48	60	72	78	96	118	138	157
cm	100	120	150	180	200	250	300	350	400

## 155 SCREED



— SIZES —



— AVAILABLE LENGTHS —

in	40	48	60	72	78	96	118	138	157
cm	100	120	150	180	200	250	300	350	400





## PADDED BAG



### SIZES

Model:

99060 60 cm (24")

99066 80 cm (32")

99065 100 cm (40")

99061 120 cm (48")

99125 180 cm (72")

## LONG PADDED BAG



### SIZES

Model:

99120 60 cm (24") & 120 cm (48") & 180 cm (72")

99111 30 cm (12") & 60 cm (24") & 120 cm (48")  
& 180 cm (72")

## SHORT PADDED BAG



### SIZES

Model:

99107 60 cm (24") & 120 cm (48")

99104 30 cm (12") & 60 cm (24") & 120 cm (48")

## MULTI-LEVEL BAG



### SIZES

Model:

99103 30 cm (12") & 60 cm (24") & 120 cm (48")



## PADDED SLEEVE

### SIZES

Model:

99021 60 cm (24")

99023 120 cm (48")

99024 180 cm (72")



### OPTIONAL

Model:

99101 90 cm (32") & 120 cm (48")



## MULTI-LEVEL BAG

### SIZES

Model:

99118 60 cm (24") & 120 cm (48") & 180 cm (72")



## PROTECTIVE SLEEVE

### SIZES

Model:

99103 60 cm (24") & 120 cm (48")



## 985T & 724B MASONRY SET

Professionals working tough jobs require tough tools. Kapro's 985T Titan was built to meet the hefty demands of the job site and provide stellar accuracy. It features a specially designed, shock-absorbing surface along its entire length. Tap it, knock it – apply force however you need to while working with brick or tile with confidence. The 985T is designed handle-free for a heavy-duty, full size & weight with the added benefit of easy cleaning on messy job sites.

The Titan boasts an impressive accuracy of 0.5 mm/m (0.0005 in/in), even under pressure from trowel or mallet blows. It features a magnified vial for a superior read for any inside or outdoor work site. The finely milled base ensures precision each. Kapro vials are individually hand-calibrated by experts and thus have achieved the coveted VPA Germany tested & certified seal, and our lifetime accuracy guarantee.



985T TITAN™ HEAVY-DUTY TILER & MASON LEVEL



724 CAST TOOLBOX LEVEL



POUCH FOR 724 CAST TOOLBOX LEVEL



## 985 DOOR JAMB SET

Kapro's professional Door Jamb set is based on a set of 200 cm (78") and 80 cm (32") 985 Apollo Magnetic Box levels. These levels combine the best of 2 worlds – they keep the traditional design of a classic Box level while offering state of the art features that make work easier, quicker and more accurate. One of the toughest levels in the industry, the 985 features a horizontal 270° magnified breakproof solid acrylic vial and 2 plumb solid acrylic vials, all at the highest accuracy of <math>< 0.5 \text{ mm/m}</math> (0.0005 in/in), and with full reversibility.



985 APOLLO MAGNETIC HEAVY-DUTY PROFESSIONAL BOX LEVEL 80 CM (32")



985 APOLLO MAGNETIC HEAVY-DUTY PROFESSIONAL BOX LEVEL 200 CM (78")



CARRYING BAG

## 985B SHOWER & BATH SET

The 985B shower and bath set comes with the perfect duo of Kapro's 80 cm (32") and 150 cm (58") Apollo levels. This Heavy-Duty professional set offers so much that its competitors do not. These strong, robust levels have 3 solid acrylic vials with lifetime warranty on accuracy, 2 finely milled surfaces on the 80 cm (32") level, Dual-View Plumb site, ergo grip non slip handles and Shock-absorbing hand grips.



985 APOLLO MAGNETIC HEAVY-DUTY PROFESSIONAL BOX LEVEL 80 CM (32")



985 APOLLO MAGNETIC HEAVY-DUTY PROFESSIONAL BOX LEVEL 150 CM (58")



CARRYING BAG




## **KAPRO DIY SETS**

Experience convenience and efficiency with our unique product sets designed for DIY enthusiasts and semi-professionals alike.

Each set combines quality, functional and affordable tools, wrapped in compact and visually appealing packaging ensuring an attractive price point that fits any budget. These sets cater to multiple selling points, at hardware stores, online marketplaces and specialty shops.

## 242 & 509



- 242 MAGNETIC CROSS LEVEL
- 509 3M MEASURING TAPE

## 245 & 509



- 245 MINI LEVEL
- 509 3M MEASURING TAPE

## 771M & 509



- 771M TWIN™ MAGNETIC POCKET LEVEL
- 509 3M MEASURING TAPE

## 779T & 510



- 779T LEIOS™ MAGNETIC TOOLBOX LEVEL
- 510 OPTIVISION® MEASURING 3M TAPE



ZZCLEVEL24 / 02.2024

