

# EDMA

UN OUTIL D'AVANCE



# GENERAL CATALOGUE

# 2022

Drywaller

Painter

Tiler

Flooring  
installer

Facade  
installer











Roofer

Mason

Landscaper

French  **MANUFACTURER**  
since 1937



	<b>INTRO</b>	<b>4</b>
<hr/>		
	<b>DRYWALLER</b>	<b>12</b>
<hr/>		
	<b>PAINTER</b>	<b>62</b>
<hr/>		
	<b>TILER</b>	<b>72</b>
<hr/>		
	<b>FLOORING INSTALLER</b>	<b>94</b>
<hr/>		
	<b>FACADE INSTALLER</b>	<b>104</b>
<hr/>		
	<b>ROOFER</b>	<b>118</b>
<hr/>		
	<b>MASON</b>	<b>156</b>
<hr/>		
	<b>LANDSCAPER</b>	<b>168</b>
<hr/>		
	<b>INDEX</b>	<b>191</b>

**NEW**



#### **EDMAPLIC**

The new drywall taper with integrated folding corner roller is full of practical and innovative features!


» Page 44



#### **EDMALIGHT**

A cordless LED surface inspection light joins the tools' range of drywall and painter's tools. Very powerful thanks to its LED light, it is also very practical: cordless and adaptable on a compatible tripod.

» Pages 56 et 64



#### **EDMABLADE**

The brand new smoothing blades EDMABLADE are declined in a wide range of dimensions and blades' types. A handle with swivel head is compatible with these blades enabling to connect them to a telescopic pole.

» Page 52

### PROFILCUT® MEGA

The famous guillotine for metal profiles gets a makeover and adopts a brand new design particularly ergonomic and compact.

» Page 18



### HAND AND SURFACE CLEANING WIPES

All construction workers need to have wipes on hand! The EDMA hand and surface cleaning wipes in a jar with handle are perfect to take on all construction sites and to clean all types of dirt.

» Page 190



### STORAGE RANGE

Having good tools is the characteristic of good construction workers. EDMA helps you to take care of them and to have them always on hand, by proposing different storage solutions: EDMABOX, tool pouches, tool bags...

» Page 14



### KNEE PADS

Time and effort saving solutions are always favored in EDMA. That's why, its tools' range has been enriched with different types of knee pads and roller knee supports... because we believe that preserving yourself is also important.

» Pages 74 and 96





## **A WIDE RANGE OF PROFESSIONAL TOOLS FOR CONSTRUCTION WORKERS, SINCE 1937**

EDMA's offer now includes more than 900 hand tools dedicated to drywallers, painters, tilers, flooring installers, facade installers, roofers, masons, landscapers.

The hand tools proposed for each of these professions are designed to specifically match the needs of construction workers at the different stages of implementation of their work sites.

# FRENCH MANUFACTURING AND SUSTAINABLE DEVELOPMENT



## FRENCH HAND TOOLS

Located on 2 sites in the Paris area and in the South-East, EDMA is willing to manufacture in France a growing number of products and to place its activity in a global approach of control of its production and sustainability of its development.

Sharing common values, EDMA has recently joined the French Fab label which embodies a French industry that is innovative, exporting and open to change.




## RESPONSIBLE HAND TOOLS

In the scope of a more responsible commitment, the packagings of many products have been redesigned to reduce significantly the use of plastic in favor of recyclable cardboard.

Many EDMA tools are also designed so that one or several part(s) in their composition, can be replaced. This repairability brings the opportunity to users to give a longer life to their EDMA tools and to contribute to waste reduction.

All EDMA available spare parts are sold online on EDMA website: [www.edma.fr](http://www.edma.fr).





## INNOVATION AND QUALITY

EDMA tools are designed in a permanent search for innovation and quality, in order to be able to bring real «time and effort saving» solutions and to meet the construction workers needs in their daily work. No less than 8 patents in average are registered each year by EDMA R&D.

Thanks also to the close relationship that EDMA cultivates with its users, it gets feedback from experiences which feeds the design of ever more efficient and adequate tools.


Of course, quality is always present, at each stage of EDMA tools' design and manufacturing processes. Various certifications attest this permanent preoccupation.



## TOOLS EXPORTED WORLDWIDE

EDMA products are recognized by professionals and users on the 5 continents and are exported towards 70 countries.

All EDMA services, whether administrative, commercial, or logistical are able to respond to various national or international requests.





## EDMA IN FIGURES

# 1937

Pierre Gréhal creates its company  
and registers EDMA trademark in 1953



## 2 SITES IN FRANCE



Baillet en France  
and Saint-Raphaël

# 8 PROFESSIONS

- Drywaller
- Painter
- Tiler
- Flooring installer
- Facade installer
- Roofer
- Mason
- Landscaper



5 continents

# 70 COUNTRIES



## YOUR ORDERS

Your orders are processed in the shortest possible time by a team of multilingual collaborators.

» [commercial@edma.fr](mailto:commercial@edma.fr)



## YOUR QUESTIONS

Technicians help you to use your EDMA tools as efficiently as possible and answer your different technical and after-sales questions.

» [qualite@edma.fr](mailto:qualite@edma.fr)



# EDMA BY YOUR SIDE

## EDMA VIDEOS

Learn how to assemble and/or use your favourite EDMA products in the EDMASCOPE videos series, available on EDMA's Youtube channel:

» [https://bit.ly/EDMASCOPE\\_YOUTUBE](https://bit.ly/EDMASCOPE_YOUTUBE)



**EDMA  
SCOPE**  
The video channel



## EDMA WEBSITE

Find out a large amount of information on EDMA's website [www.edma.fr](http://www.edma.fr): products datasheets, pictures, videos, spare parts' lists linked to a product...

Create your myEDMA account on EDMA's website to benefit from even more content on your products.



«To be at your side» means to bring a maximum of services along your customer experience with EDMA.

Since the purchasing of your EDMA tool to its use, and then the replacement of one wearing part, some EDMA teams are present at each stage to give advice, to bring support and to answer to your questions. In brief: «to be at your side» means to do all our best so that your favourite EDMA tool be and remain, one of your most valuable companions in your daily work.



## SPARE PARTS ONLINE SHOP

Give a longer life to your EDMA products by replacing some wearing parts. Find all the available EDMA spare parts and consumables and order them in a few clicks from home.



## CLEARANCE ONLINE SHOP

Benefit from bargains with EDMA tools from previous generations (previous colors, logo and packagings, discontinued products...etc) at discounted prices.



 **DRYWALLER**







Ref.: 743006 **EDMABOX** **NEW**

## STACKABLE STORAGE BOX

Compatible with Sortimo and L-BOXX system.

Outer dimensions: 445 x 358 x 118 mm.

Inner dimensions: 378 x 313 x 65 mm.



Ref.: 743032 **NEW**

## TOOL TRAY

**EDMABOX compatible.**

Made of resistant polyester (1000 D).

Sturdy plastic base protecting from shocks and dirt.

Convenient, accessible storage, offering better visibility of contents:

- 8 exterior compartments
  - 1 flap pocket with self-gripping fastener
  - 16 interior loops
  - 5 exterior loops
  - 1 zippered pocket ideal for storing a hacksaw
  - 2 bands with self-gripping fastener to hold a level
- Metal carrying handle with foam padding + adjustable shoulder strap = comfort of use.

Thanks to its coupling levers, the tray can be stacked on the EDMABOX (or other L-Boxx) to optimize the transport of tools.

The integrated interfaces on the sides allow the use of ProClick bags and accessories.

Equipped with reflective safety strips.

Max. load: 24 kg.

Dimensions: 480 x 240 x 330 mm.



Ref.: 260055  
**TOOL POUCH**

Made of smooth top-grain cowhide leather.  
 Adjustable nylon belt.  
 8 pockets.  
 2 tool holders.  
 1 measuring tape pocket.



Ref.: 280155 **NEW**  
**SINGLE POCKET CONTRACTOR RIG**

Nylon fabric.  
 Reinforced adjustable belt with roller buckle.  
 8 inserts.  
 2 tools holders.  
 1 measuring tape holder.



Ref.: 280055  
**CONTRACTOR RIG**

Nylon fabric.  
 12 pockets : 2 steel hammer holders, 1 tape holder.  
 Adjustable belt with roller buckle.



Ref.: 280255 **NEW**  
**JOINT KNIFE STORAGE POUCH**

Nylon fabric.  
 6 inserts.  
 With handle.  
 Zip closure system.



Ref.: 175555 **NEW**  
**MAGNETIC TAPE MEASURE**  
**5 m x 25 mm**

*Magnetic* double hook for easy measuring.  
 Nylon-coated tape protected against dust and water.  
 Double marking : horizontal and vertical reading.  
 Class II accuracy.  
 Ergonomic and compact design.  
 Reinforced and anti-slip case.  
 Equipped with 2 buttons: braking and locking of the tape.  
 Belt hook + leash.



Ref.: 175055  
**TAPE MEASURE**  
**5 m x 25 mm**

Antishock rubber box.  
 Nylon coated tape protected against dust and water.  
 Class II accuracy.  
 Equipped with 2 buttons: braking and locking of the tape.  
 Belt hook + leash.



Ref.: 010755 **FLYER'S**

## FORGED AVIATION SNIP

Drop forged chromium molybdenum steel jaws.  
 Handle spring.  
 One hand automatic latch release.  
 Effortless cut.  
 Blade length : 42 mm.  
 Finger guard.

### CUTTING CAPACITIES

Stainless steel	0,8 mm
Sheet metal, galvanised, zinc	1,2 mm

Ref.: 109055  
**Left cut**



Ref.: 010955  
**Right cut**

**APOLLO**

## FORGED AVIATION SNIP

Articulated tin snip.  
 Drop forged chromium molybdenum steel jaws.  
 Blade length : 35 mm.  
 Finger guard.

### CUTTING CAPACITIES

Stainless steel	0,9 mm
Blue sheet steel	1 mm
Galvanised sheet, zinc	1,2 mm
Copper, brass, sheet metal	1,5 mm
PVC, aluminium	2 mm
Polycarbonate	2,5 mm



Ref.: 074555 **PLURICOU P' ERGO**

## MULTI PURPOSE PLIERS WITH ANGLED BLADES

Light and *handy*.

42 mm stainless steel polished serrated blades.  
 Ergonomic handles and easy-to-close latch.  
 Angled blades for an optimum comfort while cutting.



Ref.: 161555 **STUD CUTTER**

## GUILLOTINE FOR METAL STUDS AND TRACKS

Allows to quickly cut without burr 48 mm studs and tracks, corner beads, ceiling suspension system and F530 studs thanks to its adaptor.

- Time-saving.
- Noise free.
- No sparks, no metal filings.
- + F530 adaptor.



Ref.: 068655  
**F530 ADAPTOR**



Ref.: 061755 **PROFILCUT®**

## GUILLOTINE FOR METAL STUDS AND TRACKS

*Effortless* clean cut without burr.

- Time-saving.
- Noise free.
- No sparks - No risk of fire - No special permit.
- No metal filings.

**4-die revolver plate for 6 shapes of metal profiles : F530 studs and corresponding tracks, 48 mm studs and tracks, corner beads and ceiling suspension system.**

- Quick change of dies.
- Trestle for optimal positioning of the profile.
- Adjustable stop for custom cutting.
- Integrated chip ejector prevents the revolver plate from jamming.
- Support feet included.



Ref.: 065855

**PROFILCUT® MEGA**

## GUILLOTINE FOR METAL PROFILES UP TO 100 MM WIDE

**Fast and clean cut without burrs.**

Compact ergonomic design.

Time-saving, noise free, no sparks and no steel filings.

Double non-sharp cutting blade to adapt to the width of the profile, from 40 to 100 mm :

- Narrow blade: from 40 to 60 mm + F530 profile.

- Wide blade: from 60 to 100 mm.

Max. height of studs and tracks: 60 mm.

Width of dies easily adjustable to fit the profile.

Also cuts corner angles.

Integrated F530 die.



Ref.: 061655

**DUOTOP**

## GUILLOTINE FOR 48 MM METAL STUDS AND TRACKS, M6 THREADED ROD

**Allows to cut 48 mm metal tracks and studs, F530 profile, M6 threaded rod and Ø 4 mm metal wire.**

Ideal to install drywall suspended ceilings.

Clean cut = immediate bolting.

No noise.

No sparks - No risk of fire - No special permit.

545 mm adjustable cutting guide can be positioned on the right or left.

Up to 6.6 soft steel : 60 kg/mm<sup>2</sup>.

Cannot cut stainless steel threaded rod.



Ref.: 068655  
**F530 ADAPTOR**



Ref.: 165055  
**SPARE DIE**


Ref.: 065055

**MINI RODCUT M6**

**6 MM (M6) THREADED ROD AND 4 MM SUSPENSION WIRE CUTTER**

*Clean cut = immediate bolting.*

- No noise.
- Can be used to repair damaged rod.
- No metal scrap (no metal filings).
- No sparks - No risk of fire - No special permit.
- 545 mm adjustable cutting guide can be positioned on the right or left.
- Up to 6.6 soft steel : 60 kg/mm<sup>2</sup>.
- Cannot cut stainless steel threaded rod.



Ref: 165055  
**SPARE DIE**



Ref.: 060755

**ALU LINE**

**ALUMINIUM CHALK LINE REEL 30 m**

- Built-in filter system to prevent excess chalk.
- Rope diameter: 1 mm.
- Capacity: 80g.



Ref.: 060555

**FAST LINE**

**FAST REWINDING CHALK LINE REEL 30 m**

- Rewinds 5 times faster.
- Built-in filter system to prevent excess chalk.
- Rope diameter: 1 mm.
- Capacity: 100 g.



Ref.: 060955

**MAX LINE**

**CHALK LINE REEL WITH LARGE HANDLE 50 m**

- For long distance marking.
- Built-in filter system to prevent excess chalk.
- Rope diameter: 2,5 mm (braided).
- Capacity: 300 g.



Ref.: 160555  
**BRAIDED SPARE ROPE FOR FAST LINE AND ALU LINE - Ø 1 MM**



Ref.: 260555  
**BRAIDED SPARE ROPE Ø 2.5 MM FOR MAX LINE**



## MARKING CHALK

Ref.: 065255  
**3500 g**

Ref.: 063255  
**400 g**

Ref.: 063155  
**1000 g**

Ref.: 063355  
**200 g**

## LEVEL WITH XL MAGNETIC SLOTS

Special for *back-to-back* studs.



Aluminium level profile.

900 g/m profile = strong.

76 mm slots to fit all types of studs, even back-to-back or F530 studs.

Put the studs against the left edge of the slot to ensure a precise spacing.

Built-in carrying handle.

### 2 epoxy locked, solid acrylic vials :

- 1 vertical vial also visible from the front by mirror effect
- 1 horizontal vial

Milled surface.

Shockproof end caps.

Accuracy : 0.5 mm/m.

LEVEL WITH SLOTS	90 CM	120 CM
Ref.	175455	175355
Built-in gauge to install studs quicker and easier	Spacing of 40 and 60 cm	Spacing of 40, 60 and 90 cm*

The spacing of 90 cm is dedicated to 90 cm plasterboards installation, special for collective housing constructions.





Ref.: 060055 **PROFIL**

## SECTION SETTING PLIERS FOR STUDS AND TRACKS

Max. capacity : 1 + 1 mm.  
 Patented punch.  
 Fastening 60 % stronger.  
 30 % less effort.



Ref.: 060155  
**REPLACEABLE PUNCHING BLADE**

Ref.: 061055 **PROFIL 2 RM**

## SECTION SETTING PLIERS FOR STUDS AND TRACKS

Max. capacity : 0,8 + 0,8 mm.  
 For right and left setting.  
 Articulated head which is ideal along the wall.  
 Patented punch.  
 Fastening 60 % stronger.  
 30 % less effort.



Ref.: 061855  
**REPLACEABLE PUNCHING BLADE**



**1 HANDED**  
operation

Ref: 062055 **MASTER-PROFIL®**

## ONE HAND SECTION SETTING PLIERS FOR STUDS AND TRACKS

One handed operation.  
Max. capacity : 1 + 1 mm.  
Sprung handle.  
Patented punch.  
Fastening 60 % stronger.  
30 % less effort.



Ref: 062155  
**REPLACEABLE PUNCHING BLADE**



Ref: 062255  
**SPARE SPRING**  
x 5 pcs.

Ref: 061955 **ERGOTOP®**

## SECTION SETTING PLIERS FOR ALL TYPES OF STUDS AND TRACKS

**For all types of studs and tracks.**  
Max. capacity : 1 + 1 mm.  
For right and left setting.  
Patented punch.  
Fastening 60 % stronger.  
30 % less effort.



Ref: 061855  
**REPLACEABLE PUNCHING BLADE**



**1 HANDED**  
operation

Ref.: 066855

**ULTRA PROFIL®**

## ONE HAND SECTION SETTING PLIERS FOR ALL TYPES OF STUDS AND TRACKS, WITHOUT ANY *effort*

**For all types of studs and tracks.**

One handed operation to crimp studs and tracks without any effort, thanks to its ratchet system (3 notches to move the punch to the metal framing and 1 notch and a half to crimp).

Max capacity : 1 + 1 mm.

Patented punch.

Fastening 60 % stronger.

30 % less effort.



Ref.: 566855



**REPLACEABLE PUNCHING  
BLADE**



Ref.: 160455 **DUO PROFIL**

## SECTION SETTING PLIERS FOR BACK-TO-BACK STUDS

Specially designed to crimp back-to-back metal studs.  
Recommended in case of ceiling above 2,50 m height.  
Regular stud-to-track crimping from 90 mm width.  
Max. capacity : 1 + 1 mm.



Ref.: 260455  
**REPLACEABLE PUNCHING  
BLADE**

Ref.: 060355 **TWIN PROFIL®**

## SECTION SETTING PLIERS FOR BACK-TO-BACK STUDS

*Easy to use and time-saving.*

Large opening jaw to crimp back-to-back studs in one shot.  
Regular stud-to-track crimping from 90 mm width.  
Max. capacity : 1 + 1 mm.



Ref.: 061855  
**REPLACEABLE PUNCHING  
BLADE**





Ref.: 161455 **POWER PROFIL**

## AUTOMATIC SECTION SETTING PLIERS FOR ALL TYPES OF STUDS AND TRACKS, FITS ON DRILLS

**No crimping** *effort*: let the drill do the job !

To crimp all types of studs and tracks (even F530 studs for ceiling application).

Max. capacity : 1 + 1 mm.

It fits all types of power drills/screwdrivers (from 14,4 Volts).



Ref.: 061855  
**REPLACEABLE PUNCHING  
BLADE**



Ref.: 162655

## STEP DRILL

**Use for precision drilling of sheet metal and plastic up to 30 mm**

HSS.

Drilling Ø : from 4 to 30 mm in 2 mm increments.

Max. drilling depth : 3 mm.

Stud drilling (even back-to-back type) to insert pipes.



Ref.: 069055 **CANALCUT**

## PRECISION INSULATION CUTTER

**For all types of insulation materials, such as : E.P.S., polyurethane, rock wool, glass wool, underfloor heating.**

Groove stainless steel blade for making 35 mm (width) x 35 mm (depth) channel to insert pipes up to 32 mm diameter max.

### 2 interchangeable blades :

1/ 35 x 35 mm groove blade.

Thermal bridges are easily avoided while cutting.

2/ 80 cm blade for curved shape removal.

Scoring E.P.S. plasterboard.

Roofing water insulation grading.

To cut insulation material.



Ref.: 069555

**GROOVE BLADE  
35 X 35 MM**



Ref.: 068155

**BLADE SET  
40, 60, 80, 100 MM**

## INSULATION CUTTER

2 different tooth shapes.

Holster included.

Symmetrical bi-material handle.

To cut without any effort rock wool, glass wool, wood wool or hemp insulating panels, flax, cellulose wadding panels, etc...

from 3 to 20 cm thick.



**Available in  
2 dimensions:**

Ref.: 066455

**300 mm**

Ref.: 168055

**420 mm**



Ref.: 064655 **ROLL PLAC**

## MINI TROLLEY FOR BOARD CARRYING

*Effortless* and autonomous plasterboard carrying.

Allows to carry up to 2 boards by one person.

2 built-in wheels for a fast, effortless movement in a comfortable position.

The wide base allows a better stability and prevents from damaging the plasterboard.

Steel frame = strong.

Bi-material handle for an optimum comfort.

Light and compact tool = very easy to store.



Ref.: 064555 **TRANSPLAC**

## HEAVY DUTY BOARD LIFTER

Allows to carry boards and panels by one person.

New wide base for better stability.






Ref.: 064055 **DUOPLAC**  
**BOARD CARRIER  
 HANDLES**

Set of 2 pieces.  
 Steel handles to carry boards  
 and panels by 2 persons.  
 Anti-slip grips.



Ref.: 066055 **FOOTPLAC**  
**BOARD LEVER  
 WITH STEEL STIRRUP**


To lift panels for an accurate  
 positioning thanks to its rocker  
 system.  
 Wide base for better balance.  
 Also ideal to unhinge doors.  
 Extra wide loop suitable for most  
 safety footwear.



Ref.: 066555 **BLOCPAC**  
**BOARD HOLDER**

**Durable tool and *easy* to use.**

Allows to work alone thanks to the moveable block.  
 To lift and to hold the board or insulation panel in position while  
 screwing it to the metal framing.  
 Offset handle.  
 Beveled edge to avoid damaging the plasterboard.





Ref.: 064755 **VARIO RAP**

## PLANE FOR PLASTERBOARDS & WOOD

3 adjustable working positions.  
Replaceable rasps.



Ref.: 164755  
**FLAT RASP**



Ref.: 264755  
**ROUNDED RASP**



Ref.: 066755 **EASY RAP**

## MINI PLANE FOR PLASTERBOARD

Replaceable rasp.  
Ergonomic design.



Ref.: 166755  
**FLAT RASP**



Ref.: 163155

## DRYWALL SCORING SQUARE

Fast and clean cut.  
Max. 62 cm.  
Ideal to score and cut plasterboard.  
Compatible with all types of utility knife.  
Double measurement units : inch/mm.





Ref.: 160655

## **DRYWALL UTILITY KNIFE**

**With 25 mm  
snap-off blades**

3 spare blades included.  
Security locking blade action.  
Ergonomic and heavy duty  
design.



## **SNAP OFF KNIFE WITH ZINC-ALLOY BODY**

**Available in  
2 dimensions:**

Ref.: 170355  
**9 mm**

Ref.: 170455  
**18 mm**



Ref.: 170255

## **FOLDABLE KNIFE**

Ergonomic design.  
Security locking system.  
Quick blade-changing  
system.



Ref.: 160755

### **SNAP-OFF BLADE**

25 mm x 10 pcs.



Ref.: 060655

### FOLDABLE KNIFE WITH HOLSTER

Foldable knife for trapeze blades and hook blades.  
4 blades storage compartment.  
Holster included.



Ref.: 170155

### DUAL-SYSTEM KNIFE

Cut string integrated.  
4 blades in the storage compartment + 1 on the cutter.  
Quick blade-changing system.  
Soft-touch grip.



Ref.: 170655

### SAFETY KNIFE

Safety carton and plastic film opener.  
Double blade not replaceable.



Ref.: 170755

**TRAPEZE CUTTER BLADE DISPENSER**  
50 blades.



Ref.: 199255

**TRAPEZE BLADE FOR CUTTER**  
x 10 pcs.

Replacement blades for references 170255, 060655 and 170155.

Ref.: 174255

## PLASTERBOARD SAW

**550 mm**

Blade thickness : 0.85 mm.

Non-stick coating.

8 teeth per inch.

Triple bevel teeth.



### CROCOPLAC II

## JAB SAW WITH TEETH ON BOTH SIDES

To cut plasterboard, cellular concrete, wooden panels, etc...

Triple bezel blade and teeth on both sides for multidirectional cutting.

8 teeth per inch.

Trident head to make the pre-holes or metal anchor installation.

Light and easy to handle.

Ergonomic bi-material handle.

Holder included



### Available in 2 dimensions:

Ref.: 067055

Ref.: 067255

**150 mm**

**250 mm**

Ref.: 062955 **PLAC & ROLL**

## DRYWALL STRIPPER

Fast and simultaneous cutting on both sides of the plasterboard.

Adjustable cutting depth up to 150 mm.

Adjustable wheels for a cutting thickness up to 18 mm.

2 ergonomic bi-material handles for straight and guided cuts.



Ref.: 506292  
**SPARE WHEEL**  
x 2 pcs.





Ref.: 069255

**RAP-PLAC VERSATILE**

## CHAMFERING PLANE FOR PLASTERBOARD

Zinc plated steel body = *durable tool.*

Chamfering angle : from 22 to 45°.



Ref.: 199255

**TRAPEZE BLADE FOR CUTTER**  
x 10 pcs.



Ref.: 173055

## ADJUSTABLE ANGLE SQUARE

Can be folded to 0° in order to save space.

7 mm thickness aluminium = light and durable.





## QUICK SUPPORT

*Safety* lock.



Ref.: 066355

### **75-125 cm**


To block equipments during transport.

Extendable from 0.75 m to 1.25 m.

90° max. support : 60 kg.

65° max. support : 20 kg.

Articulated top and bottom pads.



Ref.: 068855

### **101-177 cm**

To block equipments during transport.

Extendable from 1.01 m to 1.77 m.

90° max. support : 60 kg.

65° max. support : 20 kg.

Articulated top and bottom pads.



Ref.: 066155

### **160-290 cm**

To hold plasterboard to the top.

Extendable from 1.60 m to 2.90 m.

90° max. support : 50 kg.

65° max. support : 20 kg.

Articulated top and bottom pads (20 x 6 cm).

Ref.: 067855

### **210-390 cm**

To hold plasterboard to the top.

Extendable from 2.10 m to 3.90 m.

90° max. support : 40 kg.

65° max. support : 13 kg.

Articulated top and bottom pads (20 x 6 cm).





MAX.  
LOAD.:  
**60 KG**

MAX.  
HEIGHT:  
**3,50 M**

Ref.: 268655 **EDMAPLAC CABLE** **NEW**

## WINCH PANEL LIFTER

### 360° free *rotating* head.

Lifts the plasterboard in horizontal and angled position.

Double cable for lifting and raising = safety.

Ball bearing pulleys for less effort.

Winch with bi-material handle.

Ergonomic tilting handle for easy loading of the plasterboard.

Smaller size, lighter, less bulky.

Easy door passage thanks to its folding side feet.

Equipped with 3 wheels, 2 with brake and

2 stabilization/transport wheels.

Delivered assembled except for the head.

CE certification.

Complies with European directive «MACHINERY» - 2006/42/CE.

Approved by the VERITAS conformity report #10673478-1.

### SPECIFICATIONS

Max. load.	60 kg
Max. board dimensions	1,20 x 3,60 m
Min. board dimensions	0,15 x 0,60 m
Max. height	3,50 m
Min. height	1,60 m
Board loading height	80 cm
Dimensions in moving/storage position (length x width x depth)	131 x 85 x 25 cm



Ceiling installation



Sloping ceiling installation



MAX.  
LOAD:  
**80 KG**

MAX.  
HEIGHT  
with extension:  
**4,50 M**

MAX.  
HEIGHT IN  
VERTICAL  
POSITION  
with 2.50 m  
height panel  
**5,75 M**



Rack and pinion system

Braking system

Power drill support

Removable wooden board

Ref.: 267355 **EDMAPLAC 450**

# RACK AND PINION PANEL LIFTER

## Power drill assistance *available.*

To lift plasterboard in every positions : horizontal (ceiling installation), angled (sloping ceiling installation) and vertical (wall installation).

Innovative braking system with 2 handles (main brake + safety brake) to lower the panel quickly under control.

Automatic operation thanks to power drill assistance.

Its rack and pinion system allows to lift plasterboards with less effort.

Ergonomic design with bi-material handle to tilt the top rack up to vertical position.

Tool carrier wooden board included.

Easy to pass through doorway thanks to its foldable feet.

3 wheels including 2 wheels with brake.

No noise while lifting on job sites.

CE certified.

Complies with European directive «MACHINERY» - 2006/42/CE.

Approved by the VERITAS conformity report #628 8214-1.



## SPECIFICATIONS

Max. load.	80 kg
Max. board dimensions	1,20 x 3,60 m
Min. board dimensions	0,15 x 0,60 m
Max. height with extension part	4,50 m
Max. height without extension part	3,50 m
Min. height	1,61 m
Max. height for vertical lifting with 2,50 m height board	5,75 m
Board loading height without extension part	84 cm
Min. width in moving/storage position	63 cm



Ceiling installation



Sloping ceiling  
installation



Wall installation



Ref.: 564055  
**PH2 DRYWALL BIT**



Ref.: 264055 **THE DIMPLER®**

## MAGNETIC DRYWALL SCREW RETAINER

*Powerful magnet.*

- Converts your regular power drill into a professional drywall screwgun.
- Automatically countersinks screws to proper depth.
- Prevents stripping screw head.
- Eliminates paper tear of drywall.
- Ideal for plasterboard and particle board.
- Replaceable bit.
- Reverse mode.



Ref.: 263955

## PH2 DRYWALL BIT x 6 pcs

Depth stop to screw perfectly in plasterboards without drilling through them.



Ref.: 062855 **CORNER FIX**

## HAND TOOL FOR FIXING CORNER BEADS

*Easy punching.*

- For crimping expanded metal corner bead on outside corner.
- Ergonomic design.
- Replaceable jaws.



Ref.: 262855  
**REPLACEABLE TIP**



Ref.: 162855  
**REPLACEABLE JAW**  
x 2 pcs.

**COVERABSORB**

**PROTECTION AND PACKING COVER**

For all types of surfaces.  
 Waterproof.  
 Absorbs possible shocks.  
 Anti-slip, enhances safety on site.  
 Quick installation and removal.  
 Width : 1 m.



**Available in 2 dimensions:**

Ref.: 178555  
**10 m**


Ref.: 178655  
**25 m**

Ref.: 178755

**COVERUP** **NEW**

**BREATHABLE AND RECYCLABLE PROTECTIVE COVER**

Non-adhesive, breathable protective cover that protects surfaces from condensation.  
 Layer preventing from the spread of liquids, plaster and glue.  
 Waterproof to all types of liquid products and projections.  
 Anti-slip layer.  
 Recyclable and without endocrine disrupters.  
 Reusable as an underlay for screeds.  
 Easy cleaning.  
 25 m roll.  
 Width: 1 m.



Ref.: 178855

**COVERPROTECT**

**NON-SLIP AND REUSABLE PROTECTIVE COVER**

For all types of surfaces.  
 Waterproof.  
 Absorbs possible shocks.  
 Non-slip, enhances safety on site.  
 Quick installation and removal.  
 Reusable.  
 25 m roll.  
 Width : 1 m.



**COVERSMART**

**EXPANDABLE AND ADJUSTABLE SELF-ADHESIVE PROTECTIVE FILM**

Waterproof.  
 Resistant, 40 micron thickness.  
 Easy installation even for one person.  
 Protects from projections.  
 Repositionable adhesive edges.  
 Can be used horizontally or vertically.  
 25 m roll.

**Available in 2 dimensions:**

Ref.: 179055  
**120 cm**  
 Extendable width:  
 from 45 to 120 cm.

Ref.: 179155  
**160 cm**  
 Extendable width:  
 from 58 to 160 cm.



**1 Position**



**2 Stretch**



**3 Fix**



Ref.: 260255

## STEP STOOL

### 3 steps double sided

Made of aluminium = *light.*

Anti-slip pads.

Double sided access.

Max. height : 65,4 cm.

Max. load : 150 kg.

EN-14183 certified.



Ref.: 260355

## DRYWALL BENCH

Made of aluminium = *light.*

Anti-slip pads.

Length : 98 cm.

Width : 45 cm.

Working height : 48,5 cm.

Max. load : 150 kg.

96-333 decree compliant.

Ref.: 161155

## DRYWALLER STILTS

*Optimized* comfort and stability.

Time-saving for work at height.

Articulated to allow a fluid and stable walking.

Adjustable height from 45 cm to 76 cm.

Max. load 102 kg.

Made of aluminium = light and easy to handle.

Adjustable nylon heels for comfort.

Equipped with quick release ankle straps.

Calf and ankle protectors.

ADJUSTABLE  
HEIGHT  
FROM  
45 CM  
TO 76 CM








Ref.: 162255  
**HOLE SAW SET**  
**Ø 60, 67, 74 mm**

For plasterboard, wood, and PVC.  
 Bayonet fastening system.



Ref.: 162355  
**HOLE SAW SET**  
**Ø 60, 68, 74, 80, 90 and 100 mm**

For plasterboard, wood, and PVC.  
 Drill locking system = better stability.  
 Bayonet fastening system.

Ref.: 261255 **HOT BALL**

**STAINLESS STEEL HOT BALL**

**Ø 35 mm**

To make a 40 mm diameter channel on insulating materials behind plasterboard without damaging them.

Perfect to make your multimedia connections, switch and socket installations invisible.

**Time-saving = no need to groove the wall and to repaint it.**

**Step 1:** drill two 40 mm diameter holes on the plasterboard, in vertical way to each other with maximum 2,50 m width.

**Step 2:** uniformly heat the hot ball surface with a welding torch during 3 minutes.

**Step 3:** insert the hot ball into the hole above. The hot ball melts the polystyrene to make a channel connecting the 2 holes.



Ref.: 178055 **PATCH'UP**

**PLASTERBOARD REPAIRER**


**15 cm**

*Easy* and fast to apply.

Fastly repairs damaged walls and ceilings. The repaired surface is smooth, clean and without any crack.

Light and self-adhesive for an easy application.

Made of galvanized steel for a permanent repair.



**Step 1:** lightly sand around the area to be repaired and clean it. Remove the backing paper from the patch.

**Step 2:** apply the patch on the area to be repaired and press firmly.

**Step 3:** cover the entire patch and the surrounding area with compound. Let dry then sand to obtain a smooth surface. Repeat the operation if necessary.



Ref.: 164355

## MULTI PURPOSE TOOL

8 cm

Stainless steel blade.

Bottle opener, nail puller and hammer, paint can opener, roller cleaner, scraper, joint knife, unmasking knife, filling knife/crack cleaner, rasp, cutter, 11 mm (1/4") wrench, 14 mm (3/8") wrench.

Bi-material handle with metal head.



Ref.: 164555

## HEAVY DUTY SCRAPER

8 cm

Striking scraper, *adjustable* to a pole.

Stainless steel blade.

Bi-material handle with metal head.

Compatible with EDMA telescopic poles (not included).

Ref.: 066655

## STAINLESS STEEL MUD PAN

300 mm

Ideal for repairs on plasterboard.

Very resistant.



Ref.: 066955

## PLASTIC MUD PAN

250 mm

With galvanized steel blade to strike-off excess compound.

Soft strap to easily hold the mud pan. 2 knife holders.





Ref.: 069855

## DRYWALL TAPE HOLDER


To hold and to dispense drywall tape.  
 Can be hooked on belt.  
 Quick opening design to replace tape easier.



Ref.: 276755 **NEW**

## BUCKET SCOOP KNIFE

Allows to scrape/clean to the bottom of the bucket = avoids waste.  
 Curved stainless steel blade facilitates the taking of compound, in quantity.  
 Blade with a 13 cm radius and 16,5 cm width adapted to large buckets of compound.  
 Equipped with a hook to put the knife on the bucket.  
 Suitable for filling the EDMAPLIC or other drywall taper.  
 Bi-material handle with metal head.





Integrated corner roller

Adjustable compound flow rate

Possible filling with a tube

Ref.: 367955 **EDMAPLIC** **NEW**

## DRYWALL TAPER WITH CORNER ROLLER

Allows *easy* and quick gluing of drywall tapes.

Simultaneous application of tape and compound = time saving.

Ergonomic handle and adjustable side strap for optimal grip.

Toothed wheels for easy application.


Max. capacity of the compound compartment : 1,8 l (around 2,5 kg of compound).

Possibility to switch to left-handed version.

Built-in roller for gluing tape in corners, easily foldable.

Compound flow is adjustable in 5 steps to apply the right amount to the tape.

Filling the dispenser with a filling tube is possible thanks to the opening cap and side hooks that hold it on the compound bucket.



Flexible blade

**NEW**

## PREMIUM JOINT KNIFE

Single material, in stainless steel = *more resistant*  
Mirror finish.

*Stainless steel*  
Blade



Stiff blade

PREMIUM JOINT KNIFE	4 CM	5 CM	6 CM	8 CM	10 CM	12 CM	15 CM	20 CM	25 CM
Flexible blade (Ref.)	181055	--	181155	181255	181355	181455	181555	182055	182155
Stiff blade (Ref.)	181655	181755	--	181855	181955	--	--	--	--



Ref: 610161 **NEW**

## SET OF PREMIUM JOINT KNIVES + STORAGE POUCH

**Composed of:**

- Ref. 181055 FLEXIBLE BLADE PREMIUM JOINT KNIFE 4 CM
- Ref. 181355 FLEXIBLE BLADE PREMIUM JOINT KNIFE 10 CM
- Ref. 181455 FLEXIBLE BLADE PREMIUM JOINT KNIFE 12 CM
- Ref. 181555 FLEXIBLE BLADE PREMIUM JOINT KNIFE 15 CM
- Ref. 182055 FLEXIBLE BLADE PREMIUM JOINT KNIFE 20 CM
- Ref. 164355 MULTI PURPOSE TOOL - 8 cm
- Ref. 280255 STORAGE POUCH FOR JOINT KNIVES

Flexible blade

Stainless steel Blade



## JOINT KNIFE

Mirror finish.  
Bi-material handle with metal head.

Stiff blade



Carbon steel Blade

JOINT KNIFE	2,5 CM	4 CM	5 CM	6 CM	8 CM	10 CM	12 CM	15 CM	18 CM	20 CM	22 CM	24 CM
Flexible blade (Ref.)	165255	165355	--	165455	165555	165655	165755	165855	265555	265655	265755	265855
Stiff blade (Ref.)	--	268155	268255	--	268355	268455	--	--	--	--	--	--



Ref.: 610160 **NEW**  
**SET OF JOINT KNIVES + STORAGE POUCH**

- Composed of:**
- Ref. 165355 FLEXIBLE BLADE JOINT KNIFE 4 CM
  - Ref. 165655 FLEXIBLE BLADE JOINT KNIFE 10 CM
  - Ref. 169255 JOINT KNIFE 15 CM - With 4 removable bits
  - Ref. 265655 FLEXIBLE BLADE JOINT KNIFE 20 CM
  - Ref. 265855 FLEXIBLE BLADE JOINT KNIFE 24 CM
  - Ref. 164355 MULTI PURPOSE TOOL - 8 cm
  - Ref. 280255 STORAGE POUCH FOR JOINT KNIVES



Ref.: 280255 **NEW**  
**JOINT KNIFE STORAGE POUCH**

- Nylon fabric.  
6 inserts.  
With handle.  
Zip closure system.



Stainless steel Blade

Flexible blade



### JOINT KNIFE

With 4 removable bits

- High drywall finishing performance.
- Flexible stainless steel blade.
- With removable PH1, PH2 bits as well as 5 mm and 6 mm flathead bits.
- Easy release of the bits by pressing a button.
- Easy storage.
- Bi-material handle with metal head.

JOINT KNIFE	10 CM	12,5 CM	15 CM
Flexible blade (Ref.)	169055	169155	169255

Ref.: 069955  
**HAWK**  
**330 x 330 mm**

To hold compound before application.  
 Bi-material handle and EVA foam.  
 Aluminium blade with corrugated surface  
 to maintain compound on the trowel.







## PLASTERING TROWEL

Stainless steel blade.  
Fiberglass-reinforced polyamide mounting =  
light and durable.  
Bi-material handle.

### Available in 3 versions:

Ref.: 266055  
**Flat blade** 

Ref.: 266155  
**Curved blade** 

Ref.: 266255  
**Beveled blade** 



Ref.: 167055

## CORNER COATING KNIFE

Stainless steel blade.  
Ideal to spread compound in inaccessible areas.  
Bi-material handle with metal head.



Ref.: 167955

## HALF ROUND KNIFE

Stainless steel blade.  
Ideal to spread compound in angles.  
Bi-material handle with metal head.



Ref.: 164055

## RUBBER JOINT KNIFE

To joint inner angles as well as round and hard-to-reach areas.

With nylon reinforcement.

Very light and easy to clean.

Can be used by hand or with an handle.



Ref.: 065455

## INSIDE CORNER TROWEL

Stainless steel blade.

To spread compound on both interior sides of the wall in one single pass.

Ergonomic handle.

Angle 103°.

Ref.: 065755

## OUTSIDE CORNER TROWEL

Stainless steel blade.

To spread compound on both exterior sides of the wall in one single pass.

Ergonomic handle.

Angle 87°.





Ref.: 278055 **NEW**

### INSIDE CORNER ROLLER

To tighten the drywall tape in the horizontal and vertical inside corners.  
 Supplied with an adapter for connection to EDMA telescopic poles (not included).  
 Also compatible with a handle with M10 female end.



Ref.: 278155 **NEW**

### OUTSIDE CORNER ROLLER

To tighten the drywall tape in the horizontal and vertical outside corners.  
 Supplied with an adapter for connection to EDMA telescopic poles (not included).  
 Also compatible with a handle with M10 female end.

**EDMABLADE** **NEW**

# SMOOTHING BLADE

Allows smoothing of compounds, drywall tapes, plaster.  
 Easy to use thanks to its light and ergonomic structure.  
 Adaptable to EDMA telescopic poles (handle and poles not included).  
 Stainless steel blade with rounded edges for a result without trace or loss of compound.

EDMABLADE	15 CM	25 CM	35 CM	45 CM	60 CM	80 CM	100 CM
Flexible blade (Ref.)	171655	171755	171855	171955	172055	172155	172255
Stiff blade (Ref.)	371655	371755	371855	371955	372055	372155	372255

### Flexible blade

Blade thickness: 0,3 mm.

### Stiff blade

Blade thickness: 0,5 mm.

*Stainless  
steel  
Blade*






Ref.: 271555 **NEW**

## EDMABLADE HANDLE

Allows the EDMABLADE smoothing blades to be connected to an EDMA pole.  
Quick and easy fastening system.

Swivel head to adapt to the work support.

Ergonomics for an easy use without a pole.



## TELESCOPIC POLE

2 sections.

Aluminium head.

TELESCOPIC POLE	0,50 - 0,90 M	0,80 - 1,50 M	1,20 - 2,40 M
Ref.	179555 <b>N</b>	179655 <b>N</b>	169955



Stainless  
steel  
Blade

## REINFORCED JOINT KNIFE

Stainless steel blade mounted on rigid aluminium reinforcement.

Bi-material handle with metal head.

REINFORCED JOINT KNIFE	20 CM	25 CM	30 CM	35 CM
Ref.	169355	169455	169555	169655



Stainless  
steel  
Blade


## ERGONOMIC JOINT KNIFE

Stainless steel blade mounted on rigid aluminium reinforcement.

Riveted bi-material handle.

Ideal to spread compound on large areas.

ERGONOMIC JOINT KNIFE	25 CM	35 CM	60 CM
Ref.	174355	174455	166355



Ref.: 163355

## ANGULAR ABRASIVE SPONGE

**Grit 60**

Special for angles and corners.

Dimensions : 120 x 90 x 25 mm.

Ref.: 161255 **EASY LOCK SANDER**

## ABRASIVE HAND SANDER

Allows sanding and finishing of walls and ceilings.

No dust accumulation on the abrasive sheet.

Quick and easy abrasive sheet replacement.



Ref.: 161355 **EASY LOCK TELESCOPIC SANDER**

## ABRASIVE HAND SANDER ADAPTABLE TO A TELESCOPIC POLE

Allows to sand walls and ceilings without using scaffolding or step ladder.

Adjustable to EDMA telescopic poles (not included).



ABRASIVE MESH SANDING SHEET 290 X 100 MM

*No dust accumulation !*



Ref.: 163555

**Grit 80**

x 10 pcs.

Ref.: 163655

**Grit 120**

x 10 pcs.

Ref.: 163755

**Grit 240**

x 10 pcs.



Ref.: 274055

**EDMALIGHT** **NEW**


## CORDLESS LED SURFACE INSPECTION LIGHT

Powerful LED light for detecting imperfections and surface irregularities on walls and ceilings.

Lightweight and wireless for optimal handling.

Head tilts 100° and swivels 140° with anti-slip coating to adapt to the work surface.

Adaptable to EDMA telescopic tripod and poles (not included). CE certified.



IP54



### SPECIFICATIONS

Power	7,5 W
Luminous flux	715 lm
LED L70B20	+ 30000 h of use
Colour of light source	6000 K = cool white
CRI	> 80 = good colour rendering
Grazing beam	30° x 10°

### Delivered with:

- Battery 14,8 V - Type 18650 - 2600 mAh - Li-ion
- Battery charger





Ref.: 274155 **NEW**

## EDMALIGHT COMPATIBLE TELESCOPIC TRIPOD

Steel.

Min. height : 1,08 m.

Max. height : 2,80 m (reaches 3 m with the EDMALIGHT).

Foldable feet.

Supplied with adapter for EDMALIGHT connection.

Compatible with any product with M8 thread.



## EXPANSION TOOL FOR ALL METAL ANCHORS

Sprung handles.



Ref.: 020155

### **BABY-FIX® BRICO**

Double hinge.  
Support surface : 100 x 20 mm.  
Anti finger pinch.  
Max. capacity :  $\varnothing$  6 mm.



Ref.: 021155

### **BABY-FIX® JUNIOR**

Double hinge.  
Hardened steel arms and jaws.  
Support surface : 100 x 20 mm.  
Max. capacity :  $\varnothing$  8 mm.





Ref.: 020355

**FIX**

Direct setting along the line of the hole.  
Sprung handles.  
Can be used with minimum effort.  
Special for difficult access areas.  
Max. capacity :  $\varnothing$  8 mm.



Ref.: 021355

**SUPER-FIX®**

Angled head to expand metal anchors in corners  
in one easy action.  
Sprung handles.  
Easy to use in confined spaces.  
Max. capacity :  $\varnothing$  8 mm.



## EXPANSION GUN FOR ALL METAL ANCHORS

Max. capacity :  $\varnothing$  8 mm.



Ref.: 023155

### **SUPRA-FIX®**

Easy to use in small areas.  
Compact.  
Support surface : 20 x 20 mm.  
Improved stroke length : 20 mm.



Ref.: 023255

### **ULTRA-FIX®**

5 notches ratchet action.  
Specially designed for effortless use with  $\varnothing$  8 mm metal anchors.  
Exceptional support surface of 30 mm.  
Easy handle release system.





Ref.: 070055 **MULTI-COUP®**

## MITRE SHEAR FOR VARIABLE CORNERS AND ANGLES


**Fast, neat and effortless cutting.**  
Steel blade guard.  
Interchangeable utility blade.

### Ideal to cut the following materials:

- Plastic sections
- Rubber glazing joints
- Decorative mouldings
- PVC tiling edging trim
- PVC tape



Ref.: 199255  
**TRAPEZE BLADE FOR CUTTER**  
x 10 pcs.



Ref.: 075055 **PLURI COUP EXTRA**

## MOULDINGS AND PVC ELECTRIC BASEBOARDS CUTTING PLIERS

65 mm blade which can be sharpened.  
Cuts at 90°.  
Cuts up to 40 x 10 mm.



Ref.: 071155  
**STAINLESS STEEL BLADE 65 MM**  
Re-sharpenable single-block blade.



Ref.: 170055

## MULTI COUP BOX

**Shears with 4 interchangeable bases.**

### • 65 mm flat cutting base:

Electrical flat cables, cords, rubber, cardboard...

### • Mitre cutting base:

Flat surfaces and quarter round of wood or composite, decorative molding, PVC profiles for tile finishing, rubber seals...

### • Cutting base for cutting 16 mm and 20 mm pipes:

For IRL, ICTA, PVC pipes.

### • Cutting base for cutting 45 x 25 mm wire duct.

Clean cut without any distortion.

No need to deburr : time-saving.

65 mm stainless steel blade, interchangeable, can be sharpened.

Carrying case included.



 **PAINTER**







Ref.: 274055

**EDMALIGHT** **NEW**


## **CORDLESS LED SURFACE INSPECTION LIGHT**

Powerful LED light for detecting imperfections and surface irregularities on walls and ceilings.

Lightweight and wireless for optimal handling.

Head tilts 100° and swivels 140° with anti-slip coating to adapt to the work surface.

Adaptable to EDMA telescopic tripod and poles (not included). CE certified.



IP54



### **SPECIFICATIONS**

Power	7,5 W
Luminous flux	715 lm
LED L70B20	+ 30000 h of use
Colour of light source	6000 K = cool white
CRI	> 80 = good colour rendering
Grazing beam	30° x 10°

### **Delivered with:**

- Battery 14,8 V - Type 18650 - 2600 mAh - Li-ion
- Battery charger





Ref: 274155 **NEW**

## **EDMALIGHT COMPATIBLE TELESCOPIC TRIPOD**

Steel.

Min. height : 1,08 m.


Max. height : 2,80 m (reaches 3 m with the EDMALIGHT).

Foldable feet.

Supplied with adapter for EDMALIGHT connection.

Compatible with any product with M8 thread.





Ref.: 277855 **NEW**

## TRIANGULAR PAINTER'S SCRAPER

Allows to dig, to widen the cracks in the wall or the ceiling before filling.

Replaceable stainless steel blade, 3 mm thick.  
Long bi-material handle usable with 2 hands.



Ref.: 527781  
**SPARE BLADE**



Ref.: 277955 **NEW**

## PRECISION SCRAPER + 7 BLADES

Multi-purpose thanks to its blades of different shapes and sizes.  
4 tungsten carbide blades ideal for meticulous, precise work, such as window frames, skirting boards but also places that are difficult to access.

3 stainless steel blades for stripping paint, varnish, compound on different shapes.

6-blade case for easy storage.

Ergonomic bi-material handle for a comfortable grip.

Delivered with a belt holster for storage.



Ref.: 527791  
**SPARE BLADE**  
x 6 pcs.



Ref.: 527782  
**SPARE TRIANGULAR BLADE**

Ref.: 164355


## MULTI PURPOSE TOOL

8 cm

Stainless steel blade.

Bottle opener, nail puller and hammer, paint can opener, roller cleaner, scraper, joint knife, unmasking knife, filling knife/crack cleaner, rasp, cutter, 11 mm (1/4") wrench, 14 mm (3/8") wrench.

Bi-material handle with metal head.



Stainless  
steel  
Blade

Ref.: 164555

## HEAVY DUTY SCRAPER

8 cm

Striking scraper, *adjustable* to a pole.

Stainless steel blade.

Bi-material handle with metal head.

Compatible with EDMA telescopic poles (not included).



Ref.: 167055

## CORNER COATING KNIFE

Stainless steel blade.

Ideal to spread compound in inaccessible areas.

Bi-material handle with metal head.

Ref.: 167955

## HALF ROUND KNIFE

Stainless steel blade.

Ideal to spread compound in angles.

Bi-material handle with metal head.

Stainless  
steel  
Blade



Ref.: 276755 **NEW**

## BUCKET SCOOP KNIFE

Allows to scrape/clean to the bottom of the bucket = avoids waste.  
 Curved stainless steel blade facilitates the taking of compound, in quantity.  
 Blade with a 13 cm radius and 16,5 cm width adapted to large buckets of compound.  
 Equipped with a hook to put the knife on the bucket.  
 Suitable for filling the EDMAPLIC or other drywall taper.  
 Bi-material handle with metal head.



**NEW**

## JOINT KNIFE WITH ROUNDED BLADE

0,5 mm thick stainless steel blade.  
 Rounded blade allowing to stay flat on the surface to work.  
 Reinforcement stiffening the blade over its entire width.  
 Bi-material handle with metal head.

JOINT KNIFE WITH ROUNDED BLADE	10 CM	12 CM	14 CM	16 CM	18 CM	20 CM	22 CM	24 CM
Ref.	277055	277155	277255	277355	277455	277555	277655	277755

Flexible blade


NEW

## PREMIUM JOINT KNIFE

Single material, in stainless steel = *more resistant.*  
Mirror finish.

Stainless steel  
Blade

Stiff blade



PREMIUM JOINT KNIFE	4 CM	5 CM	6 CM	8 CM	10 CM	12 CM	15 CM	20 CM	25 CM
Flexible blade (Ref.)	181055	--	181155	181255	181355	181455	181555	182055	182155
Stiff blade (Ref.)	181655	181755	--	181855	181955	--	--	--	--

Ref.: 610161 **NEW**

### SET OF PREMIUM JOINT KNIVES + STORAGE POUCH

Composed of:

- Ref. 181055 FLEXIBLE BLADE PREMIUM JOINT KNIFE 4 CM
- Ref. 181355 FLEXIBLE BLADE PREMIUM JOINT KNIFE 10 CM
- Ref. 181455 FLEXIBLE BLADE PREMIUM JOINT KNIFE 12 CM
- Ref. 181555 FLEXIBLE BLADE PREMIUM JOINT KNIFE 15 CM
- Ref. 182055 FLEXIBLE BLADE PREMIUM JOINT KNIFE 20 CM
- Ref. 164355 MULTI PURPOSE TOOL - 8 cm
- Ref. 280255 STORAGE POUCH FOR JOINT KNIVES



**Flexible blade**

Blade thickness : 0,3 mm.

**Stiff blade**

Blade thickness : 0,5 mm.

**EDMABLADE TWIST** NEW

**SWIVEL SMOOTHING BLADE**

Allows smoothing of compounds, drywall tapes, plaster.  
 Handle can be adjusted in 2 positions to adapt to the work support.  
 Easy to use thanks to its light and ergonomic structure.  
 Adaptable to EDMA telescopic poles (handle and poles not included).  
 Stainless steel blade with rounded edges for a result without trace or loss of compound.



**Position 1**  
Wall application



**Position 2**  
Ceiling application

EDMABLADE TWIST	15 CM	25 CM	35 CM	45 CM	60 CM	80 CM	100 CM
Flexible blade (Ref.)	271655	271755	271855	271955	272055	272155	272255
Stiff blade (Ref.)	471655	471755	471855	471955	472055	472155	472255



Ref.: 271555 **NEW**

## EDMABLADE HANDLE

Allows the EDMABLADE smoothing blades to be connected to an EDMA pole.  
Quick and easy fastening system.

Swivel head to adapt to the work support.

Ergonomics for an easy use without a pole.



## TELESCOPIC POLE

2 sections.

Aluminium head.

TELESCOPIC POLE	0,50 - 0,90 M	0,80 - 1,50 M	1,20 - 2,40 M
Ref.	179555 <b>N</b>	179655 <b>N</b>	169955









CE

Ref.: 259755 **NEW**

## GEL KNEE PADS

**Comfortable and resistant.**

Soft nylon shell.

Breathable SBR neoprene fabric.

Injected foam and gel padding for maximum comfort.

Double adjustable straps with buckles = easy adjustment, no shearing effect.

Ideal to protect your knees from hard surfaces such as cement, overall floor coverings or roofs.

CE certified.

EN14404: 2004+A1: 2010 - Type 1 level 1.



CE

Ref.: 259855 **NEW**

## GEL KNEE PADS WITH STABILIZING REINFORCEMENT

**Optimal stability and protection thanks to TPR reinforcements.**

Breathable SBR neoprene fabric.

Injected foam and gel padding for maximum comfort.

Double adjustable straps with buckles = easy adjustment, no shearing effect.

Ideal to protect your knees from hard surfaces such as cement, overall floor coverings or roofs.

CE certified.

EN14404: 2004+A1: 2010 - Type 1 level 1.



Ref.: 258555

**NEW**

## ROLLER KNEE SUPPORTS

Lightweight and comfortable for optimal mobility.

Ideal for laying all types of flooring.

360° rotation thanks to its 3 wheels, allowing quick movements without leaving marks.

Gel cushion for more comfort.

Straps reduce tension behind the knee.

Close to the floor to avoid premature back fatigue.

Possibility to remove the wheeled base by pressing a button.





**EDMATILE**  
**MONORAIL TILE CUTTER**

*Fast* and precise cutting.

- For straight and angled cuts up to 45°.
- Cutting trolley on 6 ball bearings.
- Aluminium base = lightweight tool.
- 2 different separators to adapt to the thickness of the tiles.
- High performance tungsten carbide cutting wheel.
- Graduated lateral supports with adjustable and swivelling stop.
- Ergonomic handle.
- Carrying bag included.

EDMATILE	600	925	1350
Carrying bag (Ref.)	251055	251155	251255
Carrying bag + case (Ref.) <b>NEW</b>	251001	251101	251201
Max. cutting thickness	20 mm	20 mm	20 mm
Max. tile size / straight cut	650 x 650 mm	950 x 950 mm	1350 x 1350 mm
Max. tile size / diagonal cut	455 x 455 mm	670 x 670 mm	950 x 950 mm

**NEW**

## CARRYING CASE

Transportation and storage in all *safety.*

Double thickness = rigid, shock-resistant.

Metal buckle closure.

With integrated handle.



CARRYING CASE	M	L	XL
Ref.	743021	743022	743023
Outer dimensions	1030 x 390 x 250 mm	1330 x 390 x 250 mm	1730 x 390 x 250 mm
Inner dimensions	945 x 265 x 222 mm	1255 x 265 x 222 mm	1650 x 265 x 222 mm



### MAIN GAUGE

Ref.: 525101 For EDMATILE 600.

Ref.: 525104 For EDMATILE 925.

Ref.: 525105 For EDMATILE 1350.



Ref.: 525102

### COMPLETE CUTTING TROLLEY

For EDMATILE 600, 925, 1350.



Ref.: 525100

### BALL BEARING CUTTING WHEEL

For EDMATILE and EDMATILE XXL.  
Ø 22 x Ø 6 x 2 mm.

Ref.: 251355 **EDMATILE XXL**

## CUTTING SYSTEM FOR LARGE TILES

### Composed of:

3 push-on aluminium guides of 1100 mm.

2 aluminium suction cups.


1 trolley with cutting wheel.

2 separating pliers.

Max. cutting length : 3000 mm.

Max. cutting thickness : 8 mm.

Carrying bag included.



Ref.: 251455

## SCRIBE TIP


Enables to draw on tile and ceramic.  
Tungstene carbide point.  
Swivelling head = right-handed or left-handed use.  
Ergonomic handle.  
Can be used to scrub the seals.



Ref.: 251655

## TILE CUTTING PLIERS

Wheel and breaking system integrated.  
Handle spring.  
Bi-material ergonomic handle.



Ref.: 251755

## MOSAIC TILE CUTTING PLIERS

Enables to make small cuts and croppings.  
Deported tungsten carbide jaws.  
Handle spring.  
Bi-material ergonomic handles.





Ref.: 070055 **MULTI-COUP®**

## MITRE SHEAR FOR VARIABLE CORNERS AND ANGLES

**Fast, neat and effortless cutting.**  
Steel blade guard.  
Interchangeable utility blade.

**Ideal to cut the following materials:**

- Plastic sections
- Rubber glazing joints
- Decorative mouldings
- PVC tiling edging trim
- PVC tape



Ref.: 199255  
**TRAPEZE BLADE FOR CUTTER**  
x 10 pcs.

Ref.: 088255 **DUPLIC FORM**  
**CONTOUR GAUGE**  
**250 mm**

To match contours to be cut.  
For plumbing pipes as well as mouldings and so on.  
Width : 250 mm.  
Depth : 45 mm.





**NEW**

## DRILL BIT

For water drilling of ceramics, stoneware and porcelain drilling.

DRILL BIT	Ø 6 MM	Ø 8 MM	Ø 10 MM	Ø 35 MM	Ø 43 MM	Ø 68 MM	Ø 100 MM	Ø 120 MM
Ref.	272355	272455	272555	272655	272755	272855	272955	273055



**NEW**

## CORE DRILL

For dry drilling of ceramics, stoneware and porcelain.

Max. 14000 RPM.

CORE DRILL	Ø 6 MM	Ø 8 MM	Ø 10 MM	Ø 35 MM	Ø 45 MM	Ø 68 MM	Ø 100 MM	Ø 120 MM
Ref.	273155	273255	273355	273455	273555	273655	273755	273855





Ref.: 251955

## DRILL BITS BOX

Ø 6, 8, 10, 12, 28, 35, 43, 68 mm

For water drilling of ceramics, stoneware and porcelain drilling.



Ref.: 252055

## CORE DRILL BOX

Ø 6, 8, 10, 12, 28, 35, 40, 45, 65, 68 mm

For dry drilling of ceramics, stoneware and porcelain.  
Max. 14000 RPM.



Ref.: 273955 **NEW**

## DRILL GUIDE FOR DRILL BITS

Ø 6 to 84 mm

Centring holes Ø 6, 8, 10 and 12 mm.

Max. capacity of the central guide: Ø 84 mm.

Easy adjustment and locking.

Allows optimum centring of the drill bit when drilling.

Can be fixed on the surface to be drilled thanks to its suction cup.

Equipped with connection for water cooling system.

Ref.: 258355

## ABRASIVE BLOCK

**150 x 50 x 25 mm**

Double grit : 120 and 240.

To sand, adjust, bevel the edges of the tiles.



Ref.: 252155

## FLEXIBLE MIXING BUCKET

**40 l**

Ideal for glue preparation, jointing and transport of rubble.

Made of polyethylene.

Equipped with 2 handles for easy transport.

## MIXING PADDLE

Ref.: 254855

**Ø 100 mm**

SDS mounting.



Ref.: 254955


**Ø 120 mm**

SDS mounting.

Ref.: 255055

**Ø 140 mm**

M14 mounting.



Ref.: 257355

## ADJUSTABLE ROLLING SUPPORT

Light and *compact*.

EVA resin tray and retractable steel handle.

7 rubber wheels.

### SPECIFICATIONS

Extendable length	up to 70 cm
Dimensions	58 x 40 cm
Max. load	220 kg



## TILE LIFTER

Quick adjustment system.

Ideal to easily carry tiles.

Centered handle whatever the width of tile to carry.

### Available in 2 dimensions:

Ref.: 269055

**Adjustable from 280 to 665 mm**



**35 KG\***  
MAXIMUM CARRIED LOAD

Ref.: 369055

**Adjustable from 280 to 800 mm**



**50 KG\***  
MAXIMUM CARRIED LOAD



\* Test performed by  on a 40 cm x 40 cm tile.



## SUCTION CUP

Aluminium alloy.  
For smooth tiles and surfaces.



**1 head Ø 120 mm**



**2 heads Ø 120 mm**



**3 heads Ø 120 mm**

SUCTION CUP	SINGLE	DOUBLE	TRIPLE
Ref.	250155	250255	250355
Max. capacity for floor laying	40-50 kg	90-100 kg	130-140 kg
Max. capacity for wall laying	30-40 kg	80-90 kg	120-130 kg

Ref.: 257255

## SINGLE VACUUM SUCTION CUP

1 head Ø 200 mm.  
Double lip.  
With pressure mark required.  
For tiles and smooth surfaces.  
Carrying case included.

### SPECIFICATION

Max. capacity for floor laying	150 kg
Max. capacity for wall laying	120 kg



## ACCESS PANEL TO BE TILED

Easy to install, invisible, easy to open.

### Available in 2 dimensions:

Ref.: 257455

**30 x 30 cm**

Outer dimensions: 309 x 309 mm.

Ref.: 257555

**40 x 40 cm**

Outer dimensions: 409 x 409 mm.



Ref.: 257655 **EDMAGNETIK**

## MAGNETIC SYSTEM FOR MAKING INSPECTION HATCHES

Quick and invisible installation.

Composed of 4 legs with magnet and 4 magnetic plates.

The tile becomes the hatch = custom-made.

Max. adhesion power : 3 kg.



## WATERPROOF STAINLESS STEEL FLOOR HATCH

Double seal.

Stainless steel.

Opening keys included.

### Available in 3 dimensions:

Ref.: 257755

**30 x 30 cm**

Ref.: 257855

**40 x 40 cm**

Ref.: 257955

**60 x 60 cm**





## NOTCHED SPREADER

**300 mm**

Stainless steel blade.

TEETH DIMENSIONS	4 X 4 MM	6 X 6 MM	8 X 8 MM	10 X 10 MM	HALF MOON - 20 X 10 MM
Ref.	255155	255255	255355	255455	255555



## NOTCHED TROWEL

**280 mm**

Stainless steel blade.

Fiberglass-reinforced polyamide frame = lightweight and durable.

Ergonomic bi-material handle.

TEETH DIMENSIONS	<b>NEW</b> 4 X 4 MM	6 X 6 MM	8 X 8 MM	10 X 10 MM	10 X 10 MM - 45°	<b>NEW</b> HALF MOON - 20 X 10 MM
Ref.	258655	255655	255755	255855	255955	259455

Ref.: 256055


## MARGIN TROWEL

**80 mm**

Stainless steel blade.

Bi-material ergonomic handle.





## TILE SPACER

Enables to make steady spacing between tiles.  
In bag.



## RECOVERABLE TILE SPACER

Reusable.  
Enables a steady aligning of tiles.  
In bag.

THICKNESS	1,5 MM	2 MM	2,5 MM	3 MM	4 MM	5 MM
Single use (Ref. / Qty)	252355 x 300 pcs	252455 x 300 pcs	---	252555 x 200 pcs	252655 x 200 pcs	---
Reusable (Ref. / Qty)	252755 x 100 pcs	252855 x 100 pcs	252955 x 100 pcs	253055 x 75 pcs	253155 x 50 pcs	253255 x 40 pcs

### Consumption table (for information)

Tile dimensions	10x10	15x15	20x20	30x30	40x40	45x45	50x50	60x30	60x60
Necessary tile spacers/m <sup>2</sup>	100	49	25	16	9	9	4	8	4




Ref.: 253955

## TILE WEDGE

**5 mm - x 500 pcs**

Dimensions : 30 x 6 mm.  
Thickness from 1 to 5 mm.  
In bag.



## MARKLESS MALLET

1 spherical face and 1 flat face.  
To position the tile and facilitate its  
adhesion.  
Avoids traces.

Ref.: 254055  
**250 g**

Ref.: 254155  
**500 g**

**EDMALEVEL**

# SELF-LEVELLING SYSTEM

*Quick* and easy installation.

Eliminates level differences and maintains a constant joint width.



Ref.: 259255 **NEW**

**STARTING KIT  
100 PCS  
1,5 mm**

- 1 adjusting pliers
  - 100 clips of 1,5 mm
  - 100 wedges
- In bucket.

Ref.: 259355 **NEW**

**STARTING KIT  
100 PCS  
2 mm**

- 1 adjusting pliers
  - 100 clips of 2 mm
  - 100 wedges
- In bucket.

**Allow tiles from 3 to 13 mm thick to be laid and levelled.**






Ref.: 254555

## ADJUSTING PLIERS

- Double die for wide or narrow spacers.
- Adjustable spacing.
- Stop screw allowing a steady pressure during serial laying.
- Ergonomic bi-material handle.
- Removable plastic stops.

## CLIP

- Resistant.
- Clear break at the base of the foot for an invisible result.
- In bag.



THICKNESS / QUANTITY	1 MM	1,5 MM	2 MM	3 MM
<b>Allow tiles from 3 to 13 mm thick to be laid and levelled.</b>				
250 pcs	---	258955 <span style="border: 1px solid orange; padding: 0 2px;">N</span>	259055 <span style="border: 1px solid orange; padding: 0 2px;">N</span>	---
500 pcs	276655 <span style="border: 1px solid orange; padding: 0 2px;">N</span>	258855 <span style="border: 1px solid orange; padding: 0 2px;">N</span>	258055	258155
<b>Allow tiles from 11 to 20 mm thick to be laid and levelled.</b>				
250 pcs	---	259555 <span style="border: 1px solid orange; padding: 0 2px;">N</span>	259655 <span style="border: 1px solid orange; padding: 0 2px;">N</span>	---



Ref.: 258255


## TILE WEDGE

**x 250 pcs**

- Dimensions: 91 x 23 mm.
- Thickness from 2 to 18 mm.
- Toothed.
- Reusable.
- In bag.

**Consumption table** (for information)  
pcs / m<sup>2</sup>

X																												
15	89																											
20	67	50																										
25	53	40	32																									
30	67	50	40	44																								
33	61	45	36	40	37																							
40	50	38	30	25	31	25																						
50	40	30	24	27	24	20	16																					
60	33	25	20	22	20	17	13	11																				
75	33	25	20	21	19	17	12	10	9																			
90	30	22	18	15	15	15	11	9	8	7																		
100	33	25	20	15	15	15	12	10	9	8	8																	
120	28	21	17	15	15	15	10	8	7	6	7	6																
150	27	20	16	15	15	15	10	8	8	6	6	5	5															
180	26	20	16	13	14	12	9	8	7	9	6	5	5	4														
200	27	20	16	14	14	12	9	8	7	6	6	5	4	4	4													
240	25	19	15	13	13	11	9	7	7	6	5	5	4	4	4	3												
300	37	25	19	15	13	10	9	8	7	5	5	4	4	3	3	3	3											
	15	20	25	30	33	40	50	60	75	90	100	120	150	180	200	240	300	Y										





Ref.: 256355 **EDMACLEAN**

## 24 L TILE JOINT KIT + ACCESSORIES

For cleaning and grouting tiles.

### Composed of :

- 1 bucket of 24 L graduated
- 4 removable wheels, 2 of which with brakes
- 2 removable perforated spin rollers
- 1 cleaning grid
- 1 sponge float
- 1 grout float





## GROUT SPREADER

Allows to pour and clean the joints.

**Available in 2 dimensions :**

Ref.: 256155  
**200 mm**

Ref.: 256255  
**300 mm**



## GROUT FLOAT

Ergonomic handle.

Ref.: 256455  
**Hard - 250 X 100 mm**  
For epoxy joints.  
Bevelled edges.

Ref.: 256555  
**Medium - 270 X 130 mm**


## TILE SPONGE



Ref.: 254255  
**200 x 100 x 60 mm**  
1 abrasive side and  
1 absorbent side.



Ref.: 258455  
**190 x 130 x 50 mm**  
Rounded edges.



## SPONGE FLOAT

Thickness 30 mm.  
Ergonomic handle.

Ref.: 257155

**Cutted - 280 x 140 mm**

Optimized efficiency.

Ref.: 257055

**280 x 140 mm**



Ref.: 256655

## CLEANING FLOAT

**Self-gripping**

Allows to clean tiles and joints.

**Composed of:**

- 1 plastic support with ergonomic handle
- 1 hard abrasive self-gripping pad 250 x 100 mm
- 1 soft abrasive self-gripping pad 250 x 100 mm

### SPARE PAD - 250 X 100 MM



Ref.: 256755

*Self-gripping.*  
**Soft abrasion x 1 pc +  
hard abrasion x 1 pc.**



Ref.: 256855

**Soft abrasion x 2 pcs.**



Ref.: 256955

**Hard abrasion x 2 pcs.**



## FLOOR SQUEEGEE

Enables to clean and grout.  
Double foam.  
Reinforced bush  $\varnothing$  24 mm.

**Available in 2 dimensions:**

Ref.: 254355

**55 cm**

Ref.: 259955

**75 cm**

**NEW**



Ref.: 254655

## CLEANING BRUSH + SQUEEGEE

**42 cm**

2 in 1.  
Double row of hard hair.  
Adaptable on EDMA telescopic poles (not included).

Ref.: 254755

## GROUT SAW

Use with 1 or 2 blade(s).  
Supplied with 2 tungsten carbide blades : 1 set  
on the tool, the additional one within the storage  
compartment.





# FLOORING INSTALLER







CE

Ref.: 259755

**NEW**

## GEL KNEE PADS

**Comfortable and *resistant***

Soft nylon shell.

Breathable SBR neoprene fabric.

Injected foam and gel padding for maximum comfort.

Double adjustable straps with buckles = easy adjustment, no shearing effect.

Ideal to protect your knees from hard surfaces such as cement, overall floor coverings or roofs.

CE certified.

EN14404: 2004+A1: 2010 - Type 1 level 1.



CE

Ref.: 259855

**NEW**

## GEL KNEE PADS WITH STABILIZING REINFORCEMENT

***Optimal* stability and protection thanks to TPR reinforcements.**

Breathable SBR neoprene fabric.

Injected foam and gel padding for maximum comfort.

Double adjustable straps with buckles = easy adjustment, no shearing effect.

Ideal to protect your knees from hard surfaces such as cement, overall floor coverings or roofs.

CE certified.

EN14404: 2004+A1: 2010 - Type 1 level 1.





Ref.: 258555

**NEW**

## ROLLER KNEE SUPPORTS

Lightweight and comfortable for optimal mobility.

Ideal for laying all types of flooring.

360° rotation thanks to its 3 wheels, allowing quick movements without leaving marks.

Gel cushion for more comfort.

Straps reduce tension behind the knee.

Close to the floor to avoid premature back fatigue.

Possibility to remove the wheeled base by pressing a button.





Ref.: 089755

**LAMINOCUT®**

## LAMINATE, VINYL AND PVC FLOORING GUILLOTINE

**Fast cut without damaging the melamine surface.**

No breathable dust.

No noise.

No sharpening required ever on blade.

### 3 cutting possibilities :

- Straight cut.
- Angle cut from 0° to 90°.
- Cut in length.

Cuts up to 210 mm overall width, 11 mm thickness.

Protective felt pads.

Ref.: 089355

**STRATICUT® 230 LVT**

## LAMINATE AND VINYL FLOORING GUILLOTINE

**Fast and *effortless* cutting.**

No breathable dust.

No noise.

No sharpening required ever on blade.

**Removable stoppers to make angle cuts, cuts in length and wider than 230 mm planks.**

Max. width with stoppers : 230 mm overall.

### Cutting die with 2 positions :

- Position 1 (narrow die) : to cut LVT (Luxury Vinyl Tile), HD vinyl and PVC floorings up to 12 mm thick.
- Position 2 (wide die) : to cut laminate floorings up to 12 mm thick.

### Accessories :

- 1 trestle.
- 1 dust collector.





Ref.: 089055 **STRATICUT® 230**

## LAMINATE FLOORING GUILLOTINE

**Fast and *effortless* cutting.**

No breathable dust.

No noise.

No sharpening required ever on blade.

**Removable stoppers to make angle cuts, cuts in length and wider than 230 mm planks.**

Max. width with stoppers : 230 mm overall.

Cutting capacity: max. 12 mm thickness.

**Accessories :**

- 1 trestle.
- 1 dust collector.

Ref.: 289955 **MEGA STRATICUT® 400**

## LAMINATE FLOORING GUILLOTINE 400 mm

**Fast and *effortless* cutting.**

No breathable dust.

No noise.

No sharpening required ever on blade.

**Removable stoppers to make angle cuts, cuts in length and wider than 400 mm planks.**

Max. width with stoppers (overall) : 230 mm,  
320 mm and 400 mm.

Cutting capacity: max. 15 mm thickness.

**Accessories :**








- 1 trestle.
- 1 dust collector.

Ref.: 088255 **DUPLIC FORM**

## CONTOUR GAUGE

**250 mm**

To match contours to be cut.  
For plumbing pipes as well as mouldings and so on.  
Width : 250 mm.  
Depth : 45 mm.



Ref.: 087055 **SET TAK-TIK**

## COMPLETE SET FOR INSTALLING LAMINATE FLOORING

Ideal to install laminate and MDF floorings (click-together design).

### The set includes :

- 1 pulling bar (metal frame) : to move the boards lengthwise to remove gaps when adjusting flooring boards.
- 1 plastic tapping block : evenly distributes force from hammer when tapping planks together.
- 50 spacer blocks : to make an expansion joint between the wall and the laminate flooring.



Ref.: 087355  
**SPACER BLOCK**  
x 48 pcs  
For laminate flooring installation.



Ref.: 087255 **SUPER TAK-TIK**

## PULLING BAR FOR LAMINATE FLOORING INSTALLATION

With crowbar system.  
Wide head for larger pulling surface.  
Soft-touch material covers the base of the pulling bar to protect the laminate flooring.  
For click-together laminate flooring.



Ref.: 262855  
**REPLACEABLE TIP**

Ref.: 269155 **BLOC PARKET**

## TAPPING BLOCK FOR HARDWOOD AND LAMINATE FLOORING

Dimensions : 500 x 70 x 20 mm.  
P.E block.





Ref.: 085055 **CAMELEON 130**

## MITRE GUILLOTINE

130 mm stainless steel blade.

Clean cut without any dust : wooden skirting boards, parquet flooring boards, panelling, battens, door frame mouldings, etc...

Perfect cut up to 28 mm height and 130 mm length with a range of angles from 45 to 90°.

Long handle for a fast and easy cut.

Ideal for cutting european woods (oak, beech...), american woods (cherry, southern yellow pine...), northern pine, PVC panelling, MDF panelling...



Ref.: 071055 **MULTI-COUP® EXTRA**

## MITRE SHEARS WITH VARIABLE ANGLE CUTS

Clean and effortless cut.

Allows easy cutting of decorative moulding, wood skirting boards, rubber seals, PVC sections.



Ref.: 071155

**STAINLESS STEEL BLADE - 65 MM**

Re-sharpenable single-block blade.



Ref.: 064555 **TRANSPLAC**

## HEAVY DUTY BOARD LIFTER

Allows to carry boards and panels by one person.  
New wide base for better stability.

Ref.: 064055 **DUOPLAC**

## BOARD CARRIER HANDLES

Set of 2 pieces.  
Steel handles to carry boards and panels by 2 persons.  
Anti-slip grips.



Ref.: 066055 **FOOTPLAC**

## BOARD LEVER WITH STEEL STIRRUP

To lift panels for an accurate positioning thanks to its rocker system.  
Wide base for better balance.  
Also ideal to unhinge doors.  
Extra wide loop suitable for most safety footwear.





# FACADE INSTALLER









**COVERSMART**

**EXPANDABLE AND ADJUSTABLE  
SELF-ADHESIVE PROTECTIVE FILM**

Waterproof.  
Resistant, 40 micron thickness.  
Easy installation even for one person.  
Protects from projections.  
Repositionable adhesive edges.  
Can be used horizontally or vertically.  
25 m roll.

**Available in 2 dimensions:**

Ref.: 179055  
**120 cm**  
Extendable width : from 45 to 120 cm.

Ref.: 179155  
**160 cm**  
Extendable width : from 58 to 160 cm.



**1 Position**




**2 Stretch**



**3 Fix**

CE



**OSCILOCUT** **NEW**

## VIBRATING WIRE CUTTING TABLE

### For insulation materials

Clean cut of insulation materials such as rock wool, mineral wool, glass wool, polyurethane, expanded and extruded polystyrene (E.P.S. and X.P.S.), phenolic foam, glass foam, rubber foam.

Battery operated for greater freedom of work.

Delivered assembled, compact for easy storage and transport. CE certified.

#### OSCILOCUT

With aluminium and wood carrying case (Ref.)	368355
Without carrying case (Ref.)	368301
Max. cutting height	650 mm
Max. cutting thickness	270 mm
Motor	18 V, brushless = longer life
Lithium battery	18 V - 2 Ah
Vibration frequency	1500 times/min

#### Accessories included:

- Motor
- Battery + battery charger
- 1 mounted cutting wire + 5 spare wires

#### Possible cutting shapes:



RECTANGULAR



ANGLED



STEPPED



CHAMFERED



GROOVED



VERTICAL CUTS



OPENWORK



Ref.: 536830  
**SPARE WIRE**



Ref.: 536831  
**SPARE BATTERY**  
Batterie lithium 18 V - 2 Ah.



Ref.: 536832  
**BATTERY CHARGER**



Ref.: 366955

## MINERAL WOOL CUTTING TABLE

Special for rock wool panels.  
Ideal to cut sheep wool, glass wool, cellulose wadding...  
Allows accurate and clean cuts.  
Made of aluminium.

### SPECIFICATIONS

Max. cutting height	1200 mm
Max. cutting thickness	260 mm
Chamfered cut	up to 45°
Angle cut	up to 50°

### Possibles cutting shapes:



### Accessories included:

- 300 mm knife for insulation material
- Carrying case with wheels.



Ref.: 366255 **INSULACUT**

## RECIPROCATING ELECTRIC SAW FOR MINERAL INSULATION MATERIAL

*Effortless,* accurate and clean cut.

Special for mineral insulation material such as rock wool.

14.4 V - 1.5 Ah Li-ion battery and charger included.

Blade length : 300 mm.

CE certified.



Ref.: 366355  
**SPARE BLADE**  
300 mm.



Ref.: 536621  
**SPARE BATTERY**  
Li-ion battery 14,4 V - 1,5 Ah.



Ref.: 536622  
**BATTERY CHARGER**



## INSULATION CUTTER

2 different tooth shapes.

Holster included.


Symmetrical bi-material handle.

To cut without any effort rock wool, glass wool, wood wool or hemp insulating panels, flax, cellulose wadding panels, etc... from 3 to 20 cm thick.

**Available in 2 dimensions:**

Ref.: 066455  
**300 mm**

Ref.: 168055  
**420 mm**



**Adjustable cutting height**  
**Already assembled**



Ref.: 367155

## FOLDABLE HOT WIRE CUTTING TABLE

**For styrofoam panel, especially for E.T.I.C.S. applications**

*Clean* cut without polystyrene beads projection.

For expanded and extruded polystyrene (E.P.S. and X.P.S.).


Transformer : 42 V / 240 W / 230 V.

CE certified.

### SPECIFICATIONS

Adjustable cutting height	from 810 to 1400 mm
Max. depth	320 mm

### Possible cutting shapes:



### Accessories included:

- Carrying case
- 2 wire rolls



Ref.: 536712 **HOLDER** **NEW**



Ref.: 367455 **2 M WIRE ROLL**



Ref.: 536711 **TRANSFORMER**



Ref.: 526666 **BATTERY PACK**  
Composed of a Li-ion battery (36 V - 2 Ah) and its charger + a battery rack to connect to the machine.



Ref.: 526665 **SPARE BATTERY**  
Li-ion battery 36 V - 2 Ah.



Ref.: 526793 **BATTERY CHARGER**



Ref.: 526667 **FOOT SWITCH**  
Cutting action controlled by foot. Allows to get free hands to make step cuts or channels easily on E.P.S. panels. Secured by a steel shell.



Ref: 266555

## HOT WIRE CUTTING TABLE

**For styrofoam panel, especially for E.T.I.C.S. applications**

*Clean cut without polystyrene beads projection.*

For expanded and extruded polystyrene (E.P.S. and X.P.S.).


Transformer : 40 V / 200 W / 230 V.

CE certified.

### SPECIFICATIONS

Max. depth	330 mm
Max. height	1320 mm
Max. width	1550 mm
Angle cuts	from 0 to 90°
Chamfered cuts	from 90 to 15°
Groove cutting	until 300 mm depth

### Possible cutting shapes:



### Accessories included:

- Carrying case with wheels
- Scaffold hanging accessory
- Folding feet
- 2 cutting wires



Ref: 366855  
**SPARE WIRE - 1500 MM**



Ref: 267155  
**TRANSFORMER**



Ref: 526666  
**BATTERY PACK**  
Composed of a Li-ion battery (36 V - 2 Ah) and its charger + a battery rack to connect to the machine.



Ref: 526665  
**SPARE BATTERY**  
Li-ion battery 36 V - 2 Ah.



Ref: 526793  
**BATTERY CHARGER**



Ref: 526667  
**FOOT SWITCH**  
Cutting action controlled by foot. Allows to get free hands to make step cuts or channels easily on E.P.S. panels. Secured by a steel shell.



Ref.: 366655

## HOT WIRE CORNER CUTTER

### For styrofoam


Cutting accessory for expanded polystyrene (E.P.S.) and extruded polystyrene (X.P.S.) to adapt on a hot wire cutting table (ref. 266555/367155).

Allows multiple vertical cutting possibilities.

#### SPECIFICATIONS

Max. cutting depth	500 mm
Max. cutting thickness	310 mm

#### Possible cutting shapes:



#### ON THE TABLE REF. 266555:

##### 2 possible positions depending on the height of the panels to be cut :

- High position : for panels up to 1000 mm high.
- Low position : for panels up to 600 mm high.

#### ON THE TABLE REF. 367155:

##### 3 possible positions depending on the height of the panels to be cut :

- High position : for panels up to 1015 mm high.
- Intermediate position : for panels up to 815 mm high.
- Low position : for panels up to 615 mm high.

#### Accessories included:

- Carrying case.
- Li-ion battery and charger.



Ref.: 466855  
**SPARE WIRE - 610 MM**



Ref.: 536621  
**SPARE BATTERY**  
Li-ion battery 14,4 V - 1,5 Ah.



Ref.: 536622  
**BATTERY CHARGER**





Ref.: 260155

## HORIZONTAL HOT WIRE CUTTING TABLE

**For styrofoam**

*Clean* cut without polystyrene beads projection.

Clean cut without polystyrene beads projection.  
For expanded and extruded polystyrene (E.P.S. and X.P.S.).  
Transformer : 40 V / 200 W / 230 V.  
CE certified.

### SPECIFICATIONS

Max. depth	330 mm
Max. width	1 320 mm
Angle cuts	from 0 to 90°
Chamfered cuts	from 90 to 15°

### Possible cutting shapes:




RECTANGULAR

ANGLED



CHAMFERED



IDEAL FOR CUTTING  
POLYSTYRENE SLABS



Ref: 266855  
**SPARE WIRE - 1370 MM**



Ref: 267155  
**TRANSFORMER**



Ref: 526666  
**BATTERY PACK**  
Composed of a Li-ion battery (36 V - 2 Ah) and its charger + a battery rack to connect to the machine.



Ref: 526665  
**SPARE BATTERY**  
Li-ion battery 36 V - 2 Ah.



Ref: 526793  
**BATTERY CHARGER**



Ref: 266655

## HOT WIRE CUTTING BOW

For styrofoam

*Clean* cut without polystyrene beads projection.

For expanded and extruded polystyrene (E.P.S. and X.P.S.).

Transformer : 40 V / 200 W / 230 V.

CE certified.

### SPECIFICATIONS

Max. depth	330 mm
Max. width	1 370 mm


#### Possible cutting shapes:



RECTANGULAR



ANGLED



IDEAL FOR CUTTING POLYSTYRENE SLABS



Ref: 266855  
**SPARE WIRE - 1370 MM**



Ref: 267155  
**TRANSFORMER**



Ref: 267955

## CORDLESS HOT WIRE CUTTING BOW

For styrofoam

*Clean* cut without polystyrene beads projection.

For expanded and extruded polystyrene (E.P.S. and X.P.S.).

Li-ion battery : 36 V - 2 Ah.

CE certified.

### SPECIFICATIONS

Max. depth	330 mm
Max. width	1 370 mm


#### Possible cutting shapes:



RECTANGULAR



ANGLED



IDEAL FOR CUTTING POLYSTYRENE SLABS



Ref: 266855  
**SPARE WIRE - 1370 MM**



Ref: 526665  
**SPARE BATTERY**  
Li-ion battery 36 V - 2 Ah.



Ref: 526793  
**BATTERY CHARGER**





**EDMAFOAM**

## HOT KNIFE WITH AIR-COOLING SYSTEM

*Faster* clean and effortless cutting of styrofoam panels (E.P.S./X.P.S.).

No dust.

Air-cooling system enabling to be continuously operated.

Power: 320 W.

CE certified.

CE



### Available in 2 versions:

Ref.: 366755

#### Starting kit

Delivered in a plastic case including:

- 200 mm blade
- Metallic brush
- Blade fixing key

Ref.: 367555

#### Hot-knife + 3 blades set

Delivered in a plastic case including:

- 200 mm blade
- 250 mm blade
- 30 mm groove cutter
- Metallic brush
- Blade fixing key

FACADE INSTALLER

## ACCESSORIES FOR HOT KNIFE



Ref.: 466455

#### BLIND HOLE CUTTER Ø 70 mm

Max. depth : 70 mm.  
Min. depth : 25 mm.  
Ideal for electrical box.

Ref.: 466555

#### GROOVE CUTTER Ø 30 mm

Perfect 30 mm groove cut.  
Ideal for electrical pipes.

Ref.: 466655

#### CUTTING GUIDE 210 mm

Perfect straight cut up to  
210 mm width.

#### SPARE BLADE

Ref.: 266755

15 cm

Ref.: 466755

20 cm

Ref.: 536750

25 cm



Ref.: 069055 **CANALCUT**

## PRECISION INSULATION CUTTER

**For all types of insulation materials, such as : E.P.S., polyurethane, rock wool, glass wool, underfloor heating.**

Groove stainless steel blade for making 35 mm (width) x 35 mm (depth) channel to insert pipes up to max. 32 mm diameter.

**2 interchangeable blades:**

1/ 35 x 35 mm groove blade.

Thermal bridges are easily avoided while cutting.

2/ 80 cm blade for curved shape removal.

Scoring E.P.S. plasterboard.

Roofing water insulation grading.

To cut insulation material.



Ref.: 069555

**GROOVE BLADE - 35 X 35 MM**



Ref.: 068155

**BLADE SET - 40, 60, 80, 100 MM**



Ref.: 164955

## ABRASIVE SANDER SPECIAL FOR E.T.I.C.S.

**380 x 160 mm**

Special for external insulation and cellular concrete.



Ref.: 065455

## INSIDE CORNER TROWEL

Stainless steel blade.  
To spread compound on both interior sides of the wall in one single pass.  
Ergonomic handle.  
Angle 103°.



Ref.: 065755

## OUTSIDE CORNER TROWEL

Stainless steel blade.  
To spread compound on both exterior sides of the wall in one single pass.  
Ergonomic handle.  
Angle 87°.



**EDMABLADE** **NEW**

## SMOOTHING BLADE

Allows smoothing of compounds, drywall tapes, plaster.  
Easy to use thanks to its light and ergonomic structure.  
Adaptable to EDMA telescopic poles (handle and poles not included).  
Stainless steel blade with rounded edges for a result without trace or loss of compound.

Ref.: 372055

### Stiff blade 60 cm

Blade thickness : 0,5 mm.


Ref.: 172055

### Flexible blade 60 cm


Blade thickness : 0,3 mm.



# ROOFER







Ref.: 130555

## NAIL POUCH

Made of smooth top-grain cowhide leather.  
Adjustable leather/nylon belt.  
2 large pockets and 1 tool holder.



Ref.: 260055

## TOOL POUCH

Made of smooth top-grain cowhide leather.  
Adjustable nylon belt.  
8 pockets.  
2 tool holders.  
1 measuring tape pocket.



Ref.: 280155

**NEW**

## SINGLE POCKET CONTRACTOR RIG

Nylon fabric.  
Reinforced adjustable belt with roller buckle.  
8 inserts.  
2 tools holders,  
1 measuring tape holder.



Ref.: 280055

## CONTRACTOR RIG

Nylon fabric.  
12 pockets : 2 steel hammer holders, 1 tape holder.  
Adjustable belt with roller buckle.





Ref.: 033255 **LIT' UP**

## WOODEN BATTEN REMOVER

For roof renovation.

Heavy-duty.

Resistance to effort : 1 ton.



Ref.: 087555 **DÉCHAUSS' TOUT**

## TELESCOPIC WOODEN BATTEN REMOVER

Telescopic arm (min. 550 mm / max. 940 mm).

Heavy-duty.

Resistance to effort : 1 ton.



Ref.: 036755

## LATHE AXE

Polished blade.  
With nail puller.



Ref.: 037355

## ROOFER'S ADZE

Hand forged.  
With nail puller and hammer face.  
Leather handle.



Ref.: 035855

## ROOFER'S HAMMER

Steel tube handle.  
PVC grip.  
Magnetic nail holder.  
Polished finish.



Ref.: 035955

## FORGED ROOFER'S HAMMER

All steel forged.  
Leather handle.  
Magnetic nail holder.



Ref.: 060955 **MAX LINE**

## CHALK LINE REEL WITH LARGE HANDLE

**50 m**

For long distance marking.  
Built-in filter system to prevent excess chalk.  
Rope diameter: 2,5 mm (braided).  
Capacity: 300 g.



Ref.: 260555  
**BRAIDED SPARE  
ROPE Ø 2.5 MM**



Ref.: 064255 **ROOF LINE**

## SPECIAL CHALK LINE REEL FOR ROOFERS

**30 m**

Chalk line reel with two handles.  
To reduce movement on the roof.  
Rope diameter : 1,5 mm (braided).  
Capacity : 2 x 100 g.  
Built-in filter system to prevent excess chalk.



Ref.: 564255  
**BRAIDED SPARE  
ROPE Ø 1.5 MM**

## MARKING CHALK

WEIGHT	200 G	400 G	1 000 G	3 500 G
Ref.	063855	064955	064355	065155



Ref.: 132955

## CARPENTER PENCIL

**x 12 pcs**

To mark on dry wood.



Ref: 031855 **PUNCHER**

## HAMMER TACKER

Recommended for fixing heavy sheets, insulation sheets on roof and protective strips for wooden joists.

Solidary magazine with quick and easy staple loading.

Magazine capacity : approx. 175 staples.

Large striking range.

Very good balance.

Ultra-comfortable bi-material handle.



## STAPLE

Galvanised staples.

Width: 10,6 mm.

Thickness: 1,2 mm.



HEIGHT	8 MM	10 MM	12 MM	14 MM
1000 pcs (Ref.)	232055 <b>N</b>	232155 <b>N</b>	232255 <b>N</b>	231955
5000 pcs (Ref.)	---	031955	---	---



Ref: 133355

## DECLIMETER

Allows to determine the inclination of the roof structure.

Graduations every degree.



Ref: 032855

## BATTEN GAUGE

**For wooden batten positioning**

Easy to use.

Aluminium pattern.

With scale from 15 to 40 mm.



Ref.: 035555 **ROLL MAT**

## SLATE CUTTER 600 mm

Registered design.

For natural and synthetic slates.

Max. cutting thickness : 6 mm.

2 different working positions : straight position for ground work and tilted position for roof work.

Can be easily attached to roof battens thanks to its notches.

Large cutting platform graduated every 10 mm.

Square gauges for regular straight and angular cuts.

Cutting trolley guiding on bearings and rubber end stops.

Trolley locking system.

Carrying strap and dust collector included.



Ref.: 503550  
**SPARE CUTTING DISC**



Ref.: 033055 **PRO MAT-COUP 210**

## SLATE CUTTER

Clean and effortless cut up to 7 mm thickness.

Easy forward movement of the slate for progressive cutting action.

Easy to move on the roof, with a fixing point for laths.





Ref: 231055 **MASTERCUT**

## SLATE CUTTING AND PUNCHING PLIERS

Optimised lever system for effortless cutting.  
Innovative design for two different working ways (classic and reverse).

The blade, punch and spring have been reinforced by heat treatment to be much more durable.

The handle guard avoids to get pinched.

Ergonomic pliers with bi-material handles.

Easy maintenance : made of few parts, which makes the tool cleaning much easier.

Cuts, shapes and punches the natural slate up to 7 mm thick.



**MAT**

## SLATE CUTTING AND PUNCHING PLIERS

*2 en 1* = slate cutting and punching.

No breathable dust, no crumbling.

Ergonomic and bi-material grip.

To cut and punch natural and man made slate max. 7 mm thick.

Ref: 031055

**MAT**  
35 mm blade.

Ref: 032455

**MAT 2**  
55 mm blade.





## MAT COUP

# SLATE CUTTING PLIERS

No dust, no crumbling.

Ergonomic and bi-material grip.

To cut natural and man made slate max. 7 mm thick.

Ref.: 032055

### MAT COUP

35 mm blade.

Ref.: 032555

### MAT COUP 2

55 mm blade.



Ref.: 523100  
**SPARE SPRING  
FOR MASTERCUT**



Ref.: 523101  
**SPARE PUNCH  
FOR MASTERCUT**



Ref.: 031755  
**SPRING FOR MAT COUP, MAT COUP 2**  
x 5 pcs.



Ref.: 231155  
**BLADE FOR MAT  
AND MAT COUP**  
35 MM



Ref.: 232655  
**BLADE FOR MAT 2  
AND MAT COUP 2**  
55 MM



Ref.: 031255  
**PUNCH FOR MAT,  
MAT 2**



Ref.: 031555  
**REPAIR KIT FOR MAT  
AND MAT 2**



## SLATER'S ANVIL

**400 mm**

All edges polished.  
Straightened.  
Curved tip.

Ref.: 032155

**Right  
handed**

Ref.: 032255

**Left  
handed**



## "FRENCH" SLATER'S HAMMER

Hand forged.  
Leather handle.  
Nail puller.  
Polished finish.

Ref.: 038155

**Right  
handed**

Ref.: 038255

**Left  
handed**



## "TRADITIONAL" SLATER'S HAMMER

Hand forged.  
Leather handle.  
Large face.  
Nail puller.  
Polished finish.

Ref.: 038355

**Right  
handed**

Ref.: 038455

**Left  
handed**



## "UNIVERSAL" SLATER'S HAMMER

Hand forged.  
Left and right bevel.  
Leather handle.  
Nail puller.  
Polished finish.

Ref.: 039655

**Right  
handed**

Ref.: 139655

**Left  
handed**





## WELDED SLATE RIPPER

Traditional slate ripper.  
Welded.  
Made of steel.

Ref.: 037655  
**400 mm**


Ref.: 037755  
**600 mm**



Ref.: 131255

## BEVEL

200 mm wooden handle.  
Adjustable angle measurement.



Ref.: 131355

## BRACKET

Made of aluminium.



Ref.: 032955

## COMPASS

**250 mm**

Forged high quality compass.  
Hardened and polished steel tips.



Ref.: 036155

## SCRIBER TOOL

Stainless steel tracing template.  
Graduations from 5 to 100 mm (from 5 to 5 mm).

Ref.: 033155

## ZINC AND LAMINATE SCRIBER

Carbide tipped.  
Extremely resistant tip.  
Folding, cutting and marking of  
zinc and laminate sheets.





Ref.: 010755 **FLYER'S**

## FORGED AVIATION SNIP

Drop forged chromium molybdenum steel jaws.  
 Handle spring.  
 One hand automatic latch release.  
 Effortless cut.  
 Blade length: 42 mm.  
 Finger guard.



### CUTTING CAPACITIES

Stainless steel	1,2 mm
Sheet metal, galvanised, zinc	0,8 mm



Ref.: 010655 **FLYER'SL 75**

## FORGED AVIATION SNIP 75 mm long blades

Special for zinc.  
 Chromium molybdenum steel serrate blades.  
 Powerful and long lasting handle spring.  
 Finger guard.  
 One hand automatic latch release.



### CUTTING CAPACITIES

Stainless steel	0,8 mm
Soft metal	1,2 mm

Ref.: 109055  
**Left cut**



Ref.: 010955  
**Right cut**

## APOLLO

### FORGED AVIATION SNIP

Articulated tin snip.  
Drop forged chromium molybdenum steel jaws.  
Blade length: 35 mm.  
Finger guard.

#### CUTTING CAPACITIES

Stainless steel	0,9 mm
Blue sheet steel	1 mm
Galvanised sheet, zinc	1,2 mm
Copper, brass, sheet metal	1,5 mm
PVC, aluminium	2 mm
Polycarbonate	2,5 mm

Ref.: 102055  
**Left cut**



Ref.: 010255  
**Right cut**

## UPPER-CUT

### SHEARS «PASSE-FRANC»

Tin snip with offset blades.  
Blade length: 35 mm.  
Finger guard.

#### CUTTING CAPACITIES

Stainless steel	0,9 mm
Blue sheet steel	1 mm
Galvanised sheet, zinc	1,2 mm
Copper, brass, sheet metal	1,5 mm
PVC, aluminium	2 mm
Polycarbonate	2,5 mm

Ref.: 012055

## UNIVERSAL FORGED SHEARS

**250 mm**

**Wide and narrow blade shears.**

Carbon steel.

For straight cuts and long curves.

Blade length: 67 mm.

56 HRC long life blades.

Handles with PVC dipping (thermal insulation).

### CUTTING CAPACITIES

Stainless steel	1 mm
Galvanised sheet, zinc	1,2 mm



Ref.: 126055

**Left cut**



Ref.: 012655

**Right cut**



## FORGED SHEARS PELICAN

**300 mm**

Carbon steel.

Specially designed for long straight cut.

Blade length: 62 mm.

56 HRC long life blades.

Handles with PVC dipping (thermal insulation).

### CUTTING CAPACITIES

Stainless steel	1,2 mm
Galvanised sheet, zinc	1,8 mm



Ref.: 012355  
**Left cut**



Ref.: 012255  
**Right cut**

## FIGURE HOLE FORGED SHEARS

**250 mm**

Carbon steel.

For straight cuts and short curves.

Blade length: 42 mm.

56 HRC long life blades.

Handles with PVC dipping (thermal insulation).

### CUTTING CAPACITIES

Stainless steel	1 mm
Galvanised sheet, zinc	1,5 mm



Ref.: 012555  
**Left cut**



Ref.: 012455  
**Right cut**

## OFFSET FORGED SHEARS

**260 mm**

Carbon steel.

For long straight cuts and long curves.

Blade length: 30 mm.

56 HRC long life blades.

Handles with PVC dipping (thermal insulation).

### CUTTING CAPACITIES

Stainless steel	1 mm
Galvanised sheet, zinc	1,5 mm



Ref.: 011055

**SUPERCOU**

## NIBBLER SHEARS

**With built-in waste curl cutter**

For flat sheet metal.

### CUTTING CAPACITIES

Stainless steel	0,8 mm
Galvanised steel, zinc, sheet metal	1,2 mm
PVC, vinyl flooring, aluminium	2 mm



Ref.: 010155

**NIBBLER SHEARS NRI**


## NIBBLER SHEARS

For flat sheet metal.

Perfect for cutting stud and track.

### CUTTING CAPACITIES

Stainless steel	0,6 mm
Galvanised steel, zinc, sheet metal	1,2 mm
PVC, vinyl flooring, aluminium	2 mm



Ref.: 011355

**SUPERCOU NR3**


## NIBBLER SHEARS SPECIAL CORRUGATED IRON

**With built-in waste curl cutter**

Special for corrugated metal.

### CUTTING CAPACITIES

Stainless steel	0,6 mm
Galvanised steel, zinc, sheet metal	1,2 mm
PVC, vinyl flooring, aluminium	2 mm



Ref.: 101055  
**BLADE FOR NIBBLER SHEARS NRI**



Ref.: 11055  
**CUTTING UNIT FOR SUPERCOU**



Ref.: 105055  
**BLADE FOR SUPERCOU**



Ref.: 103055  
**BLADE FOR SUPERCOU NR3**

Ref.: 038955

**TURBOSHEAR**

## ADAPTABLE SHEARS ON POWER DRILL

*Neat* quick and easy cut.

Minimum 14.4 V - 2 Ah power drill.

Single handed operation.

Can be used upside down.

### CUTTING CAPACITIES

Stainless steel	0,9 mm
Galvanised steel, copper	1,5 mm
Aluminium	2 mm



Ref.: 138955  
**SPARE BLADES KIT**



Ref.: 017255

**NIBBLEX® UNIVERSAL**

## ADAPTABLE NIBBLER SHEARS ON POWER DRILL

*Neat* and quick cut.

Power drill attachment for flat or corrugated metal and PVC surfaces.

Speed 300 rpm minimum.

Multidirectional die.

### CUTTING CAPACITIES

Stainless steel	0,8 mm
Galvanised steel, zinc, sheet metal, copper, brass	1,5 mm
PVC, vinyl flooring, aluminium	2 mm
Polycarbonate	2,5 mm



Ref.: 017455  
**PUNCH + DIE SET**



Ref.: 133055

## NIBBLER HAND NOTCHER

Notch dimensions: 33 mm x 3 mm.

Neat cut.

Max. capacity on zinc : 0.6 mm thickness.



Ref.: 034155

**INTERPERFOR**

## NOTCH PUNCHING MACHINE

**3,5 x 15 mm**

Ideal for vinyl coated cladding sheet, zinc or aluminium.

Makes a notch of 3,5 x 15 mm to prevent buckling.


Depth of 9 to 21 mm from the oblong axis.

### NOTCHING CAPACITIES

Zinc, sheet metal cladding	0,8 mm
Plastic	1 mm



Ref.: 039055  
**PUNCH + DIE**



PUNCH DIAMETER	Ø 3,3 MM	Ø 4,1 MM	Ø 4,9 MM	Ø 6,2 MM
Stainless steel	1,2 mm	1 mm	0,8 mm	0,5 mm
Sheet metal	1,5 mm	1,5 mm	1,2 mm	0,8 mm
Aluminium	3 mm	2 mm	2 mm	1,5 mm

Ref.: 018555

**POLYPERFOR**

## PUNCHING MACHINE

**Sheet metal and slate.**

Punching power: 740 kg.

Precise graduation opening to max. 8 mm.

Adjustable depth guide up to 43 mm.

Applications : roofing, suspended ceilings etc.

**Supplied with 5 punches:**

- Ø 3.3 mm for sheet metal + Ø 3.3 mm for slate.
- Ø 4.1 mm for steel suspension wires.
- Ø 4.9 mm and 6.2 mm for threaded rod.



Ref.: 018455  
**PUNCH SET**

Ø 3,3 mm, Ø 4,1 mm, Ø 4,9 mm, Ø 6,2 mm.





Ref.: 130455

### 4 rolls

4 guide rolls = special long sheets.

Possibility of separating the tool to get two single benders with 2 rolls (ref. 130355).



Ref.: 130855

### 8 rolls

8 guide rolls = special long sheets.

Possibility of separating the tool to get two single benders with 4 rolls (ref. 130155).

## DOUBLE BENDER

Tool to make folds, counterfolds, raised areas on sheets.

Machine to make edging and bending of sheet metal.

For zinc, aluminium, soft metal, stainless steel.

Height from 5 mm up to 200 mm.




### FOLDING CAPACITIES

Stainless steel	0,5 mm
Steel, sheet metal	0,7 mm
Copper	0,8 mm
Zinc, aluminium	1 mm

### 4 rolls

With aluminium handle.

Ref.: 130955	<b>350 mm</b>	Folding depth: 350 mm
Ref.: 130155	<b>200 mm</b>	Folding depth: 200 mm



Ref.: 130355

### 2 rolls

Folding depth: 200 mm.



## SINGLE BENDER

Tool to make folds, counterfolds, raised areas on sheets.  
Machine to make edging and bending of sheet metal.  
Faster than clinching pliers.



### FOLDING CAPACITIES

Stainless steel	0,5 mm
Steel, sheet metal	0,7 mm
Copper	0,8 mm
Zinc, aluminium	1 mm

Ref.: 130755

## EDGE ROLLER

**25 mm**

Tool to make bends from 90° to 180° max.  
For curved fold.  
Graduated in cm and inches.  
Handle with leverage effect.  
Height of raised areas continuously adjustable  
from 5 to 25 mm.



### FOLDING CAPACITIES

Stainless steel	0,5 mm
Steel, sheet metal	0,7 mm
Copper	0,8 mm
Zinc, aluminium	1 mm

## DISK ROLLER

Tool to make bends from 90° to 180° max.  
From 8 mm to 40 mm high.  
Max. thickness : 1 mm.  
Tool ready to work : no adjustment necessary.

### FOLDING CAPACITIES

Stainless steel	0,5 mm
Steel, sheet metal	0,7 mm
Copper	0,8 mm
Zinc, aluminium	1 mm



Ref: 130255  
**Single**




Ref: 230255  
**With retractable stopper**

Retractable stopper to get out the tool while folding.



Ref: 130655  
**Double**





## CLINCHING PLIERS

### Straight

Lap joint.

Handles with PVC dipping (thermal insulation).

WIDTH	22 MM	60 MM	80 MM	100 MM
Ref.	039155	039355	039455	039555
Folding depth	32 mm	54 mm	54 mm	66 mm



## CLINCHING PLIERS


### Bent of 45°

Lap joint.

Handles with PVC dipping (thermal insulation).

WIDTH	22 MM	60 MM	80 MM
Ref.	034255	034455	034555
Folding depth	20 mm	45 mm	50 mm





## CLINCHING PLIERS

**Bent of 90°**

Lap joint.

Handles with PVC dipping (thermal insulation).

Ref.: 034855

**60 mm**

Folding depth:  
55 mm.




## SEAMING PLIERS

**Straight**

Lap joint.

Raise large and deep measure.

WIDTH	180 MM	200 MM
Ref.	030555	030655
Folding depth	175 mm	185 mm



Ref.: 038655

## SQUARE SEAM FOLDER

Operated square seam folder joins SPM 30/80 profiles.

### SPECIFICATIONS

Tool width	220 mm
Claw height	50 mm



Ref.: 038755

## TWIN SQUARE SEAM FOLDER

Allows simple and quick shaping of locked square seam into double-seam in just one operation.

### SPECIFICATIONS

Tool width	220 mm
Claw height	50 mm



Ref.: 132555

## SEMI-CIRCULAR DORMER SQUARE SEAM FOLDER


Tool joining prefabricated SPM-profiles.

Used to tack up lengthwise beads to prevent withdrawal from folding press.

Can make small radius lockseam without difficulty.

### SPECIFICATIONS

Tool width	65 mm
Claw height	55 mm



Ref.: 131155

## SEAM OPENING PLIERS

Seam and gutter opening pliers.

Forged steel head.

Head length 30 mm.

Handles with PVC dipping (thermal insulation).



Ref.: 135955

## EAVES EDGER 105 TK

Allows quick and accurate sheet metal shaping constructing eaves, gutters, dormer windows etc...  
Can be rotated 90°, even if the gutter is already installed.



### SPECIFICATIONS

Tool width	250 mm
Claw height	40 mm
Adjustment depth of the stop	250 mm



Ref.: 132355

## EAVES CLOSING JAWS

Fastening without hammering.

### SPECIFICATIONS

Tool width	220 mm
Claw height	50 mm




Ref.: 132255


## TILE EDGER

To build any slope for tile edges.  
Supplied with a 200 cm measuring tape.

### SPECIFICATIONS

Tool width	70 mm
Claw height	40 mm





Ref.: 132155

### **LEAD DRESSER**

Asymmetrical shape.



Ref.: 132755

### **BENDING STICK**

Round, bent shape.



Ref.: 132655

### **BOSSING STICK**

Slim, rounded shape.



Ref.: 132855

### **SETTING STICK**

Slim, straight shape.



Ref.: 037255

### **GROOVING HAMMER**

1 round face and bent edge.  
Polished finish.





## TINMAN'S MALLET

Made of PVC.



Ref.: 033955

### **Angular**

Dimensions:

85 x 40 x 150 mm.

Ref.: 233955

### **Rectangular**

Dimensions:

145 x 35 x 75 mm.



Ref.: 135255

## **GROOVING HAMMER DIFFERENT FACES**

Fine polished finish.

Faces differently bent.

One vertical face.

One horizontal face.



Ref.: 135355

## **DEAD BLOW SOFT FACED HAMMER**

Diameter : 32 mm.

Polished finish.

Lacquered.

Curved.

Head of shock-resistant nylon.



Ref.: 035155  
**SEAMING IRON**  
**With flat blade**

Forged steel.  
 Block height: 25 mm.  
 Long blade.  
 Block with  $\varnothing 5 \times 15$  mm hole.



Ref.: 035255  
**DOUBLE SEAMING IRON**

Forged steel.  
 Block height 25 and 35 mm.



Ref.: 035455  
**FOLDING TOOL**  
**«Squeezing folding pliers»**

Special forged steel.  
 Depth : 140 mm.

Ref.: 036455  
**ROOFER'S HOLDER**

**Soldering iron tip cleaning set**


Special for zinc.  
 Salt of ammonia, cleaning brush and plastic container.  
 Stripper not included.



Ref.: 136455  
**BAG OF 25 BRUSHES**



Ref.: 236455  
**AMMONIA STONE**



Ref.: 131855

## GUTTER HANGER BENDER

Head made of malleable casting GTW 40.  
Steel tubes with plastic handles.

### MAX. CAPACITIES

Width	40 mm
Thickness	8 mm



Ref.: 036055

**INTERCLIPS ZINC**

## CLINCHING PLIERS FOR ZINC OR ENAMEL-PLATED ALUMINIUM GUTTERS

*Quick* and strong fixing.

6 x 3 mm crimp.

For zinc or enamel-plated aluminium gutters, edge strip.

Depth of 5 to 20 mm.

### CLINCHING CAPACITIES

Zinc, aluminium	0,8 mm
Sheet metal	0,75 mm






Ref.: 035055 **MAXI-RET®**

## EFFORTLESS SWAGING TOOL

### 5 blades

Pipe crimping tool for all types of metallic pipes.  
 Special for stainless steel pipes up to 0.8 mm.  
 Progressive reduction of the pipe diameter.  
 Swaging by 52 mm with 2 impressions in 1 press.



Ref.: 031755  
**SPARE SPRING**  
 x 5 pcs.



## RET SWAGING TOOL

Pipe crimping tool for all types of metallic pipes.

Ref.: 030355

### 3 blades

Special for square pipes.  
 Swaging by 30 mm.



Ref.: 030055

### 5 blades

Swaging by 30 mm with  
 2 impressions in 1 press.



Ref.: 050155

## PIPE POSITIONER

### Small variable angle vice

From 8 to 30 mm diameter tubes.  
To weld all pipes, sections and wrought iron.  
Variable arms span up to 60 mm.



Ref.: 035655

## ROOF TILE NIBBLER

Induction hardened steel.  
Handles with PVC dipping (thermal insulation).



Ref.: 131455

## ROOF TILE LINE

To trim roof tile.  
File area : 200 mm x 30 mm.  
2 sides : fine grit and coarse grit.



Ref.: 134955

## WELD SEAM TESTER

Ergonomical wooden handle.  
90° angled.



Ref.: 135055

## SCISSORS SPECIAL FOR PLASTIC SHEETS

For roof and sealing sheets.  
Polished blades.  
Varnished black.  
250 mm blades.



Ref.: 135155

## PLASTIC BOTTLE 500 ml

LDPE transparent.  
Screw cap and angled brush attachment.



## PRESSURE ROLLER

2 enclosed smooth-running ball bearings.  
Silicone roller.  
Bolted axis.  
Ergonomical wooden handle for maximum pressure.  
Bracket one-sided.  
For overlap welding.  
Ø 33 mm.



Ref.: 134255  
**28 mm width**



Ref.: 134355  
**45 mm width**



Ref.: 134455  
**45° angled**  
**45 mm width**




Ref.: 134655

## PRESSURE ROLLER

Plain bearing.  
Silicone roller.  
Riveted axis.  
Ergonomical wooden handle.  
Bracketed on both sides.  
For overlap welding.  
Ø 33 mm.



**90 mm width**



Ref.: 234355

## ERGONOMIC PRESSURE ROLLER

Ergonomic design to provide maximum pressure and to avoid musculoskeletal disorders.  
2 enclosed smooth-running ball bearings.  
For overlap welding.  
Silicone roller.  
Ø 33 mm.

**45 mm width**



**6 mm width**



Ref.: 134555

## BRASS PRESSURE ROLLER

Enclosed smooth-running ball bearing.  
45° angled.  
Ergonomical wooden handle.  
Ø 28 mm.

## STEEL PRESSURE ROLLER

2 enclosed smooth-running ball bearings.  
Steel roller.  
Heavy duty design.  
Ergonomical wooden handle.  
For cold pressure welding.  
Ø 40 mm.

Ref.: 134755

**40 mm width**



Ref.: 134855

**60 mm width**



## TILE LIFTER

Quick adjustment system.  
Ideal to easily carry tiles.  
Centered handle whatever the width of tile to carry.

### Available in 2 dimensions:

Ref.: 269055

**Adjustable from 280 to 665 mm**



**35 KG\***  
MAXIMUM CARRIED LOAD

Ref.: 369055

**Adjustable from 280 to 800 mm**



**50 KG\***  
MAXIMUM CARRIED LOAD

\* Test performed by **SGS** on a 40 cm x 40 cm tile.



Ref.: 039855

**CLIN FIX®**

## CLADDING SUPPORTS

Set of 2 pieces.

To install overlap claddings (fiber cement, fiber wood or wood) by 1 person alone.

Allows to hold planks in position before nailing with overlap of 30 mm.

For all claddings from 6 mm to 16 mm thick.

Adjustable for different widths of clinkers

from 160 mm to 255 mm.



### EXAMPLES OF FIBER-CEMENT WIDTH

Hardie Plank type	180 mm
Cedral type	190 mm
Duracolor or Hardie Linea type	210 mm
Ced'R-TEX type	225 mm



Ref.: 037055 **ALPHACUT**

## GUILLOTINE TO CUT FIBER CEMENT SIDING

*Neat* cut without any effort.

No sharpening required ever on blade.

No breathable dust.

No noise.

### CUTTING CAPACITIES

Max. width	210 mm
Max. thickness	11 mm



Ref.: 089955 **VARIOCUT**

## GUILLOTINE TO CUT FIBER CEMENT SIDING

*Clean* cut without any effort.

Special for length cuts.

No sharpening required ever on blade.

Possible cuts from 0° to 90°.

No breathable dust.


No noise.

### CUTTING CAPACITIES

Max. width for straight cutting	320 mm
Max. width for angular cutting	210 mm
Max. thickness	12 mm

### Also includes:

- 1 trestle.
- 1 waste collector.



Ref.: 230155

### TURBOSHEAR FIBER CEMENT

## ADAPTABLE FIBER CEMENT SHEARS ON POWER DRILL

*Clean* and easy cut on fiber cement panels (such as Aquapanel® Outdoor).

Fits all types of power drills/screwdrivers (from 14,4 V).

Max. cutting thickness : 12,5 mm.

Produce minimal dust.

360° rotating head secures in any position for optimum tool clearance.



Ref.: 523011  
REPLACEMENT BLADE  
AND SKID PLATE



Ref.: 073155

### TRIOCOUP'

## PIPE CUTTING TOOL

Ø 16, 20 and 25 mm

*Effortless* and clean cut without distortion nor burr.

Replaceable stainless steel blade with double sharpening.

Auto-locking barrel, 3 cutting slots.

Rotation of the barrel to select the cutting diameter.

Allows the cutting of plastic pipes (PVC, PER, ICTA, IRL, IRO) and multilayer pipes.



Ref.: 073255  
STAINLESS  
STEEL BLADE





Ref.: 165955  
**REPLACEABLE DIE**

Ref.: 065955 **RODCUT**

## **ROD GUILLOTINE**

**Ø 6, 7, 8, 10 mm**

*Clean cut* = immediate bolting.

No noise.

Can be used to repair damaged threaded rod.

No waste (no metal filings).

No sparks - No risk of fire - No special permit.

M7 rod (7 mm diam.) 150 threaded rods, can be cut on 10 mm diam. slot : special for heating, ventilation, air-conditioning and sanitary engineers.

Up to 6.6 soft steel: 60 kg/mm<sup>2</sup>.

Cannot cut stainless steel threaded rod.

650 mm adjustable cutting guide can be positioned on the right or left.



Ref.: 038855 **MINI RODCUT M8**

## **ROD GUILLOTINE**

**Ø 4, 6 and 8 mm**

*Clean cut* = immediate bolting.

No noise.

Can be used to repair damaged threaded rod.

No waste (no metal filings).

No sparks - No risk of fire - No special permit.

Up to 6.6 soft steel : 60 kg/mm<sup>2</sup>.

Cannot cut stainless steel threaded rod.

545 mm adjustable cutting guide can be positioned on the right or left.




Ref.: 138855  
**REPLACEABLE DIE**



**MASON**







Ref.: 260155

## HORIZONTAL HOT WIRE CUTTING TABLE


**For styrofoam***Clean* cut without polystyrene beads projection.

Clean cut without polystyrene beads projection.  
For expanded and extruded polystyrene (E.P.S. and X.P.S.).  
Transformer : 40 V / 200 W / 230 V.  
CE certified.

### SPECIFICATIONS

Max. depth	330 mm
Max. width	1 320 mm
Angle cuts	from 0 to 90°
Chamfered cuts	from 90 to 15°

### Possible cutting shapes:




RECTANGULAR

ANGLED



CHAMFERED

IDEAL FOR CUTTING  
POLYSTYRENE SLABSRef.: 266855  
**SPARE WIRE - 1370 MM**Ref.: 267155  
**TRANSFORMER**Ref.: 526666  
**BATTERY PACK**  
Composed of a Li-ion battery (36 V - 2 Ah) and its charger + a battery rack to connect to the machine.Ref.: 526665  
**SPARE BATTERY**  
Li-ion battery 36 V - 2 Ah.Ref.: 526793  
**BATTERY CHARGER**

Ref.: 266655

## HOT WIRE CUTTING BOW

For styrofoam

*Clean* cut without polystyrene beads projection.

For expanded and extruded polystyrene (E.P.S. and X.P.S.).

Transformer : 40 V / 200 W / 230 V.

CE certified.

### SPECIFICATIONS

Max. depth	330 mm
Max. width	1 370 mm


#### Possible cutting shapes:



RECTANGULAR



ANGLED



IDEAL FOR CUTTING  
POLYSTYRENE SLABS



Ref.: 266855

**SPARE WIRE - 1370 MM**



Ref.: 267155

**TRANSFORMER**

CE



Ref.: 267955

## CORDLESS HOT WIRE CUTTING BOW

For styrofoam

*Clean* cut without polystyrene beads projection.

For expanded and extruded polystyrene (E.P.S. and X.P.S.).

Li-ion battery : 36 V - 2 Ah.

CE certified.

### SPECIFICATIONS

Max. depth	330 mm
Max. width	1 370 mm


#### Possible cutting shapes:



RECTANGULAR



ANGLED



IDEAL FOR CUTTING  
POLYSTYRENE SLABS



Ref.: 266855

**SPARE WIRE - 1370 MM**



Ref.: 526665

**SPARE BATTERY**

Li-ion battery 36 V - 2 Ah.



Ref.: 526793

**BATTERY CHARGER**

CE





Ref: 175555 **NEW**

### MAGNETIC TAPE MEASURE 5 m x 25 mm

*Magnetic* double hook for easy measuring.

Nylon-coated tape protected against dust and water.

Double marking : horizontal and vertical reading.

Class II accuracy.

Ergonomic and compact design.

Reinforced and anti-slip case.

Equipped with 2 buttons: braking and locking of the tape.

Belt hook + leash.



Ref: 175055

### TAPE MEASURE 5 m x 25 mm

Antishock rubber box.

Nylon coated tape protected against dust and

water.

Class II accuracy.

Equipped with 2 buttons: braking and locking of the tape.

Belt hook + leash.



### MARKING CHALK

Ref: 065255

**3500 g**

Ref: 063255

**400 g**

Ref: 063155

**1000 g**

Ref: 063355

**200 g**



Ref.: 060755 **ALU LINE**

## ALUMINIUM CHALK LINE REEL

**30 m**

Built-in filter system to prevent excess chalk.

Rope diameter: 1 mm.

Capacity: 80g.



Ref.: 060555 **FAST LINE**

## FAST REWINDING CHALK LINE REEL

**30 m**

Rewinds 5 times faster.

Built-in filter system to prevent excess chalk.

Rope diameter: 1 mm.

Capacity: 100 g.



Ref.: 060955 **MAX LINE**

## CHALK LINE REEL WITH LARGE HANDLE

**50 m**

For long distance marking.

Built-in filter system to prevent excess chalk.

Rope diameter: 2,5 mm (braided).

Capacity: 300 g.



Ref.: 160555

**BRAIDED SPARE ROPE  
FOR FAST LINE AND ALU  
LINE - Ø 1 MM**



Ref.: 260555

**BRAIDED SPARE ROPE  
Ø 2.5 MM FOR MAX LINE**



Ref.: 266955

## REBAR GUILLOTINE

Allows to cut and bend steel rebars.

Double function : cutting and bending.

Max. diameter for cutting application : 18 mm.

Max. diameter for bending application : 16 mm.





**EDMATYER**

## **CORDLESS REBAR TYER**

Light and *compact*

Enables to quickly, efficiently and effortlessly, tie rebars together.

Automatic adjustment of tying power according the rebars dimensions to tie.



Ref.: 367655

**24 mm**

To be used with 100 m wire coils, i.e. around 280 ties/coil.

Capacity of tying links :  $\varnothing$  12 to 24 mm.



Ref.: 367755

**XL - 40 mm**

To be used with 100 m wire coils, i.e. around 145 ties/coil.

Capacity of tying links :  $\varnothing$  26 to 40 mm.




#### SPECIFICATIONS

	EDMATYER	EDMATYER XL
Size	300 x 225 x 68 mm	315 x 225 x 68 mm
Weight	1,2 kg	1,2 kg
Power	14,4 V	14,4 V
Ø links	12 to 24 mm	26 to 40 mm
Tying speed	0,8 s	0,8 s
Tying wraps	2	3
No of links per full battery cycle	2 000	1 100
Links per roll	Around 280	Around 145
Battery - Ref. 536760	Lithium-Ion 14,4 V / 2 Ah	Lithium-Ion 14,4 V / 2 Ah
Charging time	2,8 h	2,8 h
Charger - Ref. 536761	14,4 V / 2,9 A	14,4 V / 2,9 A

#### Delivered with:

- 1 wire coil 100 m
- 2 batteries 14,4 V - 2 Ah
- 1 double charger
- 1 cutting pliers
- 1 allen key
- 1 carrying case



Ref: 367855  
**CARTON OF  
20 WIRE COILS**



Ref: 536760  
**SPARE BATTERY**  
14,4 V - 2 Ah.



Ref: 536761  
**DOUBLE BATTERY  
CHARGER**  
14,4 V - 2,9 A.



Ref.: 049855

**TURBO 24**

# PNEUMATIC GUN FOR CL 24 STAPLE INSTALLATION

5-8 bar working pressure.

Magazine capacity : around 100 CL 24 staples.

**Applications:**

- Swimming pool formwork.
- Industrial fastening.



## CL 24 STAPLE

Wire ø: 1,8 mm.

10 000 PCS



**GALVANIZED**

Wire resistance : 650 - 750 N/mm<sup>2</sup>.  
Galvanized treatment.

Ref. 190000



Ref.: 045555

**TORNADO**

# AUTOMATIC BINDER FOR METAL LOOP TIE WIRE

Ideal for rebar fastening or fencing applications.  
Soft hand grip.





**Galvanized  $\phi$  1 mm**



**Annealed  $\phi$  1,1 mm**

## LOOP TIE WIRE

Allows to fasten elements together.

To use with an automatic binder.

For different kinds of fastening : rebar, fencing, gravel bags.

Approximative quantity per coil.

LENGTH	100 MM	120 MM	140 MM	160 MM	180 MM	200 MM
<b>QUANTITY</b>						
<b>GALVANIZED LOOP TIE WIRE</b>						
<b>1 000</b>	--	Ref.: 960452	--	--	--	--
<b>ANNEALED LOOP TIE WIRE</b>						
<b>1 000</b>	Ref.: 960457	Ref.: 960449	Ref.: 961480	Ref.: 960458	Ref.: 963453	Ref.: 962449
<b>2 500</b>	--	Ref.: 961449	Ref.: 961459	Ref.: 962458	--	--
<b>5 000</b>	--	Ref.: 960453	Ref.: 960459	--	--	--



Ref.: 096055

## CONCRETE SPREADER

*Ultra resistant.*

Allows to spread concrete easily thanks to its 500 mm width blade.

Lifting hook ( $\phi$  10 mm) for rebar.

29 mm conical shell for standard wooden handle.



Ref.: 290355

**NEW**

## 180 CM PEFC WOOD HANDLE

$\phi$  28,5 mm

For concrete spreader



Ref.: 266355

## FLOORING TROWEL

**500 mm**


Ideal for levelling and smoothing screeds.

Steel blade 1,2 mm thick, wear-resistant.


Polyamide frame reinforced with glass fiber = light and resistant.

Ergonomic bi-material handle.

Ref.: 090155  
**150 mm**



Ref.: 090055  
**300 mm**



Ref.: 095055  
**500 mm**



## HEAVY DUTY SCRAPER

**Hardened steel with riveted standard socket.**

36 mm conical shell to connect to wooden handle.

Excellent rigidity.

**Examples of application:**

- To clean construction sites.
- To remove easily concrete dust, snow or ice.
- To remove carpet, linoleum, flooring underlay, adhesive remnants.



Ref.: 290255

## 110 CM PEFC WOOD HANDLE

**Ø 32 mm**

**For heavy duty scrapers**



Ref.: 092855  
**Medium grit 24**

Ref.: 092755  
**Fine grit 36**

## ABRASIVE DISC

### 125 mm

Tungsten carbide universal abrasive disc.  
Heavy duty. Lasts up to 160 times longer than traditional abrasives.  
Polishing, deburring, surface finishing.  
For all types of materials, such as : steel, wood, cement, concrete, plaster, PVC, mild stone and rust.

## TILE LIFTER

Quick adjustment system.  
Ideal to easily carry tiles.  
Centered handle whatever the width of tile to carry.



### Available in 2 dimensions:

Ref.: 269055  
**Adjustable from 280 to 665 mm**



Ref.: 369055  
**Adjustable from 280 to 800 mm**



\* Test performed by  on a 40 cm x 40 cm tile.





# LANDSCAPER










**150 x 45  
x 25 mm**



**90 x 45  
x 15 mm**



**80 x 30  
x 10 mm**



**80 x 40  
x 8 mm**

The split design allows the wedge to be positioned over a screw without falling to the ground.

## WEDGE

To level floorings or wooden decks.  
Fast and efficient level set up.  
Made of polyethylene.



BY COLOR	YELLOW	BROWN	GREEN	ORANGE	ASSORTMENT
In carton box / 100 pcs (Ref.)	--	188555	--	--	--
In storage box / 245 pcs (Ref.)	--	--	--	--	188455 60 orange / 70 green / 75 brown / 40 yellow
In bag (Ref. / Qty)	189355 x 6 pcs	189255 x 16 pcs	189055 x 30 pcs	189155 x 30 pcs	--



**1 mm**

**2 mm**

**3 mm**

**4 mm**

**5 mm**

## FLAT SHIM

**Dimensions: 100 x 24 mm**


To level tiles floors, parquet, laminate flooring, panellings, wooden decks, stone decks, masonry works...

Fast and efficient level set up.

Made of polyethylene.



BY COLOR	BLUE	BLACK	RED	WHITE	YELLOW	ASSORTMENT
In carton box / 1000 pcs (Ref.)	186155	186255	186355	186455	186555	186055 200 shims of each thickness
In storage box / 400 pcs (Ref.)	--	--	--	--	--	188955 80 shims of each thickness
In bag / 50 pcs (Ref.)	--	--	--	--	--	188155 10 shims of each thickness



## HANGER SHIM

**Dimensions: 33 x 40 mm**

For windows and doors installation.

Fast and efficient level set up.

Made of polyethylene.



BY COLOR	BLUE	BLACK	RED	WHITE	YELLOW	ASSORTMENT
In carton box / 1000 pcs (Ref.)	185155	185255	185355	185455	185555	185055 200 shims of each thickness
In storage box / 500 pcs (Ref.)	--	--	--	--	--	188255 100 shims of each thickness
In bag / 50 pcs (Ref.)	--	--	--	--	--	188355 10 shims of each thickness



Ref.: 088255

**DUPLIC FORM**

## CONTOUR GAUGE 250 mm

To match contours to be cut.

For plumbing pipes as well as mouldings and so on.

Width : 250 mm.

Depth : 45 mm.



## PROTECTION PAD x 24 pcs

To isolate the joist from the ground.

Protects against moisture.

Reduces noise transfer from trafficking.

Stable and resistant.

Must be used on compact and level floor.

### Available in 2 dimensions:

Ref.: 187055

**100 x 100 x 10 mm**

Ref.: 187155

**78 x 78 x 8 mm**



Ref.: 085855

**NEW**

## SELF-ADHESIVE WATERPROOFING STRIP 20 m x 80 mm

Thickness: 1.4 mm.

EPDM cellular foam.

Protects the joists against water stagnation.

Self-adhesive = easy to install.

U.V. resistant.



Ref.: 085355

## PROTECTIVE STRIP

**16 m x 80 mm**

Thickness : 2,4 mm.

Protection against surface water.

Sound insulation.

Flexible waterproofing membrane made of a polyester reinforcement coated with elastomer bitumen.

Durability : + 30 years.

Fastening by staples or nails.



Ref.: 031855

## PUNCHER

### HAMMER TACKER

Recommended for fixing heavy sheets, insulation sheets on roof and protective strips for wooden joists.

Solidary magazine with quick and easy staple loading.

Magazine capacity : approx. 175 staples.

Large striking range.

Very good balance.

Ultra-comfortable bi-material handle.



## STAPLE

Galvanised staples.

Width: 10.6 mm.

Thickness: 1.2 mm.



### HEIGHT


	8 MM	10 MM	12 MM	14 MM
1000 pcs (Ref.)	232055 <b>N</b>	232155 <b>N</b>	232255 <b>N</b>	231955
5000 pcs (Ref.)	---	031955	---	---



Ref.: 086555 **PRESS DECK®**

## DECKING LATH STRAIGHTENER

Can be used with dense wood.  
 Decking straightener for all types of woods (even IPE, amongst the most dense woods in the world).  
 For decking planks between 90 and 180 mm width.  
 Also for vertical use.  
 Over 200 kg strength.  
 Straighten up to the last plank along a wall.  
 Pads to avoid damaging the decking.  
 Carrying case included.



**3 mm**

**5 mm**

**7 mm**

## GAP SPACER

With handle for easy removal.

BY COLOR	BLUE	RED	YELLOW	ASSORTMENT
In storage box / 24 pcs (Ref.)	--	--	--	085755 8 spacers of each thickness
In bag / 10 pcs (Ref.)	085455	085555	085655	--

Ref.: 074555

**PLURICOUP' ERGO**

## MULTI PURPOSE PLIERS WITH ANGLED BLADES

**Light and handy.**

42 mm stainless steel polished serrated blades.  
Ergonomic handles and easy-to-close latch.  
Angled blades for an optimum comfort while cutting.



Ref.: 042455

**PIC 7**

## MULTI-PURPOSE FARMING TOOL

Made of chromium-vanadium steel (CrV).  
44-50 HRC.  
Various applications : hammer, wire tensioner,  
staple remover, 2 wire cutters, splicer.  
Handles with anti-slip PVC dipping.



## CUTTING NIPPERS


Forged tool made of chromium-vanadium (CrV).  
55-61 HRC jaws.  
42-48 HRC arms.  
Induction hardened jaws for greater performance.  
Handles with anti-slip PVC dipping.



Ref.: 040455  
**220 mm**

Ref.: 044855  
**250 mm**





Ref.: 041855

## WIRE NET FENCING PACK

**Content:**

- 1 hog ring pliers TOP GRAFER 20/22 (ref. 041155).
- 1000 OMEGA 20 green PVC coated hog rings (ref. 043001).
- 1 cutting nippers 220 mm (ref. 040455).

For fast and easy installation of chain link fences.



**MASTER GRAFER**

Ref.: 042855

**HOG RING PLIERS FOR ROUND POSTS**

Extra strong 6 mm thick stainless steel jaws.  
 Very easy to handle thanks to its sprung handles.  
 Jaw is specially designed to perfectly fix the welded mesh to the round metal post.  
**Compatible with CL 29 staples.**



**UNI-CLIP BECA**

Ref.: 043855

**HOG RING PLIERS FOR «BECA» TYPE ROUND POSTS**

Strong jaws.  
 Very easy to handle thanks to its sprung handles.  
**Compatible with CL 35 and CL 40 staples.**  
**CL 35 staples Ø 3.5 mm to be used on round posts («BECA» type).** CL 40 staples Ø 4 mm to be used on decorative Gabion baskets.





Ref.: 041255

**BABY GRAFER 16/20**

## HAND HOG RING PLIERS

With built-in wire cutter up to 3 mm thickness.

Stop guide for a stronger hold on the hog ring.

**Compatible with : OMEGA 16, 18, 20 and DELTA 18, 22.**



Ref.: 040655

**BABY GRAFER 30**

## HAND HOG RING PLIERS

Stop guide for a stronger hold on the hog ring.

**Compatible with : OMEGA 16, 18, 20 and DELTA 18, 22, 30.**



Ref.: 049255

**HANDLE COILED SPRING**

55 mm x 2 pcs.

# HAND HOG RING PLIERS WITH MAGAZINE

**Light and handy tool.**

50 staple magazine made of treated steel.

Fast removal of magazine (less storage space).



Ref.: 040155

**TOP GRAFER 16**

**Compatible with  
OMEGA 16.**

Ref.: 040355

**TOP GRAFER 18**

**Compatible with  
OMEGA 18.**

Ref.: 041155 **TOP GRAFER 20/22**

2 built-in wire cutters up to 3 mm thickness.


Compatible with DELTA 22 and OMEGA 20.



Ref.: 040555

**TOP GRAFER 30**

Compatible with  
DELTA 30.



Ref.: 049255  
**HANDLE COILED SPRING**  
55 mm x 2 pcs.

# HAND HOG RING PLIERS WITH MAGAZINE

## Perpendicular fastening.

For wire mesh and rope netting.  
50 staple magazine.



Ref.: 040055

**JUNIOR**

Compatible with  
**OMEGA 16.**

### Max. fastening Ø:

2.1 + 2.2 mm (wire netting + tension wire).



Ref.: 049055  
**SPARE HANDLE  
SPRING**



Ref.: 041055

**MAJOR**


Compatible with  
**OMEGA 20.**

### Max. fastening Ø:

3.9 + 3.6 mm (wire netting + tension wire).



Ref.: 149155  
**SPARE HANDLE  
SPRING**





Ref.: 041455 **POWER GRAFER**

## ADAPTABLE HOG RING PLIERS ON POWER DRILL

Fits all types of power drills (from 14.4 V).

High speed execution = time-saving.

50 staple magazine.

Magazine positioning for left and right-handed person.

**Compatible with OMEGA 20 and DELTA 22 staples.**



Ref.: 048455

## FENCING TENSION CLAWS

Set of 2 universal chain link fencing tensioners for T-section or round posts.

For a perfect and easy installation by one person.

Holds the netting in position while stapling it.





### OMEGA 16 STAPLE

Wire Ø: 1,3 mm.

250 PCS    1 250 PCS    2 500 PCS



**GALVANIZED A**  
Wire resistance: 600 - 800 N/mm<sup>2</sup>.

Ref. 041501    Ref. 041901    Ref. 041601



**GALVANIZED GREEN PVC COATED**  
Wire resistance: 900 - 1100 N/mm<sup>2</sup>.  
RAL 6005.

Ref. 044501    Ref. 044201    Ref. 044001



**GALVANIZED DARK GREY PVC COATED**  
Wire resistance: 900 - 1100 N/mm<sup>2</sup>.  
RAL 7016.

Ref. 040801    Ref. 040901    --



**AISI 316 STAINLESS STEEL**  
Wire resistance: 600 - 750 N/mm<sup>2</sup>.

--    Ref. 044300    --

**Compatible pliers:**  
Ref: 041255  
**BABY GRAFER 16/20**  
Ref: 040655  
**BABY GRAFER 30**  
Ref: 040155  
**TOP GRAFER 16**  
Ref: 040055  
**JUNIOR**



### OMEGA 18 STAPLE

Wire Ø: 2 mm.

1 200 PCS    3 000 PCS



**GALVANIZED A**  
Wire resistance: 450 - 550 N/mm<sup>2</sup>.

Ref. 900470    --



**GALVANIZED GREEN PVC COATED**  
Wire resistance: 450 - 600 N/mm<sup>2</sup>.  
RAL 6005.

--    Ref. 900480

**Compatible pliers:**  
Ref: 041255  
**BABY GRAFER 16/20**  
Ref: 040655  
**BABY GRAFER 30**  
Ref: 040355  
**TOP GRAFER 18**



### OMEGA 20 STAPLE

Wire Ø: 2 mm.

200 PCS    1 000 PCS



**GALVANIZED A**  
Wire resistance: 450 - 550 N/mm<sup>2</sup>.

Ref. 042501    Ref. 042001



**GALVANIZED GREEN PVC COATED**  
Wire resistance: 450 - 600 N/mm<sup>2</sup>.  
RAL 6005.

Ref. 043501    Ref. 043001



**GALVANIZED DARK GREY PVC COATED**  
Wire resistance: 450 - 600 N/mm<sup>2</sup>.  
RAL 7016.

Ref. 042601    Ref. 043201



**GALVANIZED BLACK PVC COATED**  
Wire resistance: 450 - 600 N/mm<sup>2</sup>.  
RAL 9005.

--    Ref. 047201



**GALVANIZED WHITE PVC COATED**  
Wire resistance: 450 - 600 N/mm<sup>2</sup>.  
RAL 9003.

Ref. 042900    --



**ALUMINIUM**  
Wire resistance: 270 N/mm<sup>2</sup>.

--    Ref. 042101



**AISI 316 STAINLESS STEEL**  
Wire resistance: 550 - 650 N/mm<sup>2</sup>.

--    Ref. 042301

**Compatible pliers:**  
Ref: 041255  
**BABY GRAFER 16/20**  
Ref: 040655  
**BABY GRAFER 30**  
Ref: 041155  
**TOP GRAFER 20/22**  
Ref: 041055  
**MAJOR**  
Ref: 041455  
**POWER GRAFER**





### DELTA 18 STAPLE

Wire Ø: 1,6 mm.

3 360 PCS



### COOPER

Wire resistance: 850 - 950 N/mm<sup>2</sup>.

Ref. 900466



### DELTA 22 STAPLE

Wire Ø: 2 mm.

1 000 PCS



### GALVANIZED A

Wire resistance: 450 - 550 N/mm<sup>2</sup>.

Ref. 900460



### AISI 316 STAINLESS STEEL

Wire resistance: 550 - 650 N/mm<sup>2</sup>.

Ref. 900461



### GALVANIZED GREEN PVC COATED

Wire resistance: 450 - 600 N/mm<sup>2</sup>.  
RAL 6005.

Ref. 900463



### DELTA 30 STAPLE

Wire Ø: 2 mm.

500 PCS

2 500 PCS



### GALVANIZED A

Wire resistance: 450 - 550 N/mm<sup>2</sup>.

Ref. 047101

Ref. 046500



### CL 29 STAPLE

Wire Ø: 2,9 mm.  
In bulk.

100 PCS

500 PCS

1 000 PCS



### AISI 304 STAINLESS STEEL

Wire resistance: 650 - 800 N/mm<sup>2</sup>.

Ref. 046801

Ref. 146800

Ref. 047300



### GALVANIZED A

Wire resistance: 450 - 550 N/mm<sup>2</sup>.

Ref. 046901

--

Ref. 047400



### CL 35 STAPLE

Wire Ø: 3,5 mm.  
In bulk.


500 PCS



### AISI 304 STAINLESS STEEL

Wire resistance: 719 N/mm<sup>2</sup>.

Ref. 043700



### CL 40 STAPLE

Wire Ø: 4 mm. *Special for gabion*  
In bulk.

1 000 PCS



### ALUZINC

Wire resistance: 450 - 600 N/mm<sup>2</sup>.  
Special Gabion cages for decoration.

Ref. 140001

#### Compatible pliers:

Ref.: 041255  
**BABY GRAFER 16/20**  
Ref.: 040655  
**BABY GRAFER 30**

#### Compatible pliers:

Ref.: 041255  
**BABY GRAFER 16/20**  
Ref.: 040655  
**BABY GRAFER 30**  
Ref.: 041155  
**BABY GRAFER 20/22**  
Ref.: 041455  
**POWER GRAFER**

#### Compatible pliers:

Ref.: 040655  
**BABY GRAFER 30**  
Ref.: 040555  
**TOP GRAFER 30**

#### Compatible pliers:

Ref.: 042855  
**MASTER GRAFER**

#### Compatible pliers:

Ref.: 043855  
**UNI-CLIP BECA**

#### Compatible pliers:

Ref.: 043855  
**UNI-CLIP BECA**



Ref.: 045555

**TORNADO**

## AUTOMATIC BINDER FOR METAL LOOP TIE WIRE

Ideal for rebar fastening or fencing applications.  
Soft hand grip.

## LOOP TIE WIRE

Allows to fasten elements together.  
To use with an automatic binder.  
For different kinds of fastening : rebar, fencing, gravel bags.  
Approximative quantity per coil.



Ref.: 960452

**Galvanized**  
Ø 1 mm x 120 mm  
x 1000 pcs.



Ref.: 960491

**Green plastified coated**  
Ø 1,4 mm x 200 mm  
x 1000 pcs.

Ref.: 040755

**DRESS FIL**

## WIRE TENSIONER

**For netting and welded nets**

Guarantee of a perfect installation by ensuring rigidity on the fence.  
Effective stiffening by successive pinching of the horizontal wires.  
Creates uniform fencing.



Ref.: 047755

## HAND STAPLER

### For concertina ring installation

Pliers to fix concertina razor wire and barbed wire.

One hand operation.

For galvanised (ref. 046601) concertina rings.




### RING FOR CONCERTINA

1 000 PCS

#### GALVANIZED

In bulk.  
Galvanized treatment.

Ref. 046601



Ref.: 049855 **TURBO 24**

## PNEUMATIC GUN FOR CL 24 STAPLE INSTALLATION

5-8 bar working pressure.

Magazine capacity : around 100 CL 24 staples.

#### Applications :

- Swimming pool formwork.
- Industrial fastening.



### CL 24 STAPLE

Wire Ø: 1,8 mm.

10 000 PCS

#### GALVANIZED

Wire resistance: 650 - 750 N/mm<sup>2</sup>.  
Galvanized treatment.

Ref. 190000





Ref.: 049555 **TURBO 50 PREMIUM**  
**PNEUMATIC GUN**  
**For CL 50 gabion staple installation**

**Special for gabion installations.**  
 5-7 bar working pressure.  
 Magazine capacity: 120 CL 50 (45 x 24 x 3 mm) staples.  
 Fastening speed : 40 staples per minute.  
 Quick loading system for staples.  
 Applications: erosion protection, retaining walls, soil reinforcement,  
 road construction, coastal protection, civil engineering, etc...  
 Comes in heavy duty, ergonomic plastic case.  
 Ultra-rugged machine for an intensive use.  
 Magazine protector included.



Ref.: 249818  
**UPPER JAW**



Ref.: 249826  
**LOWER JAW**



Ref.: 046455

## HAND STAPLER WITH MAGAZINE

**For CL 50 gabion staple installation**

**Quick to use.**

Easy loading of the staples.

Magazine capacity: +/- 50 CL 50 (45 x 24 x 3 mm) staples.

Locking security.

Applications: erosion protection, retaining walls, soil reinforcement, road construction, coastal protection, civil engineering, etc...



**CL 50 STAPLE**

Wire Ø: 3 mm. *Special for gabion*

**1 600 PCS**

**ALUZINC HIGH TENSILE**

Wire resistance: 1750 - 1950 N/mm<sup>2</sup>.

Made of 95% zinc + 5% aluminium.

Ref. 150000


**AISI 304 STAINLESS STEEL**

Wire resistance: 1500 - 1700 N/mm<sup>2</sup>

AISI 304 stainless steel.

Ref. 160000





Ref: 260655 **NEW**

## HAND AND SURFACE CLEANING WIPE

**x 90 pcs**

**No rinsing, drying or residue.**

Safe for the epidermis, the wipe has a strong cleaning and detergent power.

Effective on hands as well as on smooth, non-porous surfaces such as worktops, tools, machines, computers, copiers/fax, whiteboards, car interiors, wheel rims.

Removes ordinary dirt as well as hard greases, fresh paints, adhesives, oils, lubricants, sludge, inks, waxes, bitumen, tar and other stubborn stains such as coal, graphite and grass marks.

**Composition:** vegetable solvents combined with an abrasive towel, which does not scratch.

Classified in cosmetic products.



Program Intest A1-48-E4  
(Registration #12270)

# **ALPHABETIC INDEX**

<b>A</b>	
ABRASIVE BLOCK - 150 x 50 x 25 mm	82
ABRASIVE DISC - 125 MM - Medium grit 24 / Fine grit 36	167
Abrasive hand sander - <b>EASY LOCK SANDER</b>	55
Abrasive hand sander adaptable to a telescopic pole <b>EASY LOCK TELESCOPIC SANDER</b>	55
ABRASIVE MESH SANDING SHEET - 290 x 100 mm Grit 120 - x 10 pcs / Grit 240 - x 10 pcs / Grit 80 - x 10 pcs	55
ABRASIVE SANDER SPECIAL FOR E.T.I.C.S. - 380 x 160 mm	116
ACCESS PANEL TO BE TILED - 30 x 30 cm / 40 x 40 cm	85
Adaptable fiber cement shear on power drill TURBOSHEAR FIBER CEMENT	154
Adaptable hog ring pliers on power drill - <b>POWER GRAFER</b>	183
Adaptable nibbler shears on power drill <b>NIBBLEX® UNIVERSAL</b>	135
Adaptable shear on power drill - <b>TURBOSHEAR</b>	135
ADJUSTABLE ANGLE SQUARE	33
ADJUSTABLE ROLLING SUPPORT	83
ALPHACUT - Guillotine to cut fiber cement siding	153
<b>ALU LINE</b> - 30 m aluminium line	19, 161
Aluminium line 30 m - <b>ALU LINE</b>	19, 161
AMMONIA STONE - For roofer's holder	146
ANGULAR ABRASIVE SPONGE - Grit 60	55
ANGULAR TINMAN'S Mallet	145
ANNEALED LOOP TIE WIRE Ø 1,1 x 100 mm - x 1000 pcs	165
ANNEALED LOOP TIE WIRE Ø 1,1 x 120 mm - x 1000 pcs / x 2500 pcs / x 5000 pcs	165
ANNEALED LOOP TIE WIRE Ø 1,1 x 140 mm - x 1000 pcs / x 2500 pcs / x 5000 pcs	165
ANNEALED LOOP TIE WIRE Ø 1,1 x 160 mm - x 1000 pcs / x 2500 pcs	165
ANNEALED LOOP TIE WIRE Ø 1,1 x 180 mm - x 1000 pcs	165
ANNEALED LOOP TIE WIRE Ø 1,1 x 200 mm - x 1000 pcs	165
<b>APOLLO</b> - Forged aviation snip - Left cut / Right cut	16, 131
Automatic binder for metal loop tie wire - <b>TORNADO</b>	164, 186
Automatic section setting pliers for all types of studs and tracks, fits on drills - <b>POWER PROFIL</b>	25
<b>B</b>	
<b>BABY GRAFER 16/20</b> - Hand hog ring pliers	179
<b>BABY GRAFER 30</b> - Hand hog ring pliers	179
<b>BABY-FIX® BRICO</b> - Expansion tool for all metal anchors	58
<b>BABY-FIX® JUNIOR</b> - Expansion tool for all metal anchors	58
BAG OF 25 BRUSHES - For roofer's holder	146
BALL BEARING CUTTING WHEEL - Ø 22 x Ø 6 x 2 mm For <b>EDMATILE</b> and <b>EDMATILE XXL</b>	77
BATTEN GAUGE - For wooden batten positioning	124
BATTEN REMOVER - <b>LIT'UP</b>	121
BATTERY CHARGER FOR HOT WIRE CUTTING TABLES/BOWS AND CORDLESS HOT KNIFE	110, 111, 113, 114, 158, 159
BATTERY CHARGER FOR <b>INSULACUT</b>	109, 112
BATTERY PACK FOR HOT WIRE CUTTING TABLES AND BOW	110, 111, 113, 158
BENDING STICK	144
BEVEL	129
BLADE FOR <b>INSULACUT</b> - 300 mm	109
BLADE FOR <b>MAT 2</b> AND <b>MAT COUP 2</b> - 55 mm	127
BLADE FOR <b>MAT</b> AND <b>MAT COUP</b> - 35 mm	127
BLADE FOR <b>NIBBLER SHEARS NRI</b>	134
BLADE FOR <b>SUPERCOUPE</b>	134
BLADE FOR <b>SUPERCOUPE NR3</b>	134

BLADE SET FOR <b>CANALCUT</b> - 40, 60, 80, and 100 mm	26, 116
BLIND HOLE CUTTER FOR HOT KNIFE - Ø 70 mm	115
<b>BLOC PARKET</b> Tapping block for hardwood and laminate flooring	101
<b>BLOCPALAC</b> - Board holder	28
Board holder - <b>BLOCPALAC</b>	28
Board lever with steel stirrup - <b>FOOTPLAC</b>	28, 103
Boards carrier with claws - <b>DUOPLAC</b>	28, 103
BOSSING STICK	144
BRACKET	129
BRAIDED SPARE ROPE FOR <b>ROOF LINE</b> - Ø 1.5 mm	123
BRAIDED SPARE ROPE FOR <b>MAX LINE</b> - Ø 2.5 mm	19, 123, 161
BRAIDED SPARE ROPE FOR <b>FAST LINE &amp; ALU LINE</b> - Ø 1 mm	19, 161
BRASS PRESSURE ROLLER - 6 mm width	151
Breathable and recyclable protective cover - <b>COVERUP</b>	39
BUCKET SCOOP KNIFE	43, 68
<b>C</b>	
<b>CAMELEON 130</b> - MITRE GUILLOTINE	102
<b>CANALCUT</b> - Precision insulation cutter	26, 116
CARPENTER PENCIL - x 12 pcs	123
CARRYING CASE SIZE L, M, XL	77
CARTON OF 20 WIRE COILS FOR <b>EDMATYER</b>	163
Chamfering plane for plasterboard	33
CL 24 STAPLE - Galvanized - x 10000 pcs	164, 187
CL 29 STAPLE - AISI 304 stainless steel x 100 pcs / x 500 pcs / x 1000 pcs	185
CL 29 STAPLE - Galvanized A - x 100 pcs / x 1000 pcs	185
CL 35 STAPLE - AISI 304 stainless steel - x 500 pcs	185
CL 40 STAPLE - ALUZINC - X 10000 PCS	185
CL 50 STAPLE - AISI 304 stainless steel - x 1600 pcs	189
CL 50 STAPLE - Aluzinc high tensile - x 1600 pcs	189
CLEANING BRUSH + SQUEEGEE - 42 cm	93
CLEANING FLOAT - Self-gripping	92
<b>CLIN FIX®</b> - Overlapping cladding installation accessories	152
CLINCHING PLIERS - Bent of 45° - 22 mm / 60 mm / 80 mm	140
CLINCHING PLIERS - Bent of 90° - 60 mm	141
CLINCHING PLIERS - Straight 22 mm / 60 mm / 80 mm / 100 mm	140
CLINCHING PLIERS FOR ZINC OR ENAMEL-PLATED ALUMINIUM GUTTERS - INTERCLIPS ZINC	147
COMPASS - 250 mm	129
COMPLETE CUTTING TROLLEY - FOR EDMATILE	77
COMPLETE SET FOR INSTALLING LAMINATE FLOORING <b>SET TAK-TIK</b>	100
CONCRETE SPREADER - Ultra resistant	165
CONTOUR GAUGE (250 MM) - <b>DUPLIC FORM</b>	79, 100
CONTRACTOR RIG	15, 120
CORDLESS HOT WIRE CUTTING BOW - For styrofoam	114, 159
CORE DRILL (units) - Ø 6 / 8 / 10 / 35 / 45 / 68 / 100 / 120 mm	80
CORE DRILL BOX - Ø 6, 8, 10, 12, 28, 35, 40, 45, 65, 68 mm	81
CORNER COATING KNIFE	49, 67
<b>CORNER FIX</b> - Hand tool for fixing corner beads	38
<b>COVERABSORB 10</b> - 10 m protection and packing cover	39
<b>COVERABSORB 25</b> - 25 m protection and packing cover	39
<b>COVERPROTECT</b> - Non-slip and reusable protective cover	39
<b>COVERSMART 120</b> Expandable and adjustable self-adhesive protective film	39, 106
<b>COVERSMART 160</b> Expandable and adjustable self-adhesive protective film	39, 106
<b>COVERUP</b> - Breathable and recyclable protective cover	39



<b>CROCOPLAC II</b> - Jab saw with teeth on both sides 150 mm / 250 mm	32	<b>EDMACLEAN</b> - 24 l tile joint kit + accessories	90
CUTTED SPONGE FLOAT - 280 x 140 mm	92	<b>EDMAFOAM</b> Hot knife with air-cooling system - Hot-knife + 3 blades set	115
CUTTING GUIDE FOR HOT KNIFE - 210 mm	115	<b>EDMAGNETIK</b> Magnetic system for making inspection hatches	85
CUTTING NIPPERS - 220 / 250 mm	176	<b>EDMALEVEL</b> - Tile spacers for self-levelling system 1 mm x 500 pcs / 1.5 mm x 250 pcs / 1.5 mm x 500 pcs / 2 mm x 500 pcs /	89
CUTTING SYSTEM FOR LARGE TILES - EDMATILE XXL	77	<b>EDMALEVEL</b> - Self levelling system - Adjusting pliers	89
CUTTING TOOL FOR PVC, IRL, ICTA AND PER TUBES TRIOCOUP'	154	<b>EDMALEVEL</b> - Self levelling system - Tile spacer 2 mm x 500 pcs / 3 mm x 500 pcs	89
CUTTING UNIT FOR SUPERCOUP	134	<b>EDMALEVEL</b> - Self levelling system - Tile wedge - x 250 pcs	89
<b>D</b>			
DEAD BLOW SOFT FACED HAMMER	145	<b>EDMALEVEL</b> - Self levelling system - Starting kit 100 pcs - 1.5 mm x 2 mm	88
DECHAUSS' TOUT - Telescopic wooden batten remover	121	<b>EDMALEVEL XL</b> - Tiles spacers for self-levelling system 1.5 mm x 250 pcs / 2 mm x 250 pcs	89
Decking lath straightener - PRESS DECK®	175	<b>EDMALIGHT</b> - Cordless LED surface inspection light	56 - 57, 64 - 65
DECLIMETER	124	EDMALIGHT COMPATIBLE TRIPOD	57, 65
DELTA 18 STAPLE - Cooper - x 3360 pcs	185	<b>EDMAPLAC 450</b> - Rack and pinion panel lifter	36 - 37
DELTA 22 STAPLE - AISI 316 stainless steel - x 1000 pcs	185	EDMAPLAC CABLE - Winch panel lifter	35
DELTA 22 STAPLE - Galvanized A - x 1000 pcs	185	<b>EDMAPLIC</b> - Joint tape dispenser with corner roller	44 - 45
DELTA 22 STAPLE - Galvanized green PVC coated - x 1000 pcs	185	<b>EDMATILE</b> - Monorail tile cutter 600 mm / 925 mm / 1350 mm / in carrying case	76
DELTA 30 STAPLE - Galvanized A - 500 pcs / x 2500 pcs	185	<b>EDMATILE XXL</b> - Cutting system for large tiles	77
DISK ROLLER WITH RETRACTABLE STOPPER Tool to make bends from 90° to 180° maximum	139	<b>EDMATYER</b> - 24 mm cordless rebar tyer	162
DOUBLE BATTERY CHARGER FOR EDMATYER	163	<b>EDMATYER XL</b> - 40 mm cordless rebar tyer	162
DOUBLE BENDER - 4 Rolls / 8 Rolls Tool to make folds, counterfolds, raised areas on sheets	137	ERGONOMIC JOINT KNIFE - 25 cm / 35 cm / 60 cm	54
DOUBLE DISK ROLLER Tool to make bends from 90° to 180° maximum	139	ERGONOMIC PRESSURE ROLLER - 45 mm width	151
DOUBLE SEAMING IRON	146	<b>ERGOTOP®</b> Section setting pliers for all types of studs and tracks	22
DOUBLE SUCTION CUP	84	Expandable and adjustable self-adhesive protective film 120 cm / 160 cm - <b>COVERSMART</b>	39? 106
<b>DRESS FIL</b> - Wire tensioner for netting and welded nets	186	Expansion gun for all metal anchors <b>SUPER-FIX® / SUPRA-FIX® / ULTRA-FIX®</b>	59 - 60
DRILL BIT (units) - Ø 6 / 8 / 10 / 35 / 43 / 68 / 100 / 120 mm	80	Expansion tool for all metal anchors <b>BABY-FIX® BRICO / BABY-FIX® / JUNIOR / FIX</b>	58 - 59
DRILL BITS BOX - Ø 6, 8, 10, 12, 28, 35, 43, 68 mm	81	<b>F</b>	
DRILL GUIDE FOR DRILL BITS - Ø 6 to 84 mm	81	F530 ADAPTOR	17, 18
DRYWALL BENCH	40	FAST LINE - 30 m fast rewinding line	19, 161
DRYWALL SCORING SQUARE	29	Fast rewinding line 30 m - <b>FAST LINE</b>	19, 161
DRYWALL STRIPPER - <b>PLAC &amp; ROLL</b>	32	FENCING TENSION CLAWS	183
DRYWALL TAPE HOLDER	43	FIGURE HOLE FORGED SHEARS - 250 mm - Left cut / Right cut	133
DRYWALL UTILITY KNIFE - With 25 mm snap-off blades	30	FIX- Expansion tool for all metal anchors	59
DRYWALLER STILTS	40	FLAT RASP FOR <b>EASY RAP / VARIO RAP</b>	29
DUAL-SYSTEM KNIFE	31	FLAT SHIM - 100 x 24 mm - Assortment x 50 pcs / x 400 pcs / x 1000 pcs	171
<b>DUO PROFIL</b> - Section setting pliers for back-to-back studs	24	FLAT SHIM - 100 x 24 - x 1000 pcs 1 mm / 3 mm / 4 mm / 5 mm	171
<b>DUOPLAC</b> - Boards carrier with claws	28, 103	FLEXIBLE BLADE FLEXIBLE JOINT KNIFE - 15 cm (6")	46, 69
<b>DUOTOP</b> Guillotine for 48 mm metal studs and tracks, M6 threaded rod	18	FLEXIBLE BLADE JOINT KNIFE 2,5 / 4 / 6 / 8 / 10 / 12 / 15 / 18 / 20 / 22 / 24 cm	47
<b>DUPLIC FORM</b> - 250 mm contour gauge	79, 100, 173	FLEXIBLE BLADE PREMIUM JOINT KNIFE 4 / 6 / 8 / 10 / 12 / 20 / 25 cm	46, 69
<b>E</b>			
<b>EASY LOCK SANDER</b> - Abrasive hand sander	55	FLEXIBLE MIXING BUCKET - 40 l	82
<b>EASY LOCK TELESCOPIC SANDER</b> - Abrasive hand sander adaptable to a telescopic pole	55	FLOOR SQUEEGEE - 55 cm / 75 cm	93
<b>EASY RAP</b> - Mini plane for plasterboard	29	FLOORING TROWEL - 500 mm	166
EAVES CLOSING JAWS	143	<b>FLYER'S</b> - Forged aviation snip	16, 130
EAVES EDGER 105 TK	143	<b>FLYER'SL 75</b> - Forged aviation snip - 75 mm long blades	130
EDGE ROLLER - 25 mm Tool to make bends from 90° to 180° maximum	138	FOLDABLE HOT WIRE CUTTING TABLE For styrofoam panel, especially for E.T.I.C.S. applications	110
<b>EDMABLADE</b> - Flexible smoothing blade 15 cm / 25 cm / 35 cm / 45 cm / 60 cm / 80 cm / 100 cm	52	FOLDABLE KNIFE	30
<b>EDMABLADE</b> - Flexible smoothing blade - 60 cm	117	FOLDABLE KNIFE WITH HOLSTER	31
EDMABLADE HANDLE	53, 71	FOLDING TOOL - "Squeezing folding plier"	146
<b>EDMABLADE</b> - Stiff smoothing blade 15 cm / 25 cm / 35 cm / 45 cm / 60 cm / 80 cm / 100 cm	52	FOOT SWITCH FOR HOT WIRE CUTTING TABLES	110, 111
<b>EDMABLADE TWIST</b> - Flexible swivel smoothing blade 15 cm / 25 cm / 35 cm / 45 cm / 60 cm / 100 cm	70		
<b>EDMABLADE TWIST</b> - Stiff swivel smoothing blade 15 cm / 25 cm / 35 cm / 45 cm / 60 cm / 100 cm	70		
<b>EDMABOX</b> - Stackable storage box	14		

<b>FOOTPLAC</b> - Board lever with steel stirrup	28, 103	HOT WIRE CUTTING BOW - For styrofoam	114, 159
Forged aviation snip - Right cut / Left cut - <b>APOLLO</b>	16, 131	HOT WIRE CUTTING TABLE	111
Forged aviation snip - <b>FLYER'S</b>	16, 130	For styrofoam panel, especially for E.T.I.C.S. applications	
FORGED ROOFER'S HAMMER	122	INSIDE CORNER ROLLER	51
FORGED SHEARS PELICAN - 300 mm - Right cut / Left cut	132	INSIDE CORNER TROWEL	50, 117
FORGED SHEARS PELICAN / FIGURE HOLE / OFFSET Right cut / Left cut	133	<b>INSULACUT</b>	109
FRENCH SLATER'S HAMMER - Right handed / Left handed	128	Reciprocating electric saw for mineral insulation material	
<b>G</b>		INSULATION CUTTER - 300 mm / 420 mm	26, 109
GALVANIZED LOOP TIE WIRE - Ø 1 mm x 120 mm - x 1000 pcs	165, 186	<b>INTERCLIPS ZINC</b>	147
GAP SPACER - 3 / 5 / 7 mm x - 10 pcs	175	Clinching pliers for zinc or enamel-plated aluminium gutters	
GAP SPACER - Assortment 3, 5, 7 mm - x 24 pcs	175	<b>INTERPERFOR</b> - Notch punching machine 3.5 x 15 mm	136
GEL KNEE PAD	74, 96	<b>J</b>	
GEL KNEE PAD WITH STABILIZING REINFORCEMENT	74, 96	Jab saw (150 / 250 mm) with teeth on both sides	
GREEN PLASTIFIED LOOP TIE WIRE Ø 1,4 mm x 200 mm - x 1000 pcs	186	<b>CROCOPLAC II</b>	32
GROOVE BLADE FOR CANALCUT - 35 x 35 mm	26, 116	JOINT KNIFE - 10 / 12,5 / 15 cm with 4 removable bits	48
GROOVE CUTTER FOR HOT KNIFE - Ø 30 mm	115	JOINT KNIFE STORAGE POUCH	15, 47
GROOVING HAMMER	144	JOINT KNIFE WITH ROUNDED BLADE 10 / 12 / 14 / 16 / 18 / 20 / 22 / 24 cm	68
GROOVING HAMMER DIFFERENT FACES	144	Joint tape dispenser with corner roller - <b>EDMAPLIC</b>	44 - 45
GROUT FLOAT - Hard - 250 x 100 mm / Medium - 270 x 130 mm	91	<b>JUNIOR</b> - Hand hog ring pliers with magazine	182
GROUT SAW	93	<b>L</b>	
GROUT SPREADER - 200 mm / 300 mm	91	Laminate and vinyl flooring guillotine - <b>STRATICUT® 230 LVT</b>	98
GUILLOTINE FOR 48 MM METAL STUDS AND TRACKS, M6 THREADED ROD	18	Laminate flooring guillotine - <b>MEGA STRATICUT® 400</b>	99
GUILLOTINE FOR METAL PROFILES UP TO 100 MM WIDE	18	Laminate flooring guillotine - <b>STRATICUT® 230</b>	99
GUILLOTINE FOR METAL STUDS AND TRACKS - PROFILCUT®	17	Laminate, viny and PVC flooring guillotine - <b>LAMINOCUT®</b>	98
GUILLOTINE FOR METAL STUDS AND TRACKS - STUD CUTTER	17	<b>LAMINOCUT®</b> - Laminate, vinyl and PVC flooring guillotine	98
GUILLOTINE TO CUT FIBER CEMENT SIDING ALPHACUT / VARIOCUT	153	LARGE TRAPEZE BLADE FOR CUTTER - x 10 pcs	31, 33, 61, 79
GUTTER HANGER BENDER	147	LATHE AXE	122
<b>H</b>		LEAD DRESSER	144
HALF MOON NOTCHED TROWEL - 280 mm - 20 x 10 mm	86	LEVEL WITH XL MAGNETIC SLOTS - 90 cm / 120 cm	20
HALF ROUND KNIFE	49, 67	Line (50 m) with large handle - <b>MAX LINE</b>	123, 161
HAMMER TACKER - PUNCHER	124, 174	Line 50 m with large handle	19
HAND AND SURFACE CLEANING WIPE - x 90 pcs.	190	<b>LIT' UP</b> - BATTEN REMOVER	121
Hand hog ring pliers - BABY GRAFER 16/20 / BABY GRAFER 30	179	LOWER JAW FOR TURBO 50 PREMIUM	188
Hand hog ring pliers with magazine <b>TOP GRAFER 16 / TOP GRAFER 18 / TOP GRAFER 20/22 TOP GRAFER 30 / JUNIOR / MAJOR</b>	180 - 182	<b>M</b>	
HAND STAPLER - For CONCERTINA ring installation	187	M6 threaded rod and 4 mm suspension wire cutter	19
HAND STAPLER WITH MAGAZINE For CL 50 GABION staple installation	189	<b>MINI RODCUT M6</b>	38
Hand tool for fixing corner beads - <b>CORNER FIX</b>	38	Magnetic drywall screw retainer - <b>THE DIMPLER®</b>	85
HANDLE COILED SPRING - For hand hog ring pliers	179, 181	Magnetic system for making inspection hatches <b>EDMAGNETIK</b>	85
HANGER SHIM - 33 x 40 mm - Assortment x 50 pcs / 500 pcs / x 1000 pcs	172	MAGNETIC TAPE MEASURE - 5 m x 25 mm	15, 160
HANGER SHIM - 33 x 40 mm - x 1000 pcs 1 mm / 2 mm / 3 mm / 4 mm / 5 mm	172	MAIN GAUGE - For EDMATILE 600 / 900 / 1350	77
HAWK - 330 x 330 mm	48	<b>MAJOR</b> - Hand hog ring pliers with magazine	182
Heavy duty board lifter - <b>TRANSPLAC</b>	27, 103	MARGIN TROWEL - 80 mm	86
HEAVY DUTY SCRAPER - 150 / 300 / 500 mm	166	MARKING POWDER - 200 g / 400 g / 1000 g / 3500 g	20, 123, 160
HEAVY DUTY SCRAPER - 8 cm	42, 67	MARKLESS MALLET - 250 g / 500 g	87
Hog ring pliers for round posts - <b>MASTER GRAFER</b>	178	MASTER GRAFER - Hog ring pliers for round posts	178
HOLDER FOR FOLDABLE HOT - Wire cutting table	110	<b>MASTERCUT</b> - Pliers to cut and punch the natural slate	126
HOLE SAW SET - Ø 60, 67, 74 mm	41	<b>MASTER-PROFIL®</b>	22
HOLE SAWS SET - Ø 60, 68, 74, 80, 90, 100 mm	41	One hand section setting pliers for studs and tracks	
HORIZONTAL HOT WIRE CUTTING TABLE - For styrofoam	113, 158	<b>MAT</b>	126
HOT BALL - Stainless steel hot ball - Ø 35 mm	41	The famous slate cutting and punching pliers, 35 mm blade	
Hot knife with air-cooling system - Hot knife + 3 blades <b>EDMAFOAM</b>	115	<b>MAT 2</b>	126
HOT KNIFE WITH AIR-COOLING SYSTEM STARTING KIT	115	The famous slate cutting and punching pliers, 55 mm blade	
HOT WIRE CORNER CUTTER - For styrofoam	112	<b>MAT COUP</b> - Slate cutting pliers, 35 mm blade	127
		<b>MAT COUP 2</b> - Slate cutting pliers, 55 mm blade	127
		<b>MAX LINE</b> - 50 M line with large handle	19, 123, 161
		<b>MAXI RET®</b> - 5 blades effortless swaging tool	148
		MEASURING TAPE - 5 m x 25 mm	15, 160
		<b>MEGA STRATICUT® 400</b> - 400 mm laminate flooring guillotine	99
		MINERAL WOOL CUTTING TABLE	108

Mini plane for plasterboard	29
<b>MINI RODCUT M6</b> 6 mm (M6) threaded rod and 4 mm suspension wire cutter	19
<b>MINI RODCUT M8</b> - Ø 4, 6, 8 mm rod guillotine	155
Mini trolley for board carrying - ROLL PLAC	27
Mitre guillotine - <b>CAMELEON 130</b>	102
Mitre shear for variable corners and angles - <b>MULTI-COUP®</b>	61, 79
Mitre shears with variable angle cuts - <b>MULTI-COUP® EXTRA</b>	102
<b>MIXING PADDLE</b> - Ø 100 / 120 / 140 mm	82
MONORAIL TILE CUTTER - 600 / 900 / 1350 mm - <b>EDMATILE</b>	76
MOSAIC TILE CUTTING PLIERS	78
MOULDINGS AND PVC ELECTRIC BASEBOARDS CUTTING PLIERS <b>PLURI COUP EXTRA</b>	61
MULTI COUP BOX	61
Multi purpose farming tool	176
Multi purpose pliers with angled blades - <b>PLURICOUP'ERGO</b>	16, 176
MULTI PURPOSE TOOL - 8 cm	42, 67
<b>MULTI-COUP®</b> - Mitre shear for variable corners and angles	61, 79
<b>MULTI-COUP® EXTRA</b> - Mitre shears with variable angle cuts	102
<b>N</b>	
NAIL POUCH	120
NIBBLER HAND NOTCHER	136
Nibbler shears <b>SUPERCOP / NIBBLE SHEARS NRI / SUPERCOP NR3</b>	134
<b>NIBBLER SHEARS NRI</b> - Nibbler shears	134
<b>NIBBLEX® UNIVERSAL</b> Adaptable nibbler shears on power drill	135
Non-slip and reusable protective cover - <b>COVERPROTECT</b>	39
Notch punching machine - <b>INTERPERFOR</b>	136
NOTCHED SPREADER - 300 mm 4 x 4 mm / 6 x 6 mm / 8 x 8 mm / 10 x 10 mm	86
NOTCHED TROWEL - 280 mm 4 x 4 mm / 6 x 6 mm / 8 x 8 mm / 10 x 10 mm	86
NOTCHED TROWEL - 280 mm - 10 x 10 mm - 45°	86
NOTCHED WEDGE 150 x 45 x 25 mm - x 6 pcs / 80 x 30 x 10 mm - x 30 pcs 80 x 40 x 8 mm - x 30 pcs / 90 x 45 x 15 mm - x 100 pcs 90 x 45 x 15 mm - x 16 pcs	170
NOTCHED WEDGE - Assortment - x 245 pcs	170
<b>O</b>	
OFFSET FORGED SHEARS - 260 mm - Right cut / Left cut	133
OMEGA 16 STAPLE - AISI 316 stainless steel - x 1250 pcs	184
OMEGA 16 STAPLE - Galvanized A - 250 pcs / x 1250 pcs / 2500 pcs	184
OMEGA 16 STAPLE - Galvanized dark grey PVC coated x 250 pcs / x 1250 pcs	184
OMEGA 16 STAPLE - Galvanized green PVC coated 250 pcs / x 1250 pcs / 2500 pcs	184
OMEGA 18 STAPLE - Galvanized A - x 1200 pcs	184
OMEGA 18 STAPLE - Galvanized green PVC coated - x 3000 pcs	184
OMEGA 20 STAPLE - AISI 316 stainless steel - x 1000 pcs	184
OMEGA 20 STAPLE - Aluminium - x 1000 pcs	184
OMEGA 20 STAPLE - Galvanized A - x 200 pcs / x 1000 pcs	184
OMEGA 20 STAPLE - Galvanized black PVC coated - x 1000 pcs	184
OMEGA 20 STAPLE - Galvanized dark grey PVC coated x 200 pcs / x 1000 pcs	184
OMEGA 20 STAPLE - Galvanized green PVC coated x 200 pcs / x 1000 pcs	184
OMEGA 20 STAPLE - Galvanized white PVC coated - x 200 pcs	184
One hand section setting pliers for studs and tracks <b>MASTER PROFIL® / ULTRA PROFIL®</b>	22 - 23
OSCILOCUT BATTERY CHARGER	107
OUTSIDE CORNER ROLLER	51
OUTSIDE CORNER TROWEL	50, 117
Overlapping cladding installation accessories - <b>CLIN FIX®</b>	152

<b>P</b>	
PATCH'UP - 15 cm plasterboard repairer	41
PH2 DRYWALL BIT - x 6 pcs	38
PH2 DRYWALL BIT FOR THE DIMPLER®	38
PIC 7 - Multi-purpose farming tool	176
PIPE POSITIONER - Small variable angle vice	149
<b>PLAC &amp; ROLL</b> - Drywall stripper	32
Plane for plasterboards & wood	29
PLASTERBOARD SAW - 550 mm	32
PLASTERING TROWEL Beveled / Curved / Flat stainless steel blade	49
PLASTIC MUD PAN - 250 mm	42
PLASTIC BOTTLE - 500 ml	149
<b>PLURI COUP EXTRA</b> Mouldings and PVC electric baseboards cutting pliers	61
<b>PLURICOUP' ERGO</b> - Multi purpose pliers with angled blades	16, 176
Pneumatic gun for CL 24 staple installation - <b>TURBO 24</b>	164, 187
Pneumatic gun for CL 50 GABION staple installation <b>TURBO 50 PREMIUM</b>	188
<b>POLYPERFOR</b> - Punching machine	136
<b>POWER GRAFER</b> - Adaptable hog ring pliers on power drill	183
<b>POWER PROFIL</b> - Automatic section setting pliers for all types of studs and tracks, fits on drills	25
Precision insulation cutter - <b>CANALCUT</b>	26, 116
PRECISION SCRAPER + 7 BLADES	66
<b>PRESS DECK®</b> - Decking lath straightener	175
PRESSURE ROLLER - 28 / 45 / 90 mm width	150
PRESSURE ROLLER 45° ANGLED - 45 mm width	150
<b>PRO MAT-COUP 210</b> - Slate cutter	125
<b>PROFIL</b> - Section setting pliers for studs and tracks	21
<b>PROFIL 2 RM</b> - Section setting pliers for studs and tracks	21
<b>PROFILCUT®</b> - Guillotine for metal studs and tracks	17
<b>PROFILCUT® MEGA</b> Guillotine for metal profiles up to 100 mm wide	18
PROTECTION AND PACKING COVER (10 M / 25 M) <b>COVERABSORB</b>	39
PROTECTION PAD - x 24 pcs 78 x 78 x 8 mm / 100 x 100 x 10 mm	173
PROTECTIVE STRIP - 16 m x 80 mm	174
PULLING BAR FOR LAMINATE FLOORING INSTALLATION SUPER <b>TAK-TIK</b>	101
PUNCH + DIE FOR <b>INTERPERFOR</b> - 3,5 x 15 mm	136
PUNCH + DIE SET FOR <b>NIBBLEX® UNIVERSAL</b>	135
PUNCH FOR <b>MAT, MAT 2</b>	127
PUNCH SET FOR <b>POLYPERFOR</b> Ø 3,3 mm / Ø 4,1 mm / Ø 4,9 mm / Ø 6,2 mm	136
<b>PUNCHER</b> - Hammer tackler	124, 174
PUNCHING MACHINE - <b>POLYPERFOR</b>	136
<b>Q</b>	
QUICK SUPPORT 75-125 cm / 101-177 cm / 160-290 cm / 210-390 cm	34
<b>R</b>	
RACK AND PINION PANEL LIFTER - <b>EDMAPLAC 450</b>	36 - 37
RAP-PLAC VERSATILE - Chamfering plane for plasterboard	33
REBAR GUILLOTINE	161
Rebar tyers (cordless) 24 mm / 40 mm <b>EDMATYER / EDMATYER XL</b>	162
Reciprocating electric saw for mineral insulation - <b>INSULACUT</b>	109
RECOVERABLE TILE SPACER - x 100 pcs 1,5 mm / 2 mm / 2,5 mm	87
RECOVERABLE TILE SPACER 3 mm - x 75 pcs / 4 mm - x 50 pcs / 5 mm - x 40 pcs	87
RECTANGULAR TINMAN'S MALLET	145
REINFORCED JOINT KNIFE - 20 / 25 / 30 / 35 cm	54

REPAIR KIT FOR <b>MAT</b> AND <b>MAT 2</b>	127	Slate cutter - 600 mm - <b>ROLL MAT</b>	125
REPLACEABLE DIE FOR <b>RODCUT</b>	155	Slate cutting and punching pliers - 35 mm / 55 mm blade <b>MAT / MAT 2</b>	126
REPLACEABLE DIE M4, M6, M8 FOR <b>MINI RODCUT M8</b>	155	Slate cutting pliers - 35 mm / 55 mm blade <b>MAT COUP / MAT COUP 2</b>	127
REPLACEABLE JAW FOR CORNER FIX - x 2 pcs	38	SLATER'S ANVIL - 400 mm - Left handed / Right handed	128
REPLACEABLE PUNCHING BLADE FOR <b>DUO PROFIL</b>	24	SLATER'S HAMMER - Left handed / Right handed French / Traditional / Universals	128
REPLACEABLE PUNCHING BLADE FOR <b>MASTER-PROFIL®</b>	22	SNAP OFF KNIFE WITH ZINC-ALLOY BODY - 9 mm / 18 mm	30
REPLACEABLE PUNCHING BLADE FOR <b>PROFIL</b>	21	SNAP-OFF BLADE - 25 mm - x 10 pcs	30
REPLACEABLE PUNCHING BLADE FOR <b>PROFIL 2 RM, ERGOTOP®, POWER PROFIL</b> AND <b>TWIN PROFIL®</b>	21, 22, 24, 25	SPACER BLOCK - x 48 pcs	100
REPLACEABLE PUNCHING BLADE FOR <b>ULTRA PROFIL®</b>	23	SPARE BATTERY FOR <b>EDMATYER</b>	163
REPLACEABLE TIP FOR <b>CORNER FIX</b> AND <b>SUPER TAK-TIK</b>	38, 101	SPARE BATTERY FOR HOT WIRE CUTTING TABLES/BOWS AND CORDLESS HOT KNIFE	110, 111, 113, 114, 158, 159
REPLACEMENT BLADE AND SKID PLATE FOR <b>TURBOSHEAR FIBER CEMENT</b>	154	SPARE BATTERY FOR <b>INSULACUT</b>	109, 112
<b>RET 3 BLADES</b> - 3 blades swaging tool	148	SPARE BLADE FOR HOT KNIFE - 15 cm / 20 cm / 25 cm	115
<b>RET 5 BLADES</b> - 5 blades swaging tool	148	SPARE BLADE FOR PRECISION SCRAPER - x 6 pcs	66
RING FOR CONCERTINA - Galvanized - x 1000 pcs	187	SPARE BLADE FOR TRIANGULAR PAINTER'S SCRAPER	66
Rod guillotines - <b>RODCUT / MINI RODCUT M8</b>	155	SPARE BLADES KIT FOR <b>TURBOSHEAR</b>	135
<b>RODCUT</b> - Ø 6, 7, 8, 10 mm rod cutting guillotine	155	SPARE CUTTING DISC FOR <b>ROLL MAT</b>	125
<b>ROLL MAT</b> - 600 mm slate cutter	125	SPARE DIE FOR <b>MINI RODCUT M6</b> AND <b>DUOTOP</b>	18, 19
<b>ROLL PLAC</b> - Mini trolley for board carrying	27	SPARE HANDLE SPRING FOR <b>JUNIOR</b>	182
ROLLER KNEE SUPPORT	75, 97	SPARE HANDLE SPRING FOR <b>MAJOR</b>	182
<b>ROOF LINE</b> - Special 30 m line reel for roofers	123	SPARE OSOLOCUT BATTERY	107
ROOF TILE LINE	149	SPARE OSOLOCUT WIRE	107
ROOF TILE NIBBLER	149	SPARE PAD FOR CLEANING FLOAT - 250 x 100 mm	92
ROOFER'S HAMMER	122	SPARE PUNCH FOR <b>MASTERCUT</b>	127
ROOFER'S ADZE	122	SPARE SPRING FOR <b>MASTER-PROFIL®</b> - x 5 pcs	22
ROOFER'S HOLDER - Soldering iron tip cleaning set	146	SPARE TRIANGULAR BLADE	66
ROUND NOTCHED SPREADER - 300 mm - 20 x 10 mm	86	SPARE WIRE FOR BOWS AND HORIZONTAL TABLE - 1370 mm	113, 114, 158, 159
ROUNDED RASP FOR VARIO RAP	29	SPARE WIRE FOR HOT WIRE CORNER CUTTER - 610 mm	112
RUBBER JOINT KNIFE	50	SPARE WIRE FOR HOT WIRE CUTTING TABLE - 1500 mm	111
<b>S</b>		SPECIAL LINE REEL (30 M) FOR ROOFERS - <b>ROOF LINE</b>	
SAFETY KNIFE	31	SPONGE FLOAT - 280 X 140 mm	92
SCISSORS SPECIAL FOR PLASTIC SHEETS	149	SPRING FOR <b>MAT COUP, MAT COUP 2 &amp; MAXI RET® 5 BLADES</b> x 5 pcs	127, 148
SCRIBE TIP	78	SQUARE SEAM FOLDER	142
SCRIBER TOOL	129	STACKABLE STORAGE BOX - <b>EDMABOX</b>	14
SEAM OPENING PLIERS	142	STAINLESS STEEL BLADE FOR <b>MULTI-COUP® EXTRA</b> - 65 mm	61, 102
SEAMING IRON - With flat blade	146	STAINLESS STEEL BLADE FOR <b>TRIOCOUP'</b>	154
SEAMING PLIERS - Straight - 180 mm / 200 mm	141	Stainless steel hot ball - <b>HOT BALL</b>	41
Section setting pliers for all types of studs and tracks <b>ERGOTOP®</b>	22	STAINLESS STEEL MUD PAN - 300 mm	42
Section setting pliers for back-to-back studs <b>DUO PROFIL / TWIN PROFIL®</b>	24	STAPLES FOR <b>PUNCHER</b> - 8 mm / 10 mm / 12 mm / 14 mm	124, 174
Section setting pliers for studs and tracks <b>PROFIL / PROFIL 2 RM</b>	21	STEEL PRESSURE ROLLER - 40 / 60 mm width	151
SELF-ADHESIVE WATERPROOFING STRIP - 20 m x 80 mm	173	STEP DRILL - Use for precision drilling of sheet metal and plastic up to 30 mm	26
SEMI-CIRCULAR DORMER SQUARE SEAM FOLDER	142	STEPLADDER - 3 steps double sided	40
SET OF JOINT KNIVES + STORAGE POUCH	47	STIFF BLADE JOINT KNIFE - 4 / 5 / 8 / 10 cm	47
SET OF PREMIUM JOINT KNIVES + STORAGE POUCH	46, 69	STIFF BLADE PREMIUM JOINT KNIFE 4 / 5 / 8 / 10 cm	46, 69
<b>SET TAK-TIK</b> - Complete set for installing laminate flooring	100	<b>STRATICUT® 230</b> - Laminate flooring guillotine	99
SETTING STICK	144	<b>STRATICUT® 230 LVT</b> - Laminate and vinyl flooring guillotine	98
SHEARS "PASSE-FRANC" - Right cut / Left cut - UPPER CUT	131	STUD CUTTER - Guillotine for metal studs and tracks	17
SINGLE BENDER 2 ROLLS	138	<b>SUPER TAK-TIK</b> - Pulling bar for laminate flooring installation	101
Tool to make folds, counterfolds, raised areas on sheets		<b>SUPERCUP</b> - Nibbler shears with built-in waste curl cutter	134
SINGLE BENDER 4 ROLLS - 200 mm / 300 mm	138	<b>SUPERCUP NR3</b> - Nibbler shears special corrugated iron with built-in waste curl cutter	134
Tool to make folds, counterfolds, raised areas on sheets		<b>SUPER-FIX®</b> - Expansion gun for all metal anchors	59, 60
SINGLE DISK ROLLER - Tool to make bends from 90° to 180° max.	139	Surface inspection light (cordless, LED) - <b>EDMALIGHT</b>	56 - 57, 64 - 65
SINGLE POCKET CONTRACTOR RIG	15, 120	Swaging tools <b>MAXI RET®</b> (5 blades) / <b>RET 3 BLADES / RET 5 BLADES</b>	148
SINGLE SUCTION CUP	84		
SINGLE VACCUUM SUCTION CUP	84		
Slate cutter - <b>PRO MAT-COUP 210</b>	125		

<b>T</b>	
Tapping block for hardwood and laminate flooring <b>BLOC PARKET</b>	101
TELESCOPIC POLE - 0,50 - 0,90 m / 0,80 - 1,50 m / 1,20 - 2,40 m	53, 71
TELESCOPIC WOODEN BATTEN REMOVER - <b>DECHAUSSTOUT</b>	121
<b>THE DIMPLER®</b> - MAGNETIC DRYWALL SCREW RETAINER	38
TILE CUTTING PLIERS	78
TILE EDGER	143
Tile joint kit (24 L) + accessories - <b>EDMACLEAN</b>	90
TILE LIFTER - Adjustable from 280 to 665 mm	83, 152, 167
TILE LIFTER - Adjustable from 280 to 800 mm	83, 152, 167
TILE SPACER 1,5 mm - x 300 pcs / 2 mm - x 300 pcs 3 mm - x 200 pcs / 4 mm - x 200 pcs	87
TILE SPONGE - 190 x 130 x 50 mm / 200 x 100 x 60 mm	91
TILE WEDGE - 5 mm - x 500 pcs	87
TILE WEDGE - 5 mm - x 500 pcs <b>EDMALEVEL</b> SELF LEVELING SYSTEM	89
TOOL POUCH	15, 120
TOOL TRAY - EDMABOX compatible	14
Tools to made folds, counterfolds, raised areas on sheets DOUBLE BENDERS / SINGLE BENDERS	137 - 138
Tools to make bends from 90° to 180° EDGE ROLLER / SINGLE DISK ROLLER / DOUBLE DISK ROLLER	139
TOP GRAFER 16 - Hand hog ring pliers with magazine	180
TOP GRAFER 18 - Hand hog ring pliers with magazine	180
TOP GRAFER 20/22 - HAND HOG RING PLIERS WITH MAGAZINE	181
TOP GRAFER 30 - Hand hog ring pliers with magazine	181
TORNADO - Automatic binder for metal loop tie wire	164, 186
TRADITIONAL SLATER'S HAMMER - Right / Left handed	128
TRANSFORMER FOR FOLDABLE TABLE	110
TRANSFORMER FOR HOT WIRE CUTTING TABLES AND BOW	111, 113, 114, 158, 159
<b>TRANSPAC</b> - Heavy duty board lifter	27, 103
TRAPEZE CUTTER BLADE DISPENSER	31
TRIANGULAR PAINTER'S SCRAPER	66
<b>TRIOCOUP®</b> - Cutting tool for PVC, IRL, ICTA and PER tubes, Ø 16, 20 and 25 mm	154
TRIPLE SUCTION CUP	84
Tripod - EDMALIGHT COMPATIBLE	57, 65
<b>TURBO 24</b> - Pneumatic gun for CL 24 staple installation	164, 187
<b>TURBO 50 PREMIUM</b> Pneumatic gun for CL 50 GABION staple installation	188
<b>TURBOSHEAR</b> - Adaptable shear on power drill	135
<b>TURBOSHEAR FIBER CEMENT</b> Adaptable fiber cement shear on power drill	154
<b>TWIN PROFIL®</b> - Section setting pliers for back-to-back studs	24
TWIN SQUARE SEAM FOLDER	142

<b>U</b>	
<b>ULTRA PROFIL®</b> - One hand section setting pliers for all types of studs and tracks, without any effort	23
<b>ULTRA-FIX®</b> - Expansion gun for all metal anchors	60
<b>UNI-CLIP BECA</b> - Hog ring pliers for "BECA" type round posts	178
<b>UNIVERSAL FORGED SHEARS</b> - 250 mm - Wide and narrow blade shears	132
UNIVERSAL SLATER'S HAMMER - Right / Left handed	128
UPPER JAW FOR <b>TURBO 50 PREMIUM</b>	188
<b>UPPER-CUT</b> - Shears "PASSE-FRANC" - Right cut / Left cut	131
<b>V</b>	
<b>VARIO RAP</b> - Plane for plasterboards & wood	29
<b>VARIOCUT</b> - Guillotine to cut fiber cement siding	153

VIBRATING WIRE CUTTING TABLE - For insulation materials	107
VIBRATING WIRE CUTTING TABLE IN CARRYING CASE For insulation materials	107
<b>W</b>	
WATERPROOF FLOOR HATCH - 60 x 60 cm	85
WATERPROOF STAINLESS STEEL FLOOR HATCH 30 x 30 cm / 40 x 40 cm	85
WELD SEAM TESTER	149
WELDED SLATE RIPPER - 400 mm / 600 mm	129
WHEEL FOR PLAC & ROLL - 2 pcs	32
WINCH PANEL LIFTER - <b>EDMAPLAC CABLE</b>	35
WIRE NET FENCING PACK	177
WIRE ROLL (2 m) FOR FOLDABLE TABLE	110
Wire tensioner for netting and welded nets - <b>DRESS FIL</b>	186
WOOD HANDLE (PEFC) 110 / 180 cm For heavy duty scrapers Ø 32 mm	166

<b>Z</b>	
ZINC AND LAMINATE SCRIBER	129

## YOUR ORDERS

Your orders are processed in the shortest possible time by a team of multilingual collaborators.

» [commercial@edma.fr](mailto:commercial@edma.fr)



## YOUR QUESTIONS

Technicians help you to use your EDMA tools as efficiently as possible and answer your different technical and after-sales questions.

» [qualite@edma.fr](mailto:qualite@edma.fr)



# EDMA BY YOUR SIDE

## EDMA VIDEOS

Learn how to assemble and/or use your favourite EDMA products in the EDMASCOPE videos series, available on EDMA's Youtube channel:

» [https://bit.ly/EDMASCOPE\\_YOUTUBE](https://bit.ly/EDMASCOPE_YOUTUBE)



**EDMA  
SCOPE**  
The video channel





## EDMA WEBSITE

Find out a large amount of information on EDMA's website [www.edma.fr](http://www.edma.fr): products datasheets, pictures, videos, spare parts' lists linked to a product...

Create your myEDMA account on EDMA's website to benefit from even more content on your products.



«To be at your side» means to bring a maximum of services along your customer experience with EDMA.

Since the purchasing of your EDMA tool to its use, and then the replacement of one wearing part, some EDMA teams are present at each stage to give advice, to bring support and to answer to your questions. In brief: «to be at your side» means to do all our best so that your favourite EDMA tool be and remain, one of your most valuable companions in your daily work.



## SPARE PARTS ONLINE SHOP

Give a longer life to your EDMA products by replacing some wearing parts. Find all the available EDMA spare parts and consumables and order them in a few clicks from home.



## CLEARANCE ONLINE SHOP

Benefit from bargains with EDMA tools from previous generations (previous colors, logo and packagings, discontinued products...etc) at discounted prices.













MADE  
EDMA

**EDMA**<sup>®</sup>  
UN OUTIL D'AVANCE

[www.edma.fr](http://www.edma.fr)

